


Features:


- Convenient One touch fittings provide instant tubing connections
- Elliptical release ring facilitates pneumatic installations in confined spaces Light manual pressure on the elliptical release ring is all that is required to instantly disconnect each tube-no special tools required.
- Nickel-plated brass threaded bodies ensures anti-corrosion and anti-contamination.
- All NPT & R(BSPT) thread are pre-coated with Teflon sealant and require no additional sealing.
- Most all models available in inch and metric size.

Specifications:

Fluid Type	Air (No other type of gas or liquid)	
Working Pressure Range	0~150PSI	0~9.9KgF/cm ² (0~990KPa)
Negative Pressure	-29.5 in Hg	-750mm Hg(10 Torr)
Working Temperature	32~140 degree F	0-60 degree C
Recommended tube material	Nylon and Polyurethane	



COMPOSITE PUSH CONNECT




CPC-2161 - Cap
(1) Tube Cap

CPC-2161-03	3.65
CPC-2161-04	3.65
CPC-2161-05	4.30
CPC-2161-06	4.80
CPC-2161-08	5.30
CPC-2161-5/32	3.15




CPC-2323 - Str.
(1) (2) Plug-In Union

CPC-2323-03-03	4.80
CPC-2323-03-5/32	4.30
CPC-2323-04-03	4.30
CPC-2323-04-04	4.80
CPC-2323-04-5/32	4.30
CPC-2323-05-04	4.85
CPC-2323-05-05	5.25
CPC-2323-06-04	5.35
CPC-2323-06-05	5.35
CPC-2323-06-06	5.80
CPC-2323-08-06	5.80
CPC-2323-08-08	7.45
CPC-2323-5/32-5/32	4.25




CPC-2403 - Str.
(1) (2) Tube Union

CPC-2403-02-02	7.33
CPC-2403-03-03	6.57
CPC-2403-04-02	19.34
CPC-2403-04-04	5.30
CPC-2403-04-5/32	9.14
CPC-2403-05-04	21.29
CPC-2403-05-05	5.95
CPC-2403-06-04	21.29
CPC-2403-06-06	7.06
CPC-2403-08-08	9.10
CPC-2403-5/32-02	8.87
CPC-2403-5/32-5/32	5.79



CPC-2404 - Str.
(1) Tube
(2) Male Pipe


CPC-2404-02-01	6.58
CPC-2404-02-02	6.93
CPC-2404-02-04	15.45
CPC-2404-02-10/32	6.50
CPC-2404-03-02	4.70
CPC-2404-03-04	4.96
CPC-2404-03-06	7.10
CPC-2404-03-10/32	7.10
CPC-2404-04-01	6.99
CPC-2404-04-02	3.80
CPC-2404-04-04	3.80
CPC-2404-04-06	4.70
CPC-2404-04-10/32	7.10
CPC-2404-05-02	4.60
CPC-2404-05-04	4.85
CPC-2404-05-06	5.30
CPC-2404-06-02	6.85
CPC-2404-06-04	5.15
CPC-2404-06-06	5.35
CPC-2404-06-08	7.05
CPC-2404-08-04	6.85
CPC-2404-08-06	7.05
CPC-2404-08-08	7.95
CPC-2404-5/32-01	6.08
CPC-2404-5/32-02	4.45
CPC-2404-5/32-04	4.70
CPC-2404-5/32-10/32	5.90



CPC-2404-NH - Str.
No Hex (Round)
(1) Tube
(2) Male Pipe

CPC-2404-NH-02-01	9.83
CPC-2404-NH-02-02	7.63
CPC-2404-NH-02-10/32	9.83
CPC-2404-NH-03-02	6.43
CPC-2404-NH-03-04	6.96
CPC-2404-NH-03-10/32	6.73
CPC-2404-NH-04-02	6.43
CPC-2404-NH-04-04	6.96
CPC-2404-NH-04-10/32	6.73
CPC-2404-NH-05-02	6.96
CPC-2404-NH-05-04	7.50
CPC-2404-NH-05-06	8.62
CPC-2404-NH-06-04	9.17
CPC-2404-NH-06-06	9.65
CPC-2404-NH-06-08	11.86
CPC-2404-NH-08-04	11.86
CPC-2404-NH-08-06	11.86
CPC-2404-NH-08-08	12.94
CPC-2404-NH-5/32-01	9.83
CPC-2404-NH-5/32-02	5.91
CPC-2404-NH-5/32-10/32	6.43


COMPOSITE PUSH CONNECT



CPC-2405 - Str.

(1) Tube
(2) Fem. Pipe


CPC-2405-02-01	11.17
CPC-2405-02-02	15.50
CPC-2405-02-04	17.92
CPC-2405-02-10/32	11.17
CPC-2405-03-02	9.45
CPC-2405-03-04	11.40
CPC-2405-04-02	7.28
CPC-2405-04-04	9.15
CPC-2405-05-02	10.07
CPC-2405-05-04	12.12
CPC-2405-05-06	16.17
CPC-2405-06-02	24.38
CPC-2405-06-04	10.33
CPC-2405-06-06	12.92
CPC-2405-08-04	18.20
CPC-2405-08-06	18.90
CPC-2405-08-08	20.31
CPC-2405-5/32-01	11.28
CPC-2405-5/32-02	8.75
CPC-2405-5/32-04	11.09
CPC-2405-5/32-10/32	11.25



CPC-2406 - Str.

(1) Tube
(2) Plug-In


CPC-2406-02-04	23.50
CPC-2406-02-5/32	25.58
CPC-2406-04-05	9.04
CPC-2406-04-06	9.04
CPC-2406-04-08	10.55
CPC-2406-05-06	12.91
CPC-2406-05-08	13.71
CPC-2406-06-08	13.71
CPC-2406-5/32-04	8.31
CPC-2406-5/32-05	8.31
CPC-2406-5/32-06	19.66



CPC-2408 - Str.

(1) Tube Plug


CPC-2408-02	6.30
CPC-2408-03	2.91
CPC-2408-04	2.65
CPC-2408-05	2.75
CPC-2408-06	3.35
CPC-2408-08	3.52
CPC-2408-5/32	2.24



CPC-2500 - 90°

(1) (2) Tube Union

CPC-2500-02-02	7.35
CPC-2500-03-03	5.97
CPC-2500-04-04	5.05
CPC-2500-05-05	5.96
CPC-2500-06-06	7.58
CPC-2500-08-08	9.15
CPC-2500-5/32-5/32	5.63




CPC-2501-S - 90°

(1) Tube
(2) Male Pipe Swivel

CPC-2501-S-02-01	10.17
CPC-2501-S-02-02	7.50
CPC-2501-S-02-04	18.04
CPC-2501-S-02-10/32	10.17
CPC-2501-S-03-02	6.92
CPC-2501-S-03-04	7.52
CPC-2501-S-03-06	8.69
CPC-2501-S-03-10/32	8.34
CPC-2501-S-04-01	24.25
CPC-2501-S-04-02	5.60
CPC-2501-S-04-04	5.78
CPC-2501-S-04-06	6.68
CPC-2501-S-04-10/32	8.34
CPC-2501-S-05-02	6.90
CPC-2501-S-05-04	7.25
CPC-2501-S-05-06	8.89
CPC-2501-S-06-02	8.68
CPC-2501-S-06-04	8.59
CPC-2501-S-06-06	8.80
CPC-2501-S-06-08	11.41
CPC-2501-S-08-04	11.40
CPC-2501-S-08-06	11.40
CPC-2501-S-08-08	12.42
CPC-2501-S-5/32-01	10.25
CPC-2501-S-5/32-02	6.18
CPC-2501-S-5/32-04	7.31
CPC-2501-S-5/32-10/32	8.25


COMPOSITE PUSH CONNECT



CPC-2501-S-L - 90°

(1) Tube
(2) Male Pipe Swivel-Long

CPC-2501-S-L-02-02	27.69
CPC-2501-S-L-02-04	26.08
CPC-2501-S-L-03-02	11.87
CPC-2501-S-L-03-04	12.38
CPC-2501-S-L-03-06	14.80
CPC-2501-S-L-04-02	10.82
CPC-2501-S-L-04-04	11.25
CPC-2501-S-L-04-06	14.80
CPC-2501-S-L-05-02	12.90
CPC-2501-S-L-05-04	13.41
CPC-2501-S-L-05-06	16.28
CPC-2501-S-L-06-04	15.15
CPC-2501-S-L-06-06	15.59
CPC-2501-S-L-06-08	23.74
CPC-2501-S-L-08-04	22.05
CPC-2501-S-L-08-06	22.98
CPC-2501-S-L-08-08	26.31
CPC-2501-S-L-5/32-02	10.80
CPC-2501-S-L-5/32-04	25.67
CPC-2501-S-L-5/32-10/32	11.30




CPC-2502-S - 90°

(1) Tube
(2) Fem. Pipe Swivel

CPC-2502-S-02-02	21.67
CPC-2502-S-03-02	9.01
CPC-2502-S-03-04	9.70
CPC-2502-S-03-10/32	10.90
CPC-2502-S-04-02	8.24
CPC-2502-S-04-04	8.98
CPC-2502-S-04-06	11.41
CPC-2502-S-04-10/32	10.93


CPC-2502-S-05-02	10.70
CPC-2502-S-05-04	11.41
CPC-2502-S-05-06	11.70
CPC-2502-S-06-04	13.26
CPC-2502-S-06-06	13.64
CPC-2502-S-06-08	17.75
CPC-2502-S-08-06	38.50
CPC-2502-S-5/32-02	8.93
CPC-2502-S-5/32-04	9.52
CPC-2502-S-5/32-10/32	10.70



CPC-2503 - 45°

(1) Tube
(2) Male Pipe


CPC-2503-04-02	13.38
CPC-2503-04-04	15.54
CPC-2503-06-04	20.62
CPC-2503-06-06	21.01



CPC-2506 - 90°

(1) Tube
(2) Plug-In Equal

CPC-2506-03-03	9.20
CPC-2506-04-04	9.20
CPC-2506-05-05	10.22
CPC-2506-06-06	11.83
CPC-2506-08-08	13.97
CPC-2506-5/32-5/32	8.06




CPC-2601-S - Tee

(1) (2) Tube
(3) Male Pipe Swivel

CPC-2601-S-02-02-01	12.92
CPC-2601-S-02-02-02	11.75
CPC-2601-S-02-02-04	36.33
CPC-2601-S-02-02-10/32	15.25
CPC-2601-S-03-03-02	12.25
CPC-2601-S-03-03-04	12.75
CPC-2601-S-03-03-06	14.80
CPC-2601-S-03-03-10/32	13.90
CPC-2601-S-04-04-01	32.01
CPC-2601-S-04-04-02	9.42
CPC-2601-S-04-04-04	10.28
CPC-2601-S-04-04-06	12.33
CPC-2601-S-04-04-10/32	12.30
CPC-2601-S-05-05-02	12.51
CPC-2601-S-05-05-04	12.97
CPC-2601-S-05-05-06	14.95
CPC-2601-S-06-06-02	13.94
CPC-2601-S-06-06-04	13.60
CPC-2601-S-06-06-06	14.28
CPC-2601-S-06-06-08	18.64
CPC-2601-S-08-08-02	17.90
CPC-2601-S-08-08-04	18.64
CPC-2601-S-08-08-06	18.45
CPC-2601-S-08-08-08	18.94
CPC-2601-S-5/32-5/32-01	13.01
CPC-2601-S-5/32-5/32-02	11.30
CPC-2601-S-5/32-5/32-04	11.90
CPC-2601-S-5/32-5/32-10/32	12.70


COMPOSITE PUSH CONNECT



CPC-2602-S - Tee

(1) (2) Tube
(3) Fem. Pipe Swivel


CPC-2602-S-02-02-02	29.83
CPC-2602-S-03-03-02	13.50
CPC-2602-S-03-03-04	14.10
CPC-2602-S-04-04-02	12.25
CPC-2602-S-04-04-04	12.75
CPC-2602-S-05-05-02	15.12
CPC-2602-S-05-05-04	15.70
CPC-2602-S-05-05-06	16.52
CPC-2602-S-06-06-04	19.45
CPC-2602-S-06-06-06	20.42
CPC-2602-S-08-08-06	23.12
CPC-2602-S-08-08-08	24.22
CPC-2602-S-5/32-5/32-02	12.40
CPC-2602-S-5/32-5/32-04	30.75



CPC-2603 - Tee

(1) (2) (3) Tube Union


CPC-2603-02-02-02	10.22
CPC-2603-03-03-03	13.45
CPC-2603-03-03-5/32	8.22
CPC-2603-04-04-03	8.22
CPC-2603-04-04-04	6.32
CPC-2603-04-04-5/32	8.22
CPC-2603-05-05-04	9.38
CPC-2603-05-05-05	7.82
CPC-2603-06-06-04	10.01
CPC-2603-06-06-05	10.63
CPC-2603-06-06-06	8.18
CPC-2603-08-08-06	15.10
CPC-2603-08-08-08	15.06
CPC-2603-5/32-5/32-5/32	8.12



CPC-2605-S - Tee

(1) (3) Tube
(2) Male Pipe Swivel


CPC-2605-S-02-01-02	13.44
CPC-2605-S-02-02-02	12.46
CPC-2605-S-02-04-02	36.33
CPC-2605-S-02-10/32-02	13.52
CPC-2605-S-03-02-03	12.25
CPC-2605-S-03-04-03	12.75
CPC-2605-S-03-06-03	14.77
CPC-2605-S-03-10/32-03	13.87
CPC-2605-S-04-01-04	32.01
CPC-2605-S-04-02-04	9.88
CPC-2605-S-04-04-04	9.81
CPC-2605-S-04-06-04	12.32
CPC-2605-S-04-10/32-04	13.90
CPC-2605-S-05-02-05	13.80
CPC-2605-S-05-04-05	14.27
CPC-2605-S-05-06-05	15.10
CPC-2605-S-06-02-06	13.29
CPC-2605-S-06-04-06	13.60
CPC-2605-S-06-06-06	14.28
CPC-2605-S-06-08-06	20.50
CPC-2605-S-08-04-08	20.50
CPC-2605-S-08-06-08	21.01
CPC-2605-S-08-08-08	20.05
CPC-2605-S-5/32-02-5/32	10.25
CPC-2605-S-5/32-04-5/32	11.87
CPC-2605-S-5/32-10/32-5/32	12.63



CPC-2650 - Cross

(1) (2) (3) (4) Tube


CPC-2650-03-03-03-03	17.25
CPC-2650-04-04-04-04	17.25
CPC-2650-05-05-05-05	17.40
CPC-2650-06-06-06-06	20.08
CPC-2650-08-08-08-08	21.32
CPC-2650-5/32-5/32-5/32-5/32	14.59



CPC-2700-LN - Str.

(1) Tube
(2) Bulkhead Tube

CPC-2700-LN-02-02	15.77
CPC-2700-LN-03-03	14.91
CPC-2700-LN-04-04	11.47
CPC-2700-LN-05-05	14.55
CPC-2700-LN-06-06	15.07
CPC-2700-LN-08-08	24.36
CPC-2700-LN-5/32-5/32	12.08




CPC-2705-LN - Str.

(1) Bulkhead Tube
(2) Fem. Pipe


CPC-2705-LN-03-02	15.41
CPC-2705-LN-03-04	16.27
CPC-2705-LN-04-02	15.40
CPC-2705-LN-04-04	14.71
CPC-2705-LN-05-02	18.09
CPC-2705-LN-05-04	18.89
CPC-2705-LN-05-06	19.55
CPC-2705-LN-06-04	21.82
CPC-2705-LN-06-06	22.88
CPC-2705-LN-08-06	25.76
CPC-2705-LN-08-08	33.49
CPC-2705-LN-5/32-02	14.77
CPC-2705-LN-5/32-04	27.08

COMPOSITE PUSH CONNECT




CPC-3000 - Triple Tee
(1) (2) (3) (4) (5) Tube

CPC-3000-03-03-5/32-5/32-5/32	18.82
CPC-3000-04-04-5/32-5/32-5/32	18.82
CPC-3000-05-05-03-03-03	23.66
CPC-3000-05-05-04-04-04	23.66
CPC-3000-05-05-5/32-5/32-5/32	18.82
CPC-3000-06-06-04-04-04	25.80
CPC-3000-06-06-05-05-05	27.42




CPC-3001 - Triple Tee
(1) (3) (4) (5) Tube
(2) Male Pipe Swivel

CPC-3001-03-02-5/32-5/32-5/32	20.96
CPC-3001-04-02-5/32-5/32-5/32	20.96
CPC-3001-05-04-03-03-03	23.73
CPC-3001-05-04-04-04-04	23.73
CPC-3001-05-04-5/32-5/32-5/32	20.96
CPC-3001-06-06-04-04-04	27.33
CPC-3001-06-06-05-05-05	27.33



CPC-3002 - Triple Tee
(1) (3) (4) (5) Tube
(2) Plug-In


CPC-3002-03-03-5/32-5/32-5/32	23.11
CPC-3002-04-04-5/32-5/32-5/32	22.58
CPC-3002-05-05-03-03-03	23.66
CPC-3002-05-05-04-04-04	23.66
CPC-3002-05-05-5/32-5/32-5/32	23.11
CPC-3002-06-06-04-04-04	27.41
CPC-3002-06-06-05-05-05	27.41



CPC-4107 - "Y"
(1) (2) (3) Tube Union

CPC-4107-02-02-02	15.62
CPC-4107-03-03-03	12.91
CPC-4107-03-03-04	12.91
CPC-4107-04-04-04	9.93
CPC-4107-04-04-05	13.44
CPC-4107-04-04-06	13.70
CPC-4107-05-05-05	13.44
CPC-4107-05-05-06	15.60
CPC-4107-06-06-06	11.99
CPC-4107-06-06-08	20.97
CPC-4107-08-08-08	20.97
CPC-4107-5/32-5/32-03	12.91
CPC-4107-5/32-5/32-04	12.91
CPC-4107-5/32-5/32-5/32	9.55


COMPOSITE PUSH CONNECT



CPC-4108-S - "Y"

(1) (2) Tube
(3) Male Pipe Swivel


CPC-4108-S-03-03-02	12.38
CPC-4108-S-03-03-04	12.88
CPC-4108-S-03-03-06	14.78
CPC-4108-S-03-03-10/32	13.87
CPC-4108-S-04-04-02	12.38
CPC-4108-S-04-04-04	9.91
CPC-4108-S-04-04-06	14.77
CPC-4108-S-04-04-10/32	13.90
CPC-4108-S-05-05-02	13.75
CPC-4108-S-05-05-04	14.27
CPC-4108-S-05-05-06	15.02
CPC-4108-S-06-06-04	17.68
CPC-4108-S-06-06-06	18.56
CPC-4108-S-06-06-08	20.50
CPC-4108-S-08-08-04	20.50
CPC-4108-S-08-08-06	21.01
CPC-4108-S-08-08-08	22.02
CPC-4108-S-5/32-5/32-02	11.27
CPC-4108-S-5/32-5/32-04	11.90
CPC-4108-S-5/32-5/32-10/32	12.70



CPC-4110 - Banjo

(1) Tube
(2) Male Banjo Swivel


CPC-4110-03-02	9.45
CPC-4110-03-04	11.27
CPC-4110-03-06	14.08
CPC-4110-03-10/32	11.27
CPC-4110-04-02	9.45
CPC-4110-04-04	11.27
CPC-4110-04-06	25.85
CPC-4110-05-02	12.12
CPC-4110-05-04	12.88
CPC-4110-05-06	14.77
CPC-4110-06-04	15.04
CPC-4110-06-06	14.25
CPC-4110-08-06	20.50
CPC-4110-08-08	21.01
CPC-4110-5/32-02	9.11
CPC-4110-5/32-10/32	10.78



CPC-4111 - Banjo

(1) Tube
(2) Fem. Pipe
(2) Fem. Banjo Swivel


CPC-4111-03-02-02	15.02
CPC-4111-03-04-04	16.69
CPC-4111-03-10/32-10/32	12.88
CPC-4111-04-02-02	15.02
CPC-4111-04-04-04	16.69
CPC-4111-05-02-02	15.67
CPC-4111-05-04-04	17.19
CPC-4111-05-06-06	24.77
CPC-4111-06-04-04	18.31
CPC-4111-06-06-06	25.28
CPC-4111-08-06-06	25.79
CPC-4111-08-08-08	29.11
CPC-4111-5/32-02-02	14.52
CPC-4111-5/32-10/32-10/32	12.38



CPC-4112 - "Y"

(1) (2) Tube
(3) Plug-In


CPC-4112-03-03-03	13.44
CPC-4112-04-04-04	13.44
CPC-4112-04-04-05	15.05
CPC-4112-04-04-06	17.74
CPC-4112-05-05-05	15.05
CPC-4112-05-05-06	17.74
CPC-4112-06-06-06	17.74
CPC-4112-06-06-08	20.97
CPC-4112-08-08-08	20.97
CPC-4112-5/32-5/32-04	13.44
CPC-4112-5/32-5/32-5/32	12.91



CPC-4133 - Tee

(1) (2) Tube
(3) Plug-In

CPC-4133-03-03-03	13.44
CPC-4133-04-04-04	13.44
CPC-4133-04-04-05	15.05
CPC-4133-04-04-06	17.74
CPC-4133-05-05-05	15.05
CPC-4133-05-05-06	17.74
CPC-4133-06-06-06	17.74
CPC-4133-06-06-08	20.97
CPC-4133-08-08-08	20.97
CPC-4133-5/32-5/32-04	13.44
CPC-4133-5/32-5/32-5/32	12.91




CPC-4135 - Tee

(1) (3) Tube
(2) Plug-In


CPC-4135-03-03-03	13.44
CPC-4135-04-04-04	13.44
CPC-4135-04-04-05	16.05
CPC-4135-04-04-06	17.74
CPC-4135-05-05-05	15.05
CPC-4135-05-05-06	17.74
CPC-4135-06-06-06	17.74
CPC-4135-06-06-08	20.97
CPC-4135-08-08-08	20.97
CPC-4135-5/32-5/32-04	13.44
CPC-4135-5/32-5/32-5/32	12.91

SHORT BODY COMPACT



CPC-SB-2403 - Str.
(1) (2) Tube Union

CPC-SB-2403-02-02	6.20
CPC-SB-2403-04-02	12.67
CPC-SB-2403-04-04	7.25
CPC-SB-2403-04-5/32	7.03
CPC-SB-2403-04-06	21.08
CPC-SB-2403-06-06	16.73
CPC-SB-2403-06-08	27.92
CPC-SB-2403-08-08	21.18
CPC-SB-2403-5/32-02	6.83
CPC-SB-2403-5/32-5/32	6.83




CPC-SB-2404 - Str.
(1) Tube
(2) Male Pipe

CPC-SB-2404-02-01	6.58
CPC-SB-2404-02-02	7.58
CPC-SB-2404-02-10/32	6.50
CPC-SB-2404-04-01	6.99
CPC-SB-2404-04-02	6.25
CPC-SB-2404-04-10/32	7.42
CPC-SB-2404-5/32-01	6.08
CPC-SB-2404-5/32-02	5.92
CPC-SB-2404-5/32-10/32	6.08




CPC-SB-2404-NH - Str.
No Hex (Round)
(1) Tube
(2) Male Pipe

CPC-SB-2404-NH-02-01	5.86
CPC-SB-2404-NH-02-02	6.85
CPC-SB-2404-NH-02-10/32	6.47
CPC-SB-2404-NH-04-01	18.92
CPC-SB-2404-NH-04-02	5.86
CPC-SB-2404-NH-04-04	13.33
CPC-SB-2404-NH-04-10/32	6.45
CPC-SB-2404-NH-5/32-01	7.55
CPC-SB-2404-NH-5/32-02	5.76
CPC-SB-2404-NH-5/32-10/32	6.45




CPC-SB-2405 - Str.
(1) Tube
(2) Fem. Pipe

CPC-SB-2405-02-01	7.53
CPC-SB-2405-02-10/32	7.53
CPC-SB-2405-5/32-01	11.28
CPC-SB-2405-5/32-10/32	6.06




CPC-SB-2500 - 90°
(1) (2) Tube Union

CPC-SB-2500-02-02	6.20
CPC-SB-2500-04-04	6.58
CPC-SB-2500-06-06	20.33
CPC-SB-2500-08-08	20.42
CPC-SB-2500-5/32-5/32	6.62



CPC-SB-2501-S - 90°
(1) Tube
(2) Male Pipe Swivel


CPC-SB-2501-S-02-01	6.03
CPC-SB-2501-S-02-02	6.09
CPC-SB-2501-S-02-04	12.08
CPC-SB-2501-S-02-10/32	6.30
CPC-SB-2501-S-04-01	15.25
CPC-SB-2501-S-04-02	6.09
CPC-SB-2501-S-04-04	10.75
CPC-SB-2501-S-04-06	14.92
CPC-SB-2501-S-04-10/32	6.72
CPC-SB-2501-S-06-02	17.80
CPC-SB-2501-S-06-04	15.42
CPC-SB-2501-S-06-06	18.01
CPC-SB-2501-S-06-08	19.58
CPC-SB-2501-S-08-04	20.83
CPC-SB-2501-S-08-06	21.33
CPC-SB-2501-S-08-08	22.42
CPC-SB-2501-S-5/32-01	5.79
CPC-SB-2501-S-5/32-02	6.01
CPC-SB-2501-S-5/32-04	11.67
CPC-SB-2501-S-5/32-10/32	7.24



CPC-SB-2601-S - Tee
(1) (2) Tube
(3) Male Pipe Swivel


CPC-SB-2601-S-02-02-01	8.96
CPC-SB-2601-S-02-02-02	8.99
CPC-SB-2601-S-02-02-10/32	9.83
CPC-SB-2601-S-04-04-01	16.67
CPC-SB-2601-S-04-04-02	9.42
CPC-SB-2601-S-04-04-04	15.01
CPC-SB-2601-S-04-04-06	20.92
CPC-SB-2601-S-04-04-10/32	9.31
CPC-SB-2601-S-06-06-02	24.83
CPC-SB-2601-S-06-06-04	22.75
CPC-SB-2601-S-06-06-06	27.83
CPC-SB-2601-S-06-06-08	30.34
CPC-SB-2601-S-08-08-04	32.08
CPC-SB-2601-S-08-08-06	30.42
CPC-SB-2601-S-08-08-08	31.98
CPC-SB-2601-S-5/32-5/32-01	8.48
CPC-SB-2601-S-5/32-5/32-02	8.68
CPC-SB-2601-S-5/32-5/32-04	28.58
CPC-SB-2601-S-5/32-5/32-10/32	29.72

SHORT BODY COMPACT



CPC-SB-2603 - Tee
(1) (2) (3) Tube Union


CPC-SB-2603-02-02-02	7.86
CPC-SB-2603-04-04-04	8.78
CPC-SB-2603-06-06-06	22.17
CPC-SB-2603-08-08-08	28.83
CPC-SB-2603-5/32-5/32-5/32	8.68



CPC-SB-2605-S - Tee
(1) (3) Tube
(2) Male Pipe Swivel

CPC-SB-2605-S-02-01-02	10.34
CPC-SB-2605-S-02-02-02	10.55
CPC-SB-2605-S-02-10/32-02	10.40
CPC-SB-2605-S-04-01-04	19.58
CPC-SB-2605-S-04-02-04	8.68
CPC-SB-2605-S-04-04-04	15.42
CPC-SB-2605-S-04-10/32-04	9.72
CPC-SB-2605-S-06-02-06	24.83
CPC-SB-2605-S-06-04-06	22.75
CPC-SB-2605-S-06-06-06	26.33
CPC-SB-2605-S-06-08-06	32.84
CPC-SB-2605-S-08-04-08	32.84
CPC-SB-2605-S-08-06-08	32.84
CPC-SB-2605-S-08-08-08	33.67
CPC-SB-2605-S-5/32-01-5/32	8.48
CPC-SB-2605-S-5/32-02-5/32	8.68
CPC-SB-2605-S-5/32-10/32-5/32	9.72


SPEED CONTROL



CPC-SC-2403

(1) (2) Tube

CPC-SC-2403-03-03	43.44
CPC-SC-2403-04-04	43.44
CPC-SC-2403-05-05	49.49
CPC-SC-2403-06-06	62.23
CPC-SC-2403-08-08	72.31
CPC-SC-2403-5/32-5/32	30.46



CPC-SC-2501-S

(1) Tube

(2) Male Pipe

CPC-SC-2501-S-03-02	43.34
CPC-SC-2501-S-03-04	46.55
CPC-SC-2501-S-03-06	59.30
CPC-SC-2501-S-03-10/32	36.80
CPC-SC-2501-S-04-02	36.20
CPC-SC-2501-S-04-04	38.79
CPC-SC-2501-S-04-06	59.29
CPC-SC-2501-S-04-10/32	33.45
CPC-SC-2501-S-05-02	46.44
CPC-SC-2501-S-05-04	49.49
CPC-SC-2501-S-05-06	62.23
CPC-SC-2501-S-05-08	67.30
CPC-SC-2501-S-06-04	55.90
CPC-SC-2501-S-06-06	62.23
CPC-SC-2501-S-06-08	70.18
CPC-SC-2501-S-08-06	68.75
CPC-SC-2501-S-08-08	72.31
CPC-SC-2501-S-5/32-02	30.82
CPC-SC-2501-S-5/32-04	42.86
CPC-SC-2501-S-5/32-10/32	27.69