


DOMESTIC STEEL ADAPTERS


Styles may vary from picture



0302

Short Nut

0302-04	1.15
0302-05	2.55
0302-06	1.60
0302-08	2.20
0302-10	6.75
0302-12	6.55
0302-14	7.55
0302-16	8.45
0302-20	19.70
0302-24	81.70
0302-32	136.30



0304

Standard Nut

0304-04	1.70
0304-05	1.95
0304-06	2.05
0304-08	3.30
0304-10	4.15
0304-12	7.30
0304-14	16.10
0304-16	14.75
0304-20	22.90
0304-24	34.40
0304-32	162.75



304-C

Cap Nut

0304-C-02	5.60
0304-C-03	3.45
0304-C-04	1.25
0304-C-05	1.55
0304-C-06	1.62
0304-C-08	2.30
0304-C-10	3.20
0304-C-12	5.05
0304-C-14	9.10
0304-C-16	7.80
0304-C-20	13.15
0304-C-24	21.60
0304-C-32	81.50
0304-C-40	463.75



0306

Bulkhead Lock Nut

0306-02	6.35
0306-03	5.45
0306-04	0.75
0306-05	0.90
0306-06	0.70
0306-08	0.92
0306-10	1.30
0306-12	2.00
0306-14	2.70
0306-16	2.90
0306-20	5.40
0306-24	7.90
0306-32	22.15



0306-N

Adjustable Lock Nut


0306-N-02	3.10
0306-N-03	1.10
0306-N-04	0.55
0306-N-05	0.92
0306-N-06	0.55
0306-N-08	0.85
0306-N-10	1.10
0306-N-12	1.75
0306-N-14	3.40
0306-N-16	3.70
0306-N-20	8.25
0306-N-24	14.60
0306-N-32	63.00



0306-SN

Adjustable Seal Nut

0306-SN-02	9.40
0306-SN-04	12.10
0306-SN-06	13.40
0306-SN-08	17.30
0306-SN-12	23.45
0306-SN-16	32.25



0318

Tube Nut

0318-02	1.85
0318-03	1.70
0318-04	0.80
0318-05	1.35
0318-06	1.00
0318-08	1.55
0318-10	2.30
0318-12	3.40
0318-14	5.35
0318-16	5.90
0318-20	10.90
0318-24	17.81
0318-32	52.10



0319

Tube Sleeve

0319-02	1.50
0319-03	0.85
0319-04	0.62
0319-05	0.65
0319-06	0.70
0319-08	1.00
0319-10	1.20
0319-12	1.55
0319-14	3.10
0319-16	3.02
0319-20	5.30
0319-24	12.15
0319-32	25.25




0400

Braze Ring

0400-04	3.90
0400-06	4.70
0400-08	5.15
0400-10	5.70
0400-12	7.85
0400-16	9.55
0400-20	10.90
0400-24	12.70

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



0403 - Str.

(1) Bore
(2) Male Tube


0403-04-04	1.75
0403-05-05	6.25
0403-06-06	2.70
0403-06-08	15.70
0403-08-08	3.15
0403-08-10	56.40
0403-10-08	51.80
0403-10-10	4.15
0403-10-12	62.15
0403-12-10	11.60
0403-12-12	6.00
0403-12-16	79.75
0403-14-14	16.45
0403-16-12	11.25
0403-16-16	8.00
0403-16-20	78.95
0403-20-16	16.15
0403-20-20	13.70
0403-24-20	61.40
0403-24-24	23.70
0403-32-32	114.25



0404 - Str.

(1) Bore
(2) Male Pipe

0404-04-02	23.40
0404-06-04	5.55
0404-08-06	6.60
0404-10-08	4.55
0404-12-08	6.00
0404-12-12	8.15
0404-16-12	81.70
0404-16-16	14.40
0404-20-16	49.85
0404-20-20	82.70



0404-BW - Str.

(1) Butt Weld
(2) Male Pipe

0404-BW-04-04	5.55
0404-BW-06-06	6.20

0404-BW-08-08	7.65
0404-BW-12-12	10.20
0404-BW-16-16	15.65
0404-BW-20-20	22.80
0404-BW-24-24	45.80
0404-BW-32-32	54.90




0463 - 37°
Copper Gasket

0463-02	5.90
0463-03	6.10
0463-04	4.00
0463-05	4.10
0463-06	4.15
0463-07	4.45
0463-08	4.55
0463-10	4.75
0463-12	5.75
0463-16	6.90
0463-20	14.60
0463-24	16.90
0463-32	17.40



0463-NI - 37°
Nickel Plated Gasket

0463-NI-04	7.75
0463-NI-06	8.40
0463-NI-08	9.30
0463-NI-10	10.40
0463-NI-12	11.00
0463-NI-16	12.10
0463-NI-20	30.10
0463-NI-24	32.00
0463-NI-32	43.75




0500 - 90°

(1) Bore
(2) Male Tube

0500-04-04	5.00
------------	------


0500-05-05	5.10
0500-06-06	4.75
0500-08-08	6.45
0500-10-10	8.25
0500-12-12	13.70
0500-14-14	29.45
0500-16-16	20.55
0500-20-20	47.00
0500-24-24	78.60



0600 - Tee


(1) (2) Bore
(3) Male Tube

0600-04-04-04	10.45
0600-06-06-06	7.45
0600-08-08-08	11.75



0618
Flareless Tube Nut

0618-04	5.10
0618-05	13.00
0618-06	5.70
0618-08	7.40
0618-10	9.75
0618-12	15.20
0618-16	30.25
0618-20	76.60




0619
Flareless Tube Sleeve

0619-04	5.45
0619-05	13.50
0619-06	5.75
0619-08	7.20
0619-10	8.20
0619-12	12.65
0619-16	26.35
0619-20	52.20


DOMESTIC STEEL ADAPTERS

Styles may vary from picture




0900-BW - Str.
(1) Butt Weld
(2) Fem. 37° Swivel

0900-BW-04-04	7.90
0900-BW-06-06	8.75
0900-BW-08-08	11.85
0900-BW-08-10	13.15
0900-BW-12-12	17.85
0900-BW-16-16	26.10
0900-BW-20-20	61.25
0900-BW-24-24	84.60
0900-BW-32-32	182.10




1404 - Str.
(1) Male Pipe
(2) Fem. Pipe Swivel

1404-02-02	4.55
1404-02-04	5.35
1404-04-02	5.85
1404-04-04	3.75
1404-04-06	5.60
1404-04-08	21.60
1404-06-04	5.80
1404-06-06	5.15
1404-06-08	7.40
1404-08-04	13.31
1404-08-06	7.80
1404-08-08	7.20
1404-08-12	13.31
1404-12-06	36.95
1404-12-08	13.70
1404-12-12	10.55
1404-12-16	20.00
1404-16-08	90.30
1404-16-12	17.60
1404-16-16	18.05
1404-16-20	39.70
1404-20-16	48.40
1404-20-20	31.35
1404-20-24	49.60
1404-24-20	56.75
1404-24-24	45.85
1404-32-32	91.85




1404-BLK - Str.
(1) Male Pipe
(2) Fem. Pipe Swivel Blank

1404-BLK-04-04	6.10
1404-BLK-06-06	7.55
1404-BLK-08-08	10.50



1404-HP - Str.
High Pressure
(1) Male Pipe
(2) Fem. Pipe Swivel


1404-HP-04-04	133.95
1404-HP-06-06	149.35
1404-HP-08-08	232.80
1404-HP-12-12	243.70



RESTRICTORS
1404-R - Str.
(1) Male Pipe
(2) Fem. Pipe Swivel


1404-R-02-02 (.0625)	6.90
1404-R-04-04 (.0156)	9.45
1404-R-04-04 (.020)	8.75
1404-R-04-04 (.031)	8.00
1404-R-04-04 (.040)	8.30
1404-R-04-04 (.047)	8.30
1404-R-04-04 (.0625)	8.41
1404-R-04-04 (.07)	6.10
1404-R-04-04 (.08)	6.10
1404-R-04-04 (.09)	6.10
1404-R-04-04 (.125)	6.10
1404-R-04-06 (.031)	10.85
1404-R-04-06 (.0625)	10.85
1404-R-06-06 (.031)	9.25
1404-R-06-06 (.047)	9.25
1404-R-06-06 (.055)	9.25
1404-R-06-06 (.0625)	9.25
1404-R-06-06 (.093)	9.25
1404-R-06-06 (.125)	9.25

1404-R-06-08 (.031)	12.15
1404-R-06-08 (.0625)	12.15
1404-R-08-06 (.031)	13.90
1404-R-08-06 (.0625)	13.90
1404-R-08-08 (.031)	10.75
1404-R-08-08 (.045)	10.75
1404-R-08-08 (.0625)	10.75
1404-R-08-08 (.08)	10.75
1404-R-08-08 (.09)	10.75



1405 - Str.
(1) Fem. Pipe
(2) Fem. Pipe Swivel

1405-02-02	3.95
1405-02-04	9.70
1405-04-02	18.85
1405-04-04	5.31
1405-04-06	7.25
1405-06-04	8.00
1405-06-06	5.80
1405-06-08	11.60
1405-08-04	24.70
1405-08-06	10.10
1405-08-08	7.20
1405-08-12	16.10
1405-12-08	21.60
1405-12-12	23.55
1405-12-16	30.00
1405-16-12	23.55
1405-16-16	15.65
1405-20-20	32.55
1405-24-24	45.00
1405-32-32	87.25




1406 - Str.
(1) (2) Fem. Pipe Swivel

1406-04-04	88.25
1406-06-06	103.40
1406-08-08	124.90
1406-12-12	188.55
1406-16-16	200.30

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



1501 - 90°

(1) Male Pipe
(2) Fem. Pipe Swivel


1501-02-02	7.20
1501-02-04	8.60
1501-04-02	9.10
1501-04-04	6.95
1501-04-06	9.30
1501-04-08	35.55
1501-06-04	8.95
1501-06-06	9.40
1501-06-08	12.30
1501-08-04	12.10
1501-08-06	11.00
1501-08-08	12.05
1501-08-12	17.95
1501-12-04	20.35
1501-12-06	22.20
1501-12-08	19.05
1501-12-12	19.85
1501-12-16	40.60
1501-16-08	41.70
1501-16-12	29.50
1501-16-16	33.40
1501-16-20	81.25
1501-20-12	66.95
1501-20-16	64.15
1501-20-20	61.90
1501-20-24	191.10
1501-24-20	107.85
1501-24-24	101.15
1501-32-32	208.25



1501-BLK - 90°

(1) Male Pipe
(2) Fem. Pipe Swivel Blank


1501-BLK-04-04	13.85
1501-BLK-04-06	18.75
1501-BLK-06-04	15.50
1501-BLK-06-06	17.15
1501-BLK-06-08	19.90
1501-BLK-08-04	18.40
1501-BLK-08-06	19.40
1501-BLK-08-08	18.85



1501-LL - 90°

(1) Male Pipe
(2) Fem. Pipe Swivel


1501-LL-02-02	36.00
1501-LL-06-06	72.95
1501-LL-08-08	92.70
1501-LL-12-12	151.90
1501-LL-16-16	410.25



RESTRICTORS
1501-R - 90°

(1) Male Pipe
(2) Fem. Pipe Swivel

1501-R-04-04 (.031)	13.85
1501-R-04-04 (.0625)	13.85
1501-R-04-06 (.031)	18.75
1501-R-04-06 (.093)	18.75
1501-R-06-04 (.031)	18.75
1501-R-06-04 (.0625)	18.75
1501-R-06-06 (.031)	17.10
1501-R-06-06 (.0625)	17.10
1501-R-06-08 (.031)	19.90
1501-R-06-08 (.045)	19.90
1501-R-08-04 (.031)	19.90
1501-R-08-06 (.031)	19.40
1501-R-08-08 (.031)	18.85
1501-R-08-08 (.0625)	18.85
1501-R-08-08 (.08)	18.85



1502 - 90°

(1) Fem. Pipe
(2) Fem. Pipe Swivel

1502-02-02	6.90
1502-04-02	16.90
1502-04-04	8.00
1502-04-06	21.45
1502-06-04	13.25
1502-06-06	9.25
1502-06-08	18.10
1502-08-04	26.75
1502-08-06	15.70
1502-08-08	13.30
1502-08-12	62.60
1502-12-08	26.50
1502-12-12	21.05
1502-12-16	120.40
1502-16-12	45.00
1502-16-16	41.25
1502-20-16	68.85
1502-20-20	74.00
1502-24-24	149.30
1502-32-32	353.25




1503 - 45°

(1) Male Pipe
(2) Fem. Pipe Swivel

1503-02-02	8.05
1503-02-04	15.00
1503-04-02	22.30
1503-04-04	8.90
1503-04-06	21.00
1503-06-04	10.55
1503-06-06	10.45
1503-06-08	24.00
1503-08-04	17.40
1503-08-06	13.70
1503-08-08	13.30
1503-08-12	32.10
1503-12-08	26.50
1503-12-12	23.55
1503-12-16	45.30
1503-16-12	37.00
1503-16-16	34.60
1503-16-20	88.60
1503-20-16	48.40
1503-20-20	60.10
1503-24-24	94.45
1503-32-32	192.95

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



1504 - 45°

(1) Fem. Pipe
(2) Fem. Pipe Swivel


1504-02-02	17.30
1504-02-04	34.00
1504-04-04	10.20
1504-06-04	19.10
1504-06-06	17.60
1504-08-06	34.55
1504-08-08	18.85
1504-12-08	60.75
1504-12-12	24.50
1504-16-12	60.40
1504-16-16	38.25
1504-20-20	65.70
1504-24-24	122.25



1602 - Tee

(1) Fem. Pipe
(2) (3) Fem. Pipe Swivel


1602-02-02-02	16.30
1602-04-04-04	14.55
1602-06-04-04	27.40
1602-06-06-06	16.85
1602-08-06-06	25.30
1602-08-08-08	20.35
1602-12-08-08	58.15
1602-12-12-12	39.25
1602-16-12-12	57.10
1602-16-16-16	72.45
1602-20-20-20	130.60



1603 - Tee

(1) (2) (3) Fem. Pipe Swivel


1603-02-02-02	39.30
1603-04-04-04	15.15
1603-06-06-06	15.80
1603-08-08-08	19.10
1603-12-12-12	38.50
1603-16-16-16	86.25
1603-20-20-20	162.45



1601 - Tee

(1) Male Pipe
(2) (3) Fem. Pipe Swivel

1601-02-02-02	17.25
1601-04-04-04	12.80
1601-04-06-06	26.75
1601-06-04-04	22.75
1601-06-06-06	15.30
1601-08-04-04	27.25
1601-08-06-06	26.10
1601-08-08-08	18.15
1601-12-08-08	36.75
1601-12-12-12	34.65
1601-12-16-16	75.45
1601-16-12-12	69.00
1601-16-16-16	57.80
1601-20-20-20	109.85
1601-24-24-24	178.60




1700-61 - Str.

(1) Male Tube
(2) O Ring Flange
Code 61

1700-61-08-08	28.55
1700-61-08-12	38.90
1700-61-10-10	61.75
1700-61-12-10	69.85
1700-61-12-12	33.65
1700-61-12-16	39.40
1700-61-12-20	76.30
1700-61-12-24	130.70
1700-61-16-12	51.45


1700-61-16-16	35.25
1700-61-16-20	44.95
1700-61-16-24	71.40
1700-61-20-12	123.60
1700-61-20-16	76.80
1700-61-20-20	55.15
1700-61-20-24	86.85
1700-61-20-32	141.95
1700-61-24-16	139.75
1700-61-24-20	121.60
1700-61-24-24	70.85
1700-61-24-32	97.25
1700-61-32-24	155.25
1700-61-32-32	197.75
1700-61-32-40	621.90
1700-61-40-40	598.85



1700-61-H - Str.

Heavy
(1) Male Tube
(2) O Ring Flange
Code 61

1700-61-H-12-12	171.35
1700-61-H-12-16	185.45
1700-61-H-16-16	128.55
1700-61-H-16-20	316.65
1700-61-H-20-16	193.55
1700-61-H-20-20	275.30
1700-61-H-24-24	441.10




1700-62 - Str.

(1) Male Tube
(2) O Ring Flange
Code 62

1700-62-08-08	124.00
1700-62-12-12	57.40
1700-62-12-16	71.90
1700-62-16-12	61.50
1700-62-16-16	78.60
1700-62-16-20	87.10
1700-62-16-24	208.95
1700-62-20-16	114.40
1700-62-20-20	125.00
1700-62-20-24	137.90
1700-62-24-20	137.90
1700-62-24-24	138.85
1700-62-32-32	226.75

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



1700-CAT

- (1) Male Tube
- (2) O Ring Flange


1700-CAT-12-12	123.95
1700-CAT-16-16	129.70
1700-CAT-20-20	186.55
1700-CAT-24-24	208.75
1700-CAT-32-32	278.90



1703-61 - 45°

- (1) Male Tube
- (2) O Ring Flange
Code 61


1703-61-08-08	43.15
1703-61-08-12	73.00
1703-61-12-12	52.90
1703-61-12-16	61.25
1703-61-12-20	96.25
1703-61-16-12	132.45
1703-61-16-16	62.70
1703-61-16-20	86.70
1703-61-16-24	105.25
1703-61-20-12	148.85
1703-61-20-16	97.45
1703-61-20-20	95.40
1703-61-20-24	108.20
1703-61-24-20	108.55
1703-61-24-24	133.50
1703-61-32-24	360.85
1703-61-32-32	235.65
1703-61-32-40	795.50



1703-61-H - 45°

- Heavy
- (1) Male Tube
- (2) O Ring Flange
Code 61


1703-61-H-12-12	240.50
1703-61-H-16-16	155.05
1703-61-H-20-20	304.45



1703-F-61 - 45°

- Forged
- (1) Male Tube
- (2) O Ring Flange
Code 61


1703-F-61-12-12	286.15
1703-F-61-16-16	313.45
1703-F-61-20-20	596.15
1703-F-61-24-24	620.15
1703-F-61-32-32	933.55



1703-F-62 - 45°

- Forged
- (1) Male Tube
- (2) O Ring Flange
Code 62


1703-F-62-12-12	294.25
1703-F-62-16-16	397.95
1703-F-62-20-20	487.70
1703-F-62-24-24	646.50



1703-62 - 45°

- (1) Male Tube
- (2) O Ring Flange
Code 62


1703-62-08-08	122.70
1703-62-12-12	86.35
1703-62-12-16	123.40
1703-62-12-20	123.40
1703-62-16-12	123.40
1703-62-16-16	111.25
1703-62-16-20	121.55
1703-62-16-24	213.70
1703-62-20-12	133.85
1703-62-20-16	133.45
1703-62-20-20	122.20
1703-62-20-24	161.90
1703-62-24-20	161.55
1703-62-24-24	146.20
1703-62-32-32	294.10



1704-61 - 90°

- (1) Male Tube
- (2) O Ring Flange
Code 61

1704-61-08-08	57.60
1704-61-08-12	63.85
1704-61-10-10	131.90
1704-61-12-10	81.00
1704-61-12-12	54.70
1704-61-12-16	63.40
1704-61-12-20	78.45
1704-61-12-24	133.45
1704-61-16-12	95.85
1704-61-16-16	69.95
1704-61-16-20	88.15
1704-61-16-24	96.15
1704-61-20-12	104.75
1704-61-20-16	86.55
1704-61-20-20	99.65
1704-61-20-24	119.90
1704-61-20-32	190.40
1704-61-24-16	145.45
1704-61-24-20	177.25
1704-61-24-24	137.60
1704-61-24-32	237.80
1704-61-32-24	268.60
1704-61-32-32	240.30
1704-61-32-40	675.30




1704-61-H - 90°

- Heavy
- (1) Male Tube
- (2) O Ring Flange
Code 61

1704-61-H-08-08	215.20
1704-61-H-12-12	186.65
1704-61-H-12-16	281.80
1704-61-H-16-16	191.80
1704-61-H-16-20	205.50
1704-61-H-16-24	469.05
1704-61-H-20-16	175.65
1704-61-H-20-20	249.15
1704-61-H-20-24	309.15
1704-61-H-24-24	564.50
1704-61-H-32-32	851.50


DOMESTIC STEEL ADAPTERS

Styles may vary from picture




1704-F-61 - 90°
Forged
(1) Male 37°
(2) O Ring Flange
Code 61

1704-F-61-12-12	150.10
1704-F-61-16-16	203.95
1704-F-61-20-20	249.00
1704-F-61-24-24	303.15
1704-F-61-32-32	452.55




1704-62 - 90°
(1) Male Tube
(2) O Ring Flange
Code 62

1704-62-08-08	121.05
1704-62-12-12	84.70
1704-62-12-16	110.75
1704-62-12-20	115.25
1704-62-16-12	110.75
1704-62-16-16	114.35
1704-62-16-20	118.95
1704-62-16-24	196.50
1704-62-20-16	132.55
1704-62-20-20	136.60
1704-62-20-24	161.70
1704-62-24-16	157.05
1704-62-24-20	157.05
1704-62-24-24	194.10
1704-62-24-32	305.70
1704-62-32-32	359.80




1704-F-62 - 90°
Forged
(1) Male 37°
(2) O Ring Flange
Code 62

1704-F-62-12-12	150.10
1704-F-62-16-16	203.95
1704-F-62-20-20	249.00
1704-F-62-24-24	422.15




1760-61 - Str.
(1) Male O Ring
(2) Flange Connector
Code 61

1760-61-16-16-O	204.55
1760-61-20-20-O	264.20
1760-61-24-24-O	310.55
1760-61-32-32-O	365.65



2403 - Str.
(1) (2) Male Tube Union

2403-02-02	15.10
2403-03-02	26.55
2403-03-03	16.30
2403-04-02	23.55
2403-04-03	23.55
2403-04-04	1.85
2403-05-04	17.40
2403-05-05	3.30
2403-06-04	4.45
2403-06-05	16.75
2403-06-06	2.45
2403-08-04	11.70
2403-08-05	26.50
2403-08-06	5.90
2403-08-08	3.60
2403-10-04	24.95
2403-10-05	24.95




2403-LH - Str.
(1) (2) Male Tube Union
Large Hex

2403-10-06	13.45
2403-10-08	6.25
2403-10-10	5.05
2403-12-04	44.10
2403-12-06	30.90
2403-12-08	9.45
2403-12-10	10.10
2403-12-12	8.00
2403-14-10	36.10
2403-14-12	17.90
2403-14-14	15.55
2403-16-08	39.75
2403-16-10	39.75
2403-16-12	16.55
2403-16-14	39.75
2403-16-16	12.00
2403-20-12	82.70
2403-20-16	25.25
2403-20-20	17.80
2403-24-12	126.40
2403-24-16	125.35
2403-24-20	79.50
2403-24-24	32.55
2403-32-16	175.95
2403-32-20	175.95
2403-32-24	175.95
2403-32-32	95.80
2403-40-40	765.55
2403-48-48	993.75

2403-LH-04-03	37.50
2403-LH-04-04	4.70
2403-LH-05-05	13.60
2403-LH-06-04	73.85
2403-LH-06-06	4.90
2403-LH-08-04	37.30
2403-LH-08-06	12.00
2403-LH-08-08	7.85
2403-LH-10-10	11.90
2403-LH-12-12	12.45
2403-LH-16-16	20.90
2403-LH-20-20	40.25
2403-LH-24-24	173.45

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



2404 - Str.
(1) Male Tube
(2) Male Pipe


2404-02-02	3.55
2404-02-04	41.20
2404-03-02	4.10
2404-03-04	54.20
2404-04-02	1.60
2404-04-04	1.85
2404-04-06	3.60
2404-04-08	7.80
2404-04-12	19.15
2404-05-02	3.10
2404-05-04	3.80
2404-05-06	5.00
2404-05-08	35.35
2404-05-12	39.45
2404-06-02	2.45
2404-06-04	2.10
2404-06-06	2.85
2404-06-08	4.65
2404-06-12	14.75
2404-06-16	76.40
2404-08-02	26.15
2404-08-04	5.20
2404-08-06	3.85
2404-08-08	4.00
2404-08-12	5.50
2404-08-16	28.45
2404-10-04	15.35
2404-10-06	5.65
2404-10-08	5.55
2404-10-12	7.95
2404-10-16	17.45
2404-12-06	15.55
2404-12-08	6.25
2404-12-12	6.55
2404-12-16	10.50
2404-12-20	32.85
2404-12-24	98.05
2404-12-32	235.55
2404-14-08	109.30
2404-14-12	10.45
2404-14-16	82.45
2404-16-08	43.85
2404-16-12	10.70
2404-16-16	11.05
2404-16-20	17.55
2404-16-24	53.00
2404-16-32	230.75
2404-20-12	68.30
2404-20-16	18.85
2404-20-20	18.05
2404-20-24	29.85
2404-20-32	130.20
2404-24-12	117.80

2404-24-16	55.75
2404-24-20	32.25
2404-24-24	25.35
2404-24-32	116.65
2404-32-12	138.75
2404-32-16	134.15
2404-32-20	116.60
2404-32-24	96.30
2404-32-32	61.15
2404-32-40	759.40
2404-40-32	541.30
2404-40-40	280.10
2404-48-48	934.50




2404-L - Str.
(1) Male Tube
(2) Male Pipe Long

2404-L-04-02	16.75
2404-L-04-04	17.85
2404-L-05-02	41.20
2404-L-05-04	15.70
2404-L-06-04	19.60
2404-L-06-06	22.45
2404-L-08-06	23.75
2404-L-08-08	34.75
2404-L-10-08	40.50
2404-L-12-08	121.65
2404-L-12-12	54.85
2404-L-16-16	68.30
2404-L-20-20	147.20
2404-L-24-24	227.95
2404-L-32-32	371.10



2404-LL - Str.
(1) Male Tube
(2) Male Pipe Ex. Long

2404-LL-04-02	40.25
2404-LL-04-04	38.40
2404-LL-06-04	36.30
2404-LL-06-06	47.70
2404-LL-08-06	65.20
2404-LL-08-08	69.55
2404-LL-10-08	51.00
2404-LL-12-12	81.80
2404-LL-16-12	247.55
2404-LL-16-16	101.10




2405 - Str.
(1) Male Tube
(2) Female Pipe

2405-02-02	28.40
2405-02-04	71.60
2405-03-02	13.45
2405-03-04	34.95
2405-04-02	2.80
2405-04-04	4.50
2405-04-06	19.15
2405-04-08	31.85
2405-05-02	5.30
2405-05-04	5.40
2405-05-06	53.00
2405-06-02	13.00
2405-06-04	3.10
2405-06-06	4.92
2405-06-08	14.00
2405-08-04	8.65
2405-08-06	4.20
2405-08-08	6.75
2405-08-12	20.55
2405-10-06	10.70
2405-10-08	7.85
2405-10-12	56.80
2405-10-16	89.75
2405-12-08	13.15
2405-12-12	12.90
2405-12-16	36.25
2405-14-12	15.85
2405-16-12	17.45
2405-16-16	15.35
2405-16-20	77.55
2405-16-24	87.30
2405-16-32	268.85
2405-20-16	109.30
2405-20-20	32.25
2405-20-24	109.80
2405-24-16	133.35
2405-24-20	140.70
2405-24-24	55.25
2405-24-32	318.20
2405-32-24	159.00
2405-32-32	127.20
2405-40-40	1680.10

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



2406 - Str.
Reducer and Expander
(1) 37° Fem.
(2) Male Tube


2406-03-04	49.60
2406-04-02	55.55
2406-04-03	38.90
2406-04-05	96.35
2406-04-06	6.60
2406-05-04	20.70
2406-05-06	52.20
2406-05-08	57.50
2406-06-02	54.90
2406-06-04	2.85
2406-06-05	27.30
2406-06-06	53.00
2406-06-08	7.40
2406-06-10	77.85
2406-06-12	106.00
2406-08-04	9.50
2406-08-05	36.55
2406-08-06	5.10
2406-08-08	74.95
2406-08-10	10.45
2406-08-12	10.75
2406-08-16	111.65
2406-10-04	12.30
2406-10-06	8.90
2406-10-08	5.85
2406-10-12	12.75
2406-10-16	106.00
2406-12-04	22.00
2406-12-06	13.40
2406-12-08	9.45
2406-12-10	9.85
2406-12-12	106.45
2406-12-16	14.90
2406-12-20	149.30
2406-14-06	38.15
2406-14-08	60.70
2406-14-10	36.10
2406-14-12	19.30
2406-14-16	88.30
2406-16-04	44.70
2406-16-06	53.00
2406-16-08	18.95
2406-16-10	20.55
2406-16-12	15.35
2406-16-14	26.45
2406-16-20	33.40

2406-16-24	139.95
2406-20-04	119.35
2406-20-06	116.60
2406-20-08	95.40
2406-20-10	95.40
2406-20-12	31.30
2406-20-16	28.65
2406-20-20	315.75
2406-20-24	87.80
2406-20-32	310.05
2406-24-06	198.75
2406-24-08	126.70
2406-24-10	126.70
2406-24-12	104.35
2406-24-16	94.95
2406-24-20	63.45
2406-24-32	148.40
2406-32-08	176.65
2406-32-12	220.50
2406-32-16	218.75
2406-32-20	135.30
2406-32-24	117.55




2406-BLK - Str.
Reducer and Expander Blank
(1) 37° Fem.
(2) Male Tube

2406-BLK-04-04	24.30
2406-BLK-06-06	24.30
2406-BLK-08-08	25.30




RESTRICTORS
2406-R - Str.
Reducer and Expander
(1) 37° Fem.
(2) Male Tube

2406-R-04-04 (.015)	34.40
2406-R-04-04 (.022)	34.40
2406-R-04-04 (.031)	34.40
2406-R-04-04 (.043)	34.40
2406-R-04-04 (.062)	34.40
2406-R-04-04 (.15)	34.40
2406-R-06-06 (.031)	34.40
2406-R-06-06 (.045)	34.40
2406-R-06-06 (.062)	34.40
2406-R-06-06 (.065)	34.40
2406-R-08-08 (.031)	36.10



SF-FJ-2406 - Str.
(1) Fem. 37° (9/16 18)
(2) Male 45° SAE (5/8 18)


SF-FJ-2406-06-06	39.10
------------------	-------



2407 - Str.
Reducer Less Nut
(1) 37° Fem.
(2) Male Tube

2407-06-04	5.85
2407-08-04	9.55
2407-08-06	8.75
2407-10-04	18.75
2407-10-06	12.90
2407-12-04	19.30
2407-12-06	12.00
2407-12-08	11.75
2407-14-06	110.75
2407-14-08	110.75
2407-14-10	90.30
2407-16-04	35.00
2407-16-06	25.00
2407-16-08	31.25
2407-16-10	18.10
2407-16-12	14.25
2407-20-08	143.30
2407-20-12	51.40
2407-20-16	40.05
2407-24-08	152.70
2407-24-10	178.30
2407-24-12	130.90
2407-24-16	137.50
2407-24-20	62.15
2407-32-24	138.10


DOMESTIC STEEL ADAPTERS



2408

(1) Male Tube Plug

2408-02	6.50
2408-03	6.70
2408-04	1.45
2408-05	1.70
2408-06	2.35
2408-08	2.80
2408-10	4.00
2408-12	4.10
2408-14	9.90
2408-16	8.40
2408-20	14.60
2408-24	25.05
2408-32	84.10
2408-40	471.10
2408-48	678.05
2408-04 (HOLLOW)	1.60
2408-06 (HOLLOW)	2.10
2408-08 (HOLLOW)	3.00
2408-12 (HOLLOW)	4.90
2408-16 (HOLLOW)	9.95
2408-20 (HOLLOW)	17.25
2408-24 (HOLLOW)	29.65
2408-32 (HOLLOW)	99.50
2408-04 (SOLID)	2.24
2408-06 (SOLID)	2.65
2408-08 (SOLID)	3.70
2408-10 (SOLID)	4.75
2408-12 (SOLID)	5.85
2408-16 (SOLID)	9.10
2408-20 (SOLID)	17.25
2408-24 (SOLID)	29.65




2500 - 90°

(1) (2) Male Tube

2500-04-04	4.15
2500-05-04	23.70
2500-05-05	6.90
2500-06-04	8.60
2500-06-05	14.55
2500-06-06	6.20
2500-08-06	8.95
2500-08-08	9.00
2500-10-08	12.60
2500-10-10	11.20
2500-12-08	19.80
2500-12-10	22.10
2500-12-12	18.65
2500-14-14	29.45
2500-16-12	28.90

Styles may vary from picture

2500-16-16	31.60
2500-20-16	67.10
2500-20-20	48.75
2500-24-24	70.70
2500-32-32	233.95




2501 - 90°

(1) Male Tube
(2) Male Pipe

2501-02-02	14.75
2501-02-04	34.70
2501-03-02	10.30
2501-04-02	4.15
2501-04-04	5.00
2501-04-06	6.60
2501-04-08	9.80
2501-04-12	24.30
2501-05-02	7.45
2501-05-04	6.75
2501-05-06	10.85
2501-05-08	16.85
2501-06-02	7.10
2501-06-04	5.45
2501-06-06	7.70
2501-06-08	8.40
2501-06-12	15.45
2501-08-02	21.85
2501-08-04	8.15
2501-08-06	8.75
2501-08-08	9.70
2501-08-12	14.50
2501-08-16	38.15
2501-10-04	28.55
2501-10-06	10.70
2501-10-08	11.55
2501-10-12	16.15
2501-10-16	32.60
2501-12-06	22.90
2501-12-08	17.30
2501-12-12	16.75
2501-12-16	22.80
2501-12-20	67.95
2501-12-24	182.20
2501-14-12	26.35
2501-16-06	72.70
2501-16-08	38.55
2501-16-12	28.45
2501-16-16	27.95
2501-16-20	41.95
2501-16-24	84.90
2501-20-12	62.25
2501-20-16	47.95
2501-20-20	47.05
2501-20-24	71.70
2501-24-16	87.45
2501-24-20	74.55
2501-24-24	75.10
2501-24-32	278.00


2501-32-20	254.20
2501-32-24	250.60
2501-32-32	146.75
2501-40-40	1060.95



2501-L - 90°

(1) Male Tube
(2) Male Pipe Long

2501-L-04-02	6.45
2501-L-04-04	7.15
2501-L-05-02	10.30
2501-L-05-04	12.25
2501-L-06-04	8.00
2501-L-06-06	11.60
2501-L-06-08	33.40
2501-L-08-04	14.45
2501-L-08-06	10.70
2501-L-08-08	17.25
2501-L-08-12	33.30
2501-L-10-06	22.60
2501-L-10-08	20.10
2501-L-10-12	33.30
2501-L-12-08	27.00
2501-L-12-12	27.75
2501-L-14-12	34.75
2501-L-16-12	39.60
2501-L-16-16	44.45
2501-L-20-20	97.10
2501-L-24-24	150.25




2501-LL - 90°

(1) Male Tube
(2) Male Pipe Ex. Long

2501-LL-04-02	8.30
2501-LL-04-04	9.85
2501-LL-05-02	12.25
2501-LL-05-04	22.90
2501-LL-06-04	10.10
2501-LL-06-06	16.60
2501-LL-06-08	30.60
2501-LL-08-06	11.40
2501-LL-08-08	17.60
2501-LL-10-08	18.00
2501-LL-12-08	33.40
2501-LL-12-12	29.75
2501-LL-14-12	39.55
2501-LL-16-12	46.70
2501-LL-16-16	52.90
2501-LL-20-20	152.90
2501-LL-24-24	362.55

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



2501-LLL - 90°

(1) Male Tube
(2) Male Pipe Ex. Ex. Long


2501-LLL-04-02	14.10
2501-LLL-04-04	19.30
2501-LLL-06-04	22.45
2501-LLL-06-06	51.75
2501-LLL-08-06	39.70
2501-LLL-08-08	81.85
2501-LLL-10-08	82.60
2501-LLL-12-12	82.60
2501-LLL-16-16	95.90



2501-S - 90°

(1) Male Tube
(2) Male Pipe Swivel

2501-S-06-04	50.30
2501-S-08-06	73.30
2501-S-08-08	86.75
2501-S-10-08	159.15
2501-S-12-12	165.50




2502 - 90°

(1) Male Tube
(2) Fem. Pipe

2502-04-02	6.90
2502-04-04	7.40
2502-04-06	12.25
2502-04-08	24.30
2502-05-02	11.50
2502-05-04	14.00
2502-05-06	25.10

2502-06-02	9.85
2502-06-04	8.70
2502-06-06	10.05
2502-06-08	16.85
2502-08-04	13.85
2502-08-06	9.80
2502-08-08	13.30
2502-08-12	33.40
2502-10-06	19.25
2502-10-08	14.75
2502-10-12	32.00
2502-12-08	24.60
2502-12-12	23.60
2502-12-16	49.00
2502-14-12	45.75
2502-16-12	42.00
2502-16-16	37.00
2502-16-20	169.60
2502-20-16	136.45
2502-20-20	69.65
2502-24-20	214.30
2502-24-24	124.60
2502-32-32	396.65




2503 - 45°

(1) Male Tube
(2) Male Pipe

2503-02-02	25.70
2503-03-02	13.70
2503-04-02	6.70
2503-04-04	8.10
2503-04-06	11.00
2503-04-08	16.70
2503-05-02	11.30
2503-05-04	10.10
2503-05-06	28.15
2503-06-02	10.85
2503-06-04	7.45
2503-06-06	8.85
2503-06-08	11.25
2503-06-12	22.60
2503-08-04	12.00
2503-08-06	10.45
2503-08-08	11.60
2503-08-12	19.55
2503-10-04	19.75
2503-10-06	15.85
2503-10-08	11.90
2503-10-12	17.15
2503-12-08	25.60
2503-12-12	18.35


2503-12-16	24.90
2503-14-12	41.40
2503-16-08	52.90
2503-16-12	27.25
2503-16-16	25.35
2503-16-20	66.15
2503-20-16	71.30
2503-20-20	56.25
2503-20-24	124.95
2503-24-20	159.00
2503-24-24	69.55
2503-32-32	212.05
2503-40-40	1662.50



2504 - 45°

(1) (2) Male Tube

2504-04-04	25.75
2504-06-06	26.25
2504-08-08	27.40
2504-10-10	30.10
2504-12-12	32.25
2504-16-16	35.75




2505 - 45°

(1) Male Tube
(2) Female Pipe

2505-04-02	29.25
2505-04-04	20.10
2505-06-04	22.75
2505-06-06	25.60
2505-08-06	29.70
2505-08-08	31.60
2505-10-08	36.90
2505-12-12	40.45
2505-16-16	60.40
2505-20-20	238.50
2505-24-24	477.00


DOMESTIC STEEL ADAPTERS

Styles may vary from picture




2601 - Tee
(1) (2) Male Tube
(3) Male Pipe

2601-04-04-02	6.75
2601-04-04-04	9.45
2601-04-04-06	17.55
2601-05-05-02	13.00
2601-05-05-04	13.75
2601-06-06-02	11.40
2601-06-06-04	7.60
2601-06-06-06	14.65
2601-06-06-08	24.55
2601-08-08-04	17.30
2601-08-08-06	10.70
2601-08-08-08	17.25
2601-08-08-12	33.55
2601-10-10-06	20.70
2601-10-10-08	18.70
2601-10-10-12	39.60
2601-12-12-08	28.90
2601-12-12-12	25.15
2601-12-12-16	54.70
2601-14-14-12	67.85
2601-16-16-12	36.00
2601-16-16-16	37.15
2601-20-20-20	86.10
2601-24-24-24	166.85
2601-32-32-32	415.45




2602 - Tee
(1) (2) Male Tube
(3) Female Pipe

2602-03-03-02	73.10
2602-04-04-02	12.00
2602-04-04-04	12.00
2602-05-05-02	22.15
2602-06-06-04	14.25
2602-06-06-06	14.15
2602-08-08-06	16.30
2602-08-08-08	20.45
2602-10-10-08	21.75
2602-12-12-08	50.00
2602-12-12-12	36.90
2602-14-14-12	62.45
2602-16-16-12	62.55
2602-16-16-16	57.15
2602-20-20-20	102.40
2602-24-24-24	453.15
2602-32-32-32	691.85



2603 - Tee
(1) (2) (3) Male Tube


2603-04-04-04	6.15
2603-04-04-06	16.10
2603-05-05-05	11.45
2603-06-06-04	7.40
2603-06-06-06	7.15
2603-06-06-08	19.70
2603-08-06-06	36.10
2603-08-08-06	16.70
2603-08-08-08	10.90
2603-08-08-10	29.30
2603-08-08-12	34.10
2603-08-12-12	227.10
2603-10-08-08	24.60
2603-10-08-10	29.60
2603-10-10-08	18.45
2603-10-10-10	15.35
2603-10-10-12	33.25
2603-12-12-08	25.70
2603-12-12-10	36.10
2603-12-12-12	22.40
2603-12-12-16	49.30
2603-14-14-14	62.95
2603-16-12-12	60.15
2603-16-16-12	35.85
2603-16-16-16	32.75
2603-16-16-20	82.75
2603-20-16-16	117.40
2603-20-20-20	77.80
2603-24-24-24	126.75
2603-32-32-32	416.45



2605 - Tee
(1) (3) Male Tube
(2) Male Pipe


2605-04-02-04	9.40
2605-04-04-04	9.60
2605-05-02-05	18.60
2605-05-04-05	19.30
2605-06-02-06	16.60
2605-06-04-06	10.30
2605-06-06-04	26.85
2605-06-06-06	11.25

2605-06-08-06	30.55
2605-08-04-08	24.00
2605-08-06-08	12.85
2605-08-08-06	35.60
2605-08-08-08	14.70
2605-08-12-08	53.55
2605-10-08-10	20.85
2605-10-12-10	49.30
2605-12-08-12	33.90
2605-12-12-12	26.50
2605-14-12-14	46.00
2605-16-12-16	64.30
2605-16-16-16	36.55
2605-20-20-20	74.00
2605-24-24-24	123.10
2605-32-32-32	375.25



2606 - Tee
(1) (3) Male Tube
(2) Female Pipe

2606-04-02-04	28.90
2606-04-04-04	46.40
2606-06-04-06	19.30
2606-06-06-06	24.55
2606-08-06-08	20.55
2606-08-08-08	42.45
2606-10-08-10	27.85
2606-12-12-12	53.70
2606-14-12-14	144.55
2606-16-16-16	98.15
2606-20-20-20	253.70
2606-24-24-24	353.35
2606-32-32-32	748.95




2607 - Tee
(1) Male Tube
(2) (3) Male Pipe

2607-04-02-02	18.85
2607-06-04-04	22.15
2607-06-06-06	24.30
2607-08-08-08	32.55
2607-10-08-08	37.75
2607-12-12-12	45.25
2607-16-16-16	96.90

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



2608 - Tee

- (1) Male Tube
- (2) Female Pipe
- (3) Male Pipe


2608-06-04-04	80.40
2608-08-06-06	100.05
2608-10-08-08	148.10
2608-12-12-12	158.70
2608-16-16-16	179.60



2611 - Tee

- (1) Male Tube
- (2) Male Pipe
- (3) Female Pipe


2611-04-02-02	49.20
2611-06-04-04	56.55
2611-06-06-06	88.80
2611-08-06-06	92.75
2611-08-08-08	76.65
2611-10-08-08	88.70
2611-12-12-12	111.90
2611-16-16-16	144.85



2612 - Tee

- (1) Male Tube
- (2) (3) Female Pipe


2612-06-04-04	75.25
2612-08-06-06	77.75
2612-10-08-08	78.25
2612-12-12-12	100.40
2612-16-16-16	117.00



2613 - Tee

- (1) Male Tube
- (2) Male Pipe
- (3) Female Pipe


2613-04-02-02	96.40
2613-06-04-04	64.35
2613-06-06-06	93.75
2613-08-06-06	95.80
2613-10-08-08	103.30
2613-12-12-12	119.50
2613-16-16-16	214.75



2650 - Cross

- (1) (2) (3) (4) Male Tube


2650-04-04-04-04	13.70
2650-05-05-05-05	22.00
2650-06-06-06-06	15.55
2650-08-08-08-08	17.15
2650-10-10-10-10	33.30
2650-12-12-12-12	35.65
2650-14-14-14-14	95.25
2650-16-16-16-16	54.15
2650-20-20-20-20	130.60
2650-24-24-24-24	169.00



2700 - Str.

- (1) Male Tube
- (2) Bulkhead


2700-03-03	48.15
2700-04-04	6.20
2700-05-05	12.90
2700-06-04	43.75
2700-06-06	5.85
2700-08-08	7.60
2700-10-10	9.45
2700-12-12	14.60
2700-14-14	23.45
2700-16-12	50.55
2700-16-16	20.15
2700-20-20	34.30
2700-24-24	45.85
2700-32-32	291.50



2700-LN - Str.

- (1) Male Tube
- (2) Bulkhead with Locknut


2700-LN-03-03	119.75
2700-LN-04-04	9.10
2700-LN-05-05	15.55
2700-LN-06-06	8.15
2700-LN-08-08	10.00
2700-LN-10-10	12.45
2700-LN-12-12	18.10
2700-LN-14-14	30.60
2700-LN-16-16	25.25
2700-LN-20-20	41.75
2700-LN-24-24	54.75
2700-LN-32-32	313.65



2701 - 90°

- (1) Male Tube
- (2) Bulkhead

2701-04-04	7.00
2701-05-05	14.15
2701-06-06	8.55
2701-08-08	12.40
2701-10-10	17.70
2701-12-12	24.70
2701-16-16	42.10
2701-20-20	79.40
2701-24-24	162.00




2701-LN - 90°

- (1) Male Tube
- (2) Bulkhead with Locknut

2701-LN-04-04	8.70
2701-LN-05-05	16.75
2701-LN-06-06	11.10
2701-LN-08-08	14.75
2701-LN-10-10	20.70
2701-LN-12-12	28.30
2701-LN-16-16	43.70
2701-LN-20-20	87.60
2701-LN-24-24	172.70

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



2702 - 45°

(1) Male Tube
(2) Bulkhead


2702-04-04	9.45
2702-05-05	18.85
2702-06-06	9.90
2702-08-08	13.75
2702-10-10	16.75
2702-12-12	22.90
2702-16-16	40.45
2702-20-20	90.85
2702-24-24	227.00
2702-32-32	728.80



2702-LN - 45°

(1) Male Tube
(2) Bulkhead with Locknut


2702-LN-04-04	12.00
2702-LN-05-05	21.85
2702-LN-06-06	12.15
2702-LN-08-08	16.75
2702-LN-10-10	19.90
2702-LN-12-12	26.70
2702-LN-16-16	46.00
2702-LN-20-20	101.10
2702-LN-24-24	239.70



2703 - Tee

(1) (2) Male Tube
(3) Bulkhead


2703-04-04-04	11.75
2703-05-05-05	43.70
2703-06-06-06	11.85
2703-08-08-08	16.70
2703-10-10-10	30.55
2703-12-12-12	39.25
2703-16-16-16	134.00
2703-20-20-20	194.90
2703-24-24-24	238.00
2703-32-32-32	1625.00



2703-LN - Tee

(1) (2) Male Tube
(3) Bulkhead with Locknut


2703-LN-04-04-04	15.90
2703-LN-05-05-05	46.75
2703-LN-06-06-06	15.60
2703-LN-08-08-08	21.10
2703-LN-10-10-10	34.75
2703-LN-12-12-12	45.55
2703-LN-16-16-16	138.75
2703-LN-20-20-20	208.85
2703-LN-24-24-24	252.00



2704 - Tee

(1) (3) Male Tube
(2) Bulkhead

2704-04-04-04	13.40
2704-06-06-06	14.85
2704-08-08-08	20.25
2704-10-10-10	28.75
2704-12-12-12	38.30
2704-16-16-16	60.90
2704-20-20-20	159.10



2704-LN - Tee

(1) (3) Male Tube
(2) Bulkhead with Locknut


2704-LN-04-04-04	16.15
2704-LN-06-06-06	17.85
2704-LN-08-08-08	23.25
2704-LN-10-10-10	32.60
2704-LN-12-12-12	42.40
2704-LN-16-16-16	67.60
2704-LN-20-20-20	167.70



2705 - Str.

(1) Bulkhead
(2) Fem. Pipe


2705-04-02	7.85
2705-04-04	13.40
2705-06-04	12.40
2705-06-06	20.85
2705-08-06	16.85
2705-08-08	21.55
2705-10-08	31.95
2705-12-12	30.55
2705-14-12	140.92
2705-16-16	37.40
2705-20-20	140.05
2705-24-24	258.85
2705-32-32	623.75



2705-LN - Str.

(1) Bulkhead with Locknut
(2) Fem. Pipe

2705-LN-04-02	10.55
2705-LN-04-04	15.90
2705-LN-06-04	15.15
2705-LN-06-06	23.55
2705-LN-08-06	19.75
2705-LN-08-08	24.55
2705-LN-10-08	41.70
2705-LN-12-12	34.90
2705-LN-16-16	42.40
2705-LN-20-20	204.25
2705-LN-24-24	295.10




2706 - Str.

(1) Bulkhead
(2) Male Pipe

2706-04-02	14.25
2706-04-04	14.55
2706-06-04	12.45
2706-06-06	16.70
2706-06-08	59.50
2706-08-06	14.90
2706-08-08	15.25
2706-10-08	20.60
2706-12-08	78.10
2706-12-12	24.45
2706-16-16	31.70
2706-20-20	99.85
2706-24-24	219.25
2706-32-32	397.50

DOMESTIC STEEL ADAPTERS



2706-LN - Str.

(1) Bulkhead with Locknut
(2) Male Pipe

2706-LN-04-02	21.45
2706-LN-04-04	21.85
2706-LN-06-04	16.25
2706-LN-06-06	21.45
2706-LN-08-06	19.70
2706-LN-08-08	19.15
2706-LN-10-08	24.55
2706-LN-12-08	81.30
2706-LN-12-12	30.10
2706-LN-16-16	40.10
2706-LN-20-20	111.85
2706-LN-24-24	225.90



4000 - O-Ring

Buna N 90 Duro

4000-02	0.15
4000-03	0.15
4000-04	0.15
4000-05	0.15
4000-06	0.15
4000-08	0.15
4000-10	0.15
4000-12	0.20
4000-14	0.20
4000-16	0.25
4000-20	0.35
4000-24	0.50
4000-32	0.95



4000-17

Flange O Ring
Buna N

4000-17-08	0.30
4000-17-12	0.30
4000-17-16	0.50
4000-17-20	0.75
4000-17-24	1.10
4000-17-32	1.25
4000-17-40	1.85
4000-17-48	2.20

Styles may vary from picture



4000-V

Viton O Ring Brown


4000-V-02 BRN-90	0.79
4000-V-03 BRN-90	0.80
4000-V-04 BRN-90	0.82
4000-V-05 BRN-90	1.20
4000-V-06 BRN-90	1.05
4000-V-08 BRN-90	1.05
4000-V-10 BRN-90	1.25
4000-V-12 BRN-90	2.00
4000-V-14 BRN-90	3.46
4000-V-16 BRN-90	2.05
4000-V-20 BRN-90	4.05
4000-V-24 BRN-90	7.01
4000-V-32 BRN-90	9.39



4000-V-17

Viton Flange O Ring Brown

4000-V-17-12 BRN-90	4.30
4000-V-17-16 BRN-90	5.73
4000-V-17-20 BRN-90	7.27
4000-V-17-24 BRN-90	9.11
4000-V-17-32 BRN-90	11.01




4404 - Str.

(1) Beaded
(2) Male Pipe

4404-04-02	6.25
4404-04-04	7.90
4404-05-02	11.45
4404-05-04	12.30
4404-06-04	5.60
4404-06-06	8.00
4404-08-04	13.55
4404-08-06	7.40
4404-08-08	11.45
4404-08-12	26.85
4404-10-06	10.10
4404-10-08	9.55
4404-10-12	20.85

4404-12-08	13.70
4404-12-12	12.00
4404-12-16	30.45
4404-16-08	68.60
4404-16-12	18.25
4404-16-16	17.60
4404-20-16	45.85
4404-20-20	24.40
4404-20-24	148.15
4404-24-16	193.50
4404-24-20	44.60
4404-24-24	45.25
4404-32-32	233.10




4501 - 90°

(1) Beaded
(2) Male Pipe

4501-04-02	6.60
4501-04-04	8.00
4501-05-02	9.25
4501-05-04	13.40
4501-06-02	16.40
4501-06-04	6.85
4501-06-06	10.30
4501-06-08	13.15
4501-08-04	15.00
4501-08-06	10.15
4501-08-08	12.45
4501-08-12	22.85
4501-10-06	14.40
4501-10-08	10.85
4501-10-12	17.95
4501-12-06	18.30
4501-12-08	16.30
4501-12-12	15.50
4501-12-16	27.00
4501-16-12	22.85
4501-16-16	27.00
4501-16-20	57.85
4501-20-16	41.40
4501-20-20	47.40
4501-20-24	82.40
4501-24-20	83.90
4501-24-24	88.55
4501-32-32	404.15

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



4503 - 45°

(1) Beaded
(2) Male Pipe

4503-04-02	9.15
4503-04-04	12.15
4503-05-02	20.90
4503-05-04	23.45
4503-06-04	8.85
4503-06-06	14.10
4503-08-04	39.45
4503-08-06	10.85
4503-08-08	15.45
4503-10-06	15.45
4503-10-08	11.90
4503-10-12	30.30
4503-12-08	17.00
4503-12-12	16.10
4503-12-16	44.90
4503-16-12	25.25
4503-16-16	24.45
4503-16-20	57.75
4503-20-16	42.55
4503-20-20	41.25
4503-24-24	77.55
4503-32-32	336.10




4601-NWO - 90°

(1) Beaded
(2) Adj. O Ring

4601-04-04-NWO	8.55
4601-04-06-NWO	13.00
4601-06-04-NWO	7.55
4601-06-06-NWO	9.00
4601-06-08-NWO	20.50
4601-06-12-NWO	22.35
4601-08-06-NWO	15.55
4601-08-08-NWO	12.40
4601-08-10-NWO	23.75
4601-10-08-NWO	15.00


4601-10-10-NWO	14.90
4601-10-12-NWO	29.75
4601-12-08-NWO	18.45
4601-12-10-NWO	23.30
4601-12-12-NWO	20.05
4601-12-16-NWO	36.70
4601-16-08-NWO	81.90
4601-16-10-NWO	38.60
4601-16-12-NWO	29.05
4601-16-16-NWO	34.60
4601-16-20-NWO	62.60
4601-20-12-NWO	74.55
4601-20-16-NWO	44.90
4601-20-20-NWO	55.25
4601-20-24-NWO	109.90
4601-24-16-NWO	148.60
4601-24-20-NWO	92.15
4601-24-24-NWO	91.00
4601-32-32-NWO	647.80



4603-NWO - 45°

(1) Beaded
(2) Adj. O Ring


4603-04-04-NWO	13.75
4603-06-06-NWO	11.25
4603-08-06-NWO	25.55
4603-08-08-NWO	13.60
4603-08-10-NWO	31.40
4603-10-08-NWO	23.40
4603-10-10-NWO	17.40
4603-10-12-NWO	33.15
4603-12-08-NWO	28.10
4603-12-10-NWO	31.15
4603-12-12-NWO	21.45
4603-12-16-NWO	64.75
4603-16-12-NWO	24.90
4603-16-16-NWO	34.45
4603-16-20-NWO	66.70
4603-20-16-NWO	43.40
4603-20-20-NWO	52.25
4603-24-20-NWO	114.00
4603-24-24-NWO	66.85
4603-32-32-NWO	422.70



4604-O - Str.

(1) Beaded
(2) Male O Ring

4604-04-04-O	9.60
4604-04-06-O	9.15
4604-06-04-O	8.25
4604-06-06-O	5.60
4604-06-08-O	12.00
4604-06-12-O	31.25
4604-08-06-O	12.15
4604-08-08-O	7.90
4604-10-08-O	10.60
4604-10-10-O	9.40
4604-10-12-O	22.90
4604-12-08-O	15.00
4604-12-10-O	11.60
4604-12-12-O	12.15
4604-12-16-O	31.30
4604-16-10-O	111.90
4604-16-12-O	17.10
4604-16-16-O	17.90
4604-16-20-O	34.10
4604-20-12-O	69.55
4604-20-16-O	32.70
4604-20-20-O	32.10
4604-20-24-O	117.70
4604-24-20-O	45.20
4604-24-24-O	45.40
4604-32-24-O	170.55
4604-32-32-O	179.10




4606-NWO - Tee

(1)(2) Beaded
(3) Adj. O Ring

4606-06-06-06 NWO	22.25
4606-08-08-08-NWO	30.40
4606-12-12-12-NWO	45.70


DOMESTIC STEEL ADAPTERS

Styles may vary from picture




5000 - Str.
(1) (2) Fem. Pipe

5000-02-02	2.70
5000-04-02	4.10
5000-04-04	2.75
5000-06-02	20.75
5000-06-04	6.55
5000-06-06	5.38
5000-08-04	8.20
5000-08-06	9.30
5000-08-08	7.40
5000-12-08	13.40
5000-12-12	11.15
5000-16-08	41.70
5000-16-12	25.75
5000-16-16	20.40
5000-20-12	98.75
5000-20-16	68.80
5000-20-20	31.40
5000-24-16	111.55
5000-24-20	84.85
5000-24-24	53.85
5000-32-24	132.50
5000-32-32	114.30
5000-40-40	433.35




5000-BH - Str.
(1) (2) Fem. Pipe Bulkhead

5000-BH-04X.94	17.40
5000-BH-04X1.5	23.00
5000-BH-06X1.31	33.55




5000-CV - Str.
Check Valve
(1) (2) Fem. Pipe

5000-CV-04-04	55.30
5000-CV-06-06	63.00
5000-CV-08-08	69.00
5000-CV-12-12	127.85
5000-CV-16-16	200.00
5000-CV-20-20	320.55
5000-CV-24-24	543.40
5000-CV-32-32	771.70




5404 - Str.
(1) (2) Male Pipe

5404-01-01	28.15
5404-02-01	36.20
5404-02-02	2.55
5404-04-02	3.30
5404-04-04	1.90
5404-06-02	5.60
5404-06-04	3.60
5404-06-06	2.95
5404-08-04	6.15
5404-08-06	6.25
5404-08-08	4.45
5404-1/18-08	97.30
5404-12-04	22.30
5404-12-06	16.55
5404-12-08	6.20
5404-12-12	5.55
5404-16-04	86.15
5404-16-06	66.25
5404-16-08	25.65
5404-16-12	12.55
5404-16-16	11.70
5404-20-08	213.25
5404-20-12	54.20
5404-20-16	32.10
5404-20-20	20.20
5404-24-08	247.35
5404-24-12	88.00
5404-24-16	77.95
5404-24-20	76.85
5404-24-24	36.45
5404-32-12	174.75
5404-32-16	169.95
5404-32-20	160.75
5404-32-24	146.10
5404-32-32	78.75
5404-40-32	449.95
5404-40-40	436.70
5404-48-48	861.25



5404-BH - Str.
(1) (2) Male Pipe
(3) Fem. Pipe 1/4"

5404-BH-08-08X2.94	75.25
5404-BH-08-08X3.94	81.20



5404-CHBE - Str.
(1) (2) Male Pipe
Chamfered both ends


5404-CHBE-02-02	3.85
5404-CHBE-04-04	4.35
5404-CHBE-06-04	5.90
5404-CHBE-06-06	5.35
5404-CHBE-08-06	8.25
5404-CHBE-08-08	7.75
5404-CHBE-12-12	9.15



5404-CV - Str.
(1) (2) Male Pipe

5404-CV-04-04	55.30
5404-CV-06-06	63.00
5404-CV-08-08	69.00
5404-CV-12-12	127.85
5404-CV-16-16	200.00
5404-CV-20-20	320.55
5404-CV-24-24	543.40
5404-CV-32-32	771.70

DOMESTIC STEEL ADAPTERS



5404-N - Str. Nipple
(1) (2) Male Pipe


5404-N-02-02X.75	11.45
5404-N-02-02X1.5	13.10
5404-N-02-02X2.0	11.15
5404-N-02-02X3.0	22.40
5404-N-02-02X3.5	23.75
5404-N-02-02X4.0	40.75
5404-N-04-04X.88	10.55
5404-N-04-04X1.5	21.20
5404-N-04-04X2.0	21.20
5404-N-04-04X2.5	24.60
5404-N-04-04X3.0	21.15
5404-N-04-04X3.5	34.95
5404-N-04-04X4.0	24.15
5404-N-04-04X5.0	49.50
5404-N-04-04X6.0	51.55
5404-N-06-06X1.0	15.25
5404-N-06-06X2.0	21.25
5404-N-06-06X2.5	26.05
5404-N-06-06X3.0	26.50
5404-N-06-06X3.5	30.90
5404-N-06-06X4.0	27.60
5404-N-06-06X5.0	58.30
5404-N-06-06X6.0	29.20
5404-N-08-08X1.13	14.25
5404-N-08-08X2.0	30.35
5404-N-08-08X2.5	30.35
5404-N-08-08X3.0	26.50
5404-N-08-08X4.0	33.50
5404-N-08-08X5.0	78.70
5404-N-08-08X5.5	106.00
5404-N-08-08X6.0	62.65
5404-N-12-12X1.38	23.70
5404-N-12-12X2.0	30.70
5404-N-12-12X3.0	39.25
5404-N-12-12X3.5	41.15
5404-N-12-12X4.0	42.45
5404-N-12-12X6.0	61.85
5404-N-16-16X1.5	34.90
5404-N-16-16X3.0	61.85
5404-N-16-16X4.0	66.25
5404-N-16-16X6.0	88.35
5404-N-20-20X1.63	141.80
5404-N-20-20X6.0	159.80

Styles may vary from picture




5404-N-Round - Str. Nipple
(1) (2) Male Pipe

5404-N-02-02X2.0-ROUND	23.40
5404-N-04-04X2.0-ROUND	15.30
5404-N-04-04X3.0-ROUND	21.00
5404-N-04-04X6.0-ROUND	46.30
5404-N-06-06X2.0-ROUND	45.85
5404-N-06-06X3.0-ROUND	49.70
5404-N-06-06X4.0-ROUND	51.00
5404-N-06-06X6.0-ROUND	61.70
5404-N-08-08X2.0-ROUND	68.60
5404-N-08-08X3.0-ROUND	21.10
5404-N-08-08X4.0-ROUND	82.15
5404-N-12-12X3.0-ROUND	55.25



5404-NPSM - Str.
(1) Male NPT
(2) Male NPSM

5404-NPSM-08-08	288.95
5404-NPSM-12-12	38.60



5405 - Str. Reducer
(1) Male Pipe
(2) Fem. Pipe

5405-01-02 (1/16-27)	42.60
5405-01-02 (1/4-28)	17.25
5405-01-04	60.80
5405-02-02	6.15
5405-02-04	5.00
5405-02-06	15.55
5405-02-08	20.00
5405-04-02	14.90
5405-04-04	4.40
5405-04-06	6.30
5405-04-08	14.25
5405-04-12	37.10
5405-04-16	127.20
5405-06-04	8.85
5405-06-06	6.25
5405-06-08	8.55
5405-06-12	41.75


5405-06-16	106.00
5405-08-04	57.90
5405-08-06	12.30
5405-08-08	11.00
5405-08-12	14.45
5405-08-16	42.40
5405-12-08	20.15
5405-12-12	14.25
5405-12-16	29.40
5405-12-20	74.50
5405-16-08	70.65
5405-16-12	59.10
5405-16-16	44.85
5405-16-20	56.70
5405-16-24	127.20
5405-16-32	150.75
5405-20-12	207.60
5405-20-16	97.25
5405-20-20	60.50
5405-20-24	85.35
5405-20-32	197.05
5405-24-20	120.45
5405-24-24	89.85
5405-24-32	116.05
5405-32-32	349.80



5405-BH - Str.
(1) Male Pipe
(2) Fem. Pipe Bulkhead
(Bulkhead Thread 3/4 16)

5405-BH-08-04X1.69	18.80
5405-BH-08-04X2.16	28.10
5405-BH-08-04X2.53	38.60

DOMESTIC STEEL ADAPTERS



RESTRICTORS
5405-R - Str.
 (1) Male Pipe
 (2) Fem. Pipe

5405-R-02-02 (.0625) 31.40



5406 - Str. Bushing
 (1) Male Pipe
 (2) Fem. Pipe


5406-04-02	2.25
5406-06-02	2.45
5406-06-04	2.30
5406-08-02	4.35
5406-08-04	3.45
5406-08-06	3.70
5406-12-02	16.05
5406-12-04	5.25
5406-12-06	5.15
5406-12-08	4.85
5406-16-02	24.15
5406-16-04	13.00
5406-16-06	10.70
5406-16-08	9.10
5406-16-12	8.40
5406-20-04	27.25
5406-20-06	21.35
5406-20-08	17.75
5406-20-12	15.65
5406-20-16	15.45
5406-24-04	51.50
5406-24-06	53.00
5406-24-08	38.80
5406-24-12	29.45
5406-24-16	23.15
5406-24-20	25.20
5406-32-04	132.50
5406-32-06	132.50
5406-32-08	66.25
5406-32-12	54.80
5406-32-16	50.95
5406-32-20	47.60
5406-32-24	48.10
5406-40-20	228.15
5406-40-24	228.15
5406-40-32	228.15
5406-48-24	397.50
5406-48-32	270.60
5406-48-40	260.60

Styles may vary from picture




5406-BM - (Breather Muffler)
 (1) Male Pipe

5406-BM-02	19.95
5406-BM-04	19.95
5406-BM-06	36.30
5406-BM-08	53.55
5406-BM-12	98.80
5406-BM-16	156.45



5406-BV - (Breather Vent)
 (1) Male Pipe

5406-BV-02	5.70
5406-BV-04	6.25
5406-BV-06	8.90
5406-BV-08	12.75
5406-BV-12	20.35
5406-BV-16	41.00



5406-C
 (1) Pipe Cap

5406-C-02	1.25
5406-C-04	1.45
5406-C-06	2.05
5406-C-08	3.05
5406-C-12	4.95
5406-C-16	8.00
5406-C-20	65.30
5406-C-24	82.55



5406-FB - (Face Bushing)
 (1) Male Pipe
 (2) Fem. Pipe

5406-FB-04-02	1.40
5406-FB-06-02	1.70
5406-FB-06-04	1.50
5406-FB-08-02	2.15
5406-FB-08-04	2.10
5406-FB-08-06	2.20
5406-FB-12-02	3.10
5406-FB-12-04	3.10
5406-FB-12-06	3.10
5406-FB-12-08	3.10
5406-FB-16-04	6.20
5406-FB-16-06	5.70
5406-FB-16-08	5.70
5406-FB-16-12	5.70
5406-FB-20-08	13.20
5406-FB-20-12	13.20
5406-FB-20-16	13.20
5406-FB-24-12	16.40
5406-FB-24-16	16.40
5406-FB-24-20	16.40



5406-FS-HHP
 Flush Seal
 Hollow Hex Pipe Plug

5406-FS-HHP-01	0.45
5406-FS-HHP-02	0.50
5406-FS-HHP-04	0.60
5406-FS-HHP-06	0.80
5406-FS-HHP-08	1.60
5406-FS-HHP-12	2.35
5406-FS-HHP-16	32.40

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



5406-HHP

Hollow Hex Pipe Plug


5406-HHP-01	0.35
5406-HHP-02	0.30
5406-HHP-04	0.40
5406-HHP-06	0.55
5406-HHP-08	0.85
5406-HHP-12	1.50
5406-HHP-16	3.95
5406-HHP-20	8.35
5406-HHP-24	19.35
5406-HHP-32	35.15



5406-NS - Str. Bushing

(Non SAE)
(1) Male Pipe
(2) Fem. Pipe


5406-NS-04-02	1.10
5406-NS-06-02	1.35
5406-NS-06-04	1.35
5406-NS-08-02	2.15
5406-NS-08-04	2.15
5406-NS-08-06	2.15
5406-NS-12-02	3.20
5406-NS-12-04	3.25
5406-NS-12-06	3.94
5406-NS-12-08	3.25
5406-NS-16-02	5.85
5406-NS-16-04	6.15
5406-NS-16-06	6.15
5406-NS-16-08	6.15
5406-NS-16-12	6.15
5406-NS-20-04	13.90
5406-NS-20-06	13.90
5406-NS-20-08	13.90
5406-NS-20-12	13.90
5406-NS-20-16	13.90



5406-P

(1) Pipe Plug


5406-P-01	1.90
5406-P-02	0.55
5406-P-04	0.70
5406-P-06	1.10
5406-P-08	2.00
5406-P-12	4.20
5406-P-16	7.95
5406-P-20	13.85
5406-P-24	19.15
5406-P-32	34.80



5406-SHP

Square Head Plug


5406-SHP-01	0.45
5406-SHP-02	0.45
5406-SHP-04	0.50
5406-SHP-06	0.75
5406-SHP-08	1.30
5406-SHP-12	2.10
5406-SHP-16	13.15
5406-SHP-20	18.35
5406-SHP-24	26.75
5406-SHP-32	36.60



5406-SHP - MAG

Magnetic Square Head Plug


5406-SHP-MAG-06	12.40
5406-SHP-MAG-08	14.70
5406-SHP-MAG-12	18.70
5406-SHP-MAG-16	28.15



5500 - 90°

(1) (2) Male Pipe

5500-02-02	4.75
5500-04-02	5.25
5500-04-04	5.60
5500-06-04	9.10
5500-06-06	9.15
5500-08-04	17.85
5500-08-06	10.65
5500-08-08	12.05
5500-12-08	21.90
5500-12-12	19.60
5500-16-12	33.40
5500-16-16	31.25
5500-20-16	69.55
5500-20-20	59.35
5500-24-24	92.50
5500-32-32	387.10




5500-S - 90°

(1) Male Pipe
(2) Male Pipe Swivel

5500-S-04-04	64.20
5500-S-06-06	97.15
5500-S-08-08	102.95
5500-S-12-12	186.60


DOMESTIC STEEL ADAPTERS

Styles may vary from picture




5501 - 45°
(1) (2) Male Pipe

5501-02-02	13.15
5501-04-04	10.00
5501-06-06	11.85
5501-08-08	15.55
5501-12-12	20.30
5501-16-16	30.25
5501-20-20	111.00
5501-24-24	138.90
5501-32-32	878.75




5502 - 90°
(1) Male Pipe
(2) Fem. Pipe

5502-02-02	6.10
5502-02-04	7.45
5502-04-02	6.25
5502-04-04	7.40
5502-04-06	9.30
5502-04-08	16.10
5502-06-02	14.30
5502-06-04	9.60
5502-06-06	9.25
5502-06-08	15.15
5502-08-04	13.15
5502-08-06	11.70
5502-08-08	13.45
5502-08-12	26.85
5502-12-06	30.70
5502-12-08	19.75
5502-12-12	22.90
5502-12-16	40.55
5502-16-12	42.55
5502-16-16	37.25
5502-16-20	68.60
5502-20-16	66.75
5502-20-20	64.95
5502-20-24	141.70
5502-24-24	125.75
5502-32-32	316.90




5502-S - 90°
(1) Male Pipe Swivel
(2) Fem. Pipe

5502-S-04-04	63.90
5502-S-06-06	63.90
5502-S-08-08	79.15
5502-S-12-12	199.90




5502-SB - 90°
(1) Male Pipe
(2) Fem. Pipe

5502-SB-01-02 (1/4-28)	13.25
5502-SB-01-02 (1/4-28) LONG	11.90
5502-SB-02-02	9.15
5502-SB-04-04	10.30
5502-SB-06-06	16.70
5502-SB-08-08	26.10
5502-SB-12-12	68.60




5503 - 45°
(1) Male Pipe
(2) Fem. Pipe

5503-02-02	7.25
5503-02-04	20.60
5503-04-04	8.95
5503-06-06	10.85
5503-08-08	15.30
5503-12-12	20.70
5503-16-16	41.25
5503-20-20	83.45
5503-24-24	221.40
5503-32-32	966.55



5503-SB - 90°
(1) Male Pipe
(2) Fem. Pipe

5503-SB-02-02	11.10
5503-SB-04-04	21.75



5504 - 90°
(1) (2) Fem. Pipe

5504-02-02	6.25
5504-04-02	11.10
5504-04-04	7.90
5504-06-04	12.00
5504-06-06	10.15
5504-08-04	24.55
5504-08-06	17.25
5504-08-08	13.45
5504-12-08	27.60
5504-12-12	24.50
5504-16-12	53.45
5504-16-16	36.90
5504-20-16	80.70
5504-20-20	66.10
5504-24-24	136.30
5504-32-32	349.40




5505 - 45°
(1) (2) Fem. Pipe

5505-02-02	9.00
5505-04-04	12.25
5505-06-06	13.70
5505-08-08	19.15
5505-12-12	23.15
5505-16-16	40.30
5505-20-20	80.15

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



5600 - Tee

(1) (2) (3) Male Pipe


5600-02-02-02	11.10
5600-04-04-04	13.70
5600-06-06-06	18.60
5600-08-08-08	23.45
5600-12-12-12	38.60
5600-16-16-16	63.70
5600-20-20-20	135.55
5600-24-24-24	294.55
5600-32-32-32	1358.10



5601 - Tee

(1) (2) Male Pipe
(3) Fem. Pipe


5601-02-02-02	18.15
5601-04-04-04	15.85
5601-06-06-06	20.75
5601-08-08-08	33.15
5601-12-12-12	41.90
5601-16-16-16	67.10
5601-20-20-20	132.45
5601-24-24-24	696.30
5601-32-32-32	1358.10



5602 - Tee

(1) Male Pipe
(2) (3) Fem. Pipe


5602-02-02-02	7.25
5602-04-04-04	9.55
5602-06-06-06	11.85
5602-08-08-08	20.60
5602-12-12-12	31.30
5602-16-16-16	51.00
5602-20-20-20	107.95
5602-24-24-24	223.00
5602-32-32-32	494.00



5603 - Tee

(1) (3) Male Pipe
(2) Fem. Pipe


5603-02-02-02	8.25
5603-04-04-04	11.10
5603-06-06-06	15.45
5603-08-08-08	23.55
5603-12-12-12	34.75
5603-16-16-16	59.15
5603-20-20-20	125.45
5603-24-24-24	304.15



5604 - Tee

(1) (2) Fem. Pipe
(3) Male Pipe


5604-02-02-02	11.20
5604-04-04-04	10.95
5604-06-06-06	13.45
5604-08-08-08	23.25
5604-12-12-08	49.40
5604-12-12-12	31.75
5604-16-16-16	54.30
5604-20-20-20	108.00
5604-24-24-24	334.70
5604-32-32-32	781.60



5605 - Tee

(1) (2) (3) Fem. Pipe


5605-02-02-02	8.25
5605-04-04-04	11.05
5605-06-06-06	13.50
5605-08-08-08	21.00
5605-12-12-12	30.00
5605-16-16-16	54.05
5605-20-20-20	103.45
5605-24-24-24	170.10
5605-32-32-32	435.55



5652 - Cross

(1) (2) (3) (4) Fem. Pipe

5652-02-02-02-02	16.00
5652-04-04-04-04	19.70
5652-06-06-06-06	22.90
5652-08-08-08-08	34.60
5652-12-12-12-12	49.10
5652-16-16-16-16	78.60
5652-20-20-20-20	128.30
5652-24-24-24-24	232.75
5652-32-32-32-32	724.00



5655 - Cross

(1) Male Pipe
(2) (3) (4) Fem. Pipe

5655-04-04-04-04	25.85
5655-06-06-06-06	29.90
5655-08-08-08-08	46.45
5655-12-12-12-12	159.35

DOMESTIC STEEL ADAPTERS




6400-0 - Str.

(1) Male Tube
(2) Male O Ring

6400-02-02-O	15.10
6400-03-03-O	8.30
6400-03-05-O	48.75
6400-04-02-O	11.45
6400-04-03-O	7.60
6400-04-04-O	2.00
6400-04-05-O	3.45
6400-04-06-O	3.30
6400-04-08-O	5.10
6400-04-10-O	8.85
6400-04-12-O	22.70
6400-05-04-O	4.75
6400-05-05-O	3.30
6400-05-06-O	5.60
6400-05-08-O	23.45
6400-06-04-O	2.55
6400-06-05-O	3.10
6400-06-06-O	2.40
6400-06-08-O	3.80
6400-06-10-O	7.15
6400-06-12-O	13.55
6400-06-16-O	43.30
6400-08-04-O	11.55
6400-08-05-O	53.00
6400-08-06-O	4.30
6400-08-08-O	3.45
6400-08-10-O	5.20
6400-08-12-O	8.80
6400-08-14-O	59.75
6400-08-16-O	14.55
6400-08-20-O	191.00
6400-10-06-O	9.40
6400-10-08-O	5.40
6400-10-10-O	4.60
6400-10-12-O	8.85
6400-10-14-O	93.80
6400-10-16-O	13.55
6400-10-20-O	106.00
6400-12-06-O	52.95
6400-12-08-O	8.05
6400-12-10-O	8.30
6400-12-12-O	8.55
6400-12-14-O	13.55
6400-12-16-O	12.15
6400-12-20-O	23.75
6400-12-24-O	95.80
6400-14-12-O	15.25
6400-14-14-O	13.75

Styles may vary from picture


6400-14-16-O	18.15
6400-16-08-O	49.50
6400-16-10-O	16.10
6400-16-12-O	11.30
6400-16-14-O	15.85
6400-16-16-O	11.55
6400-16-20-O	22.85
6400-16-24-O	48.45
6400-20-12-O	70.65
6400-20-16-O	19.70
6400-20-20-O	22.00
6400-20-24-O	40.90
6400-20-32-O	172.15
6400-24-16-O	89.95
6400-24-20-O	36.15
6400-24-24-O	31.40
6400-24-32-O	143.75
6400-32-20-O	237.80
6400-32-24-O	149.50
6400-32-32-O	94.35



6400-L-O - Str.

(1) Male Tube
(2) Male O Ring Long

6400-L-04-04-O	9.10
6400-L-05-05-O	37.85
6400-L-06-06-O	8.15
6400-L-06-08-O	51.00
6400-L-08-06-O	42.55
6400-L-08-08-O	10.15
6400-L-08-10-O	75.10
6400-L-10-10-O	15.30
6400-L-12-10-O	75.10
6400-L-12-12-O	28.40
6400-L-14-14-O	108.30
6400-L-16-16-O	38.40
6400-L-20-16-O	116.05
6400-L-20-20-O	151.15
6400-L-24-24-O	249.10
6400-L-32-32-O	874.50




6401-O - Str.

(1) Male O Ring
(2) Male Pipe

6401-04-02-O	2.65
6401-04-04-O	3.46
6401-05-02-O	9.55
6401-05-04-O	11.60
6401-06-02-O	30.15
6401-06-04-O	3.10
6401-06-06-O	3.85
6401-06-08-O	11.90
6401-08-04-O	19.75
6401-08-06-O	4.20
6401-08-08-O	4.90
6401-08-12-O	22.60
6401-08-16-O	159.00
6401-10-06-O	16.00
6401-10-08-O	6.25
6401-10-12-O	14.30
6401-12-06-O	48.40
6401-12-08-O	18.70
6401-12-12-O	11.45
6401-12-16-O	38.75
6401-14-12-O	123.70
6401-14-16-O	141.35
6401-16-08-O	144.60
6401-16-12-O	22.70
6401-16-16-O	14.55
6401-16-20-O	99.90
6401-20-16-O	141.35
6401-20-20-O	24.25
6401-24-16-O	145.05
6401-24-20-O	145.05
6401-24-24-O	47.45
6401-32-20-O	286.85
6401-32-32-O	136.90

DOMESTIC STEEL ADAPTERS



6402-O - Str.

(1) Male O Ring
(2) 37° Fem Swivel

6402-04-04-O	6.10
6402-04-06-O	13.00
6402-05-05-O	84.25
6402-06-04-O	14.75
6402-06-06-O	8.45
6402-06-08-O	14.00
6402-08-06-O	14.55
6402-08-08-O	8.90
6402-08-10-O	85.35
6402-10-08-O	20.30
6402-10-10-O	13.75
6402-10-12-O	107.10
6402-12-06-O	59.60
6402-12-08-O	69.40
6402-12-10-O	98.05
6402-12-12-O	15.70
6402-12-16-O	170.40
6402-16-12-O	111.45
6402-16-16-O	28.10
6402-16-20-O	193.25
6402-20-20-O	53.25
6402-24-24-O	187.05
6402-32-32-O	239.55


Styles may vary from picture



6403-O - Str.

(1) (2) Male O Ring

6403-06-06-O	29.75
6403-08-08-O	14.15
6403-10-08-O	15.90
6403-10-10-O	16.70



6404 - Str.

(1) Fem O Ring
(2) Male Pipe

6404-04-02	8.40
6404-04-04	8.00
6404-04-06	55.15
6404-05-02	17.90
6404-05-04	58.90
6404-06-04	12.15
6404-06-06	7.10
6404-06-08	14.90
6404-06-12	77.15
6404-08-04	69.15
6404-08-06	8.15
6404-08-08	8.15
6404-08-12	117.80
6404-10-08	12.30
6404-10-12	52.45
6404-12-06	88.35
6404-12-08	73.45
6404-12-12	16.55
6404-14-12	133.35
6404-16-12	101.20
6404-16-16	32.75
6404-16-20	147.60
6404-20-20	85.85
6404-24-24	102.70
6404-32-32	276.90




6405-O - Str.

(1) Male O Ring
(2) Fem Pipe

6405-02-02-O	35.35
6405-02-04-O	68.75
6405-03-02-O	39.75
6405-03-04-O	49.25
6405-04-02-O	2.90
6405-04-04-O	4.75
6405-04-06-O	10.40
6405-05-02-O	5.25
6405-05-04-O	11.10
6405-06-02-O	5.40
6405-06-04-O	3.40
6405-06-06-O	5.20
6405-06-08-O	18.40
6405-08-02-O	16.40
6405-08-04-O	8.75
6405-08-06-O	5.85
6405-08-08-O	7.80
6405-08-12-O	24.10
6405-10-02-O	36.25
6405-10-04-O	7.15
6405-10-06-O	9.30
6405-10-08-O	8.15
6405-10-12-O	15.00
6405-12-04-O	28.05
6405-12-06-O	17.10
6405-12-08-O	10.15
6405-12-12-O	11.35
6405-12-16-O	32.60
6405-12-20-O	109.80
6405-14-08-O	52.30
6405-14-12-O	17.10
6405-14-16-O	94.20
6405-16-04-O	113.05
6405-16-06-O	36.25
6405-16-08-O	16.10
6405-16-12-O	13.40
6405-16-16-O	17.25
6405-16-20-O	56.50
6405-16-24-O	139.75
6405-16-32-O	199.50
6405-20-08-O	68.90
6405-20-12-O	27.40
6405-20-16-O	23.55
6405-20-20-O	26.30
6405-20-24-O	111.95
6405-20-32-O	182.15
6405-24-12-O	72.05
6405-24-16-O	72.05
6405-24-20-O	72.05
6405-24-24-O	60.65
6405-24-32-O	198.75
6405-32-16-O	219.45
6405-32-20-O	174.15
6405-32-24-O	172.45
6405-32-32-O	113.75
6405-40-32-O	493.75
6405-40-40-O	560.80

DOMESTIC STEEL ADAPTERS

Styles may vary from picture



6408-O - Str.
(1) Male O Ring Plug

6408-02-O	3.75
6408-03-O	2.90
6408-04-O	1.60
6408-05-O	2.25
6408-06-O	1.90
6408-08-O	2.65
6408-10-O	3.55
6408-12-O	5.65
6408-14-O	8.55
6408-16-O	8.25
6408-20-O	14.70
6408-24-O	21.25
6408-32-O	59.85
6408-40-O	533.35
6408-04-O (HOLLOW)	2.00
6408-05-O (HOLLOW)	2.40
6408-06-O (HOLLOW)	2.15
6408-08-O (HOLLOW)	3.60
6408-10-O (HOLLOW)	4.90
6408-12-O (HOLLOW)	7.90
6408-14-O (HOLLOW)	9.25
6408-16-O (HOLLOW)	9.85
6408-20-O (HOLLOW)	17.40
6408-24-O (HOLLOW)	24.25
6408-32-O (HOLLOW)	64.85
6408-04-O (SOLID)	1.90
6408-05-O (SOLID)	2.40
6408-06-O (SOLID)	2.15
6408-08-O (SOLID)	3.60
6408-10-O (SOLID)	4.90
6408-12-O (SOLID)	7.40
6408-14-O (SOLID)	9.25
6408-16-O (SOLID)	12.40
6408-20-O (SOLID)	25.35
6408-24-O (SOLID)	24.25
6408-32-O (SOLID)	77.10



6408-HHP-0
Hollow Hex
O Ring Plug

6408-HHP-02-O	1.30
6408-HHP-03-O	1.55
6408-HHP-04-O	1.45
6408-HHP-05-O	1.70
6408-HHP-06-O	1.45
6408-HHP-08-O	2.25
6408-HHP-10-O	3.35
6408-HHP-12-O	5.50
6408-HHP-14-O	7.85
6408-HHP-16-O	8.40
6408-HHP-20-O	14.85
6408-HHP-24-O	25.15
6408-HHP-32-O	69.10




6410-O - Str.
(1) Male O Ring
(2) Fem. O Ring

6410-02-04-O	51.20
6410-03-04-O	69.30
6410-04-03-O	73.55
6410-04-04-O	41.45
6410-04-05-O	87.30
6410-04-06-O	8.25
6410-04-08-O	84.80
6410-05-06-O	41.00
6410-06-04-O	4.60
6410-06-05-O	90.90
6410-06-06-O	19.40
6410-06-08-O	9.05
6410-08-04-O	10.60
6410-08-06-O	5.25
6410-08-08-O	13.15
6410-08-10-O	10.30
6410-08-12-O	30.60
6410-10-04-O	17.70
6410-10-06-O	7.25
6410-10-08-O	7.30
6410-10-10-O	56.70
6410-10-12-O	17.25
6410-12-04-O	21.20
6410-12-06-O	19.50
6410-12-08-O	8.25
6410-12-10-O	13.75
6410-12-12-O	51.60
6410-12-14-O	110.10

6410-12-16-O	34.15
6410-14-08-O	74.95
6410-14-12-O	18.60
6410-14-16-O	80.55
6410-16-04-O	52.45
6410-16-06-O	16.70
6410-16-08-O	27.05
6410-16-10-O	21.10
6410-16-12-O	15.15
6410-16-14-O	68.80
6410-16-16-O	275.55
6410-16-20-O	98.30
6410-16-24-O	147.20
6410-20-06-O	104.30
6410-20-08-O	77.10
6410-20-10-O	63.00
6410-20-12-O	33.75
6410-20-16-O	26.50
6410-20-24-O	112.05
6410-24-06-O	151.90
6410-24-08-O	133.15
6410-24-12-O	52.00
6410-24-16-O	38.90
6410-24-20-O	62.60
6410-24-32-O	249.75
6410-32-12-O	225.95
6410-32-16-O	204.75
6410-32-20-O	151.25
6410-32-24-O	123.30

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



6412 - Str.

(1) Fem. O Ring
(2) Fem. Pipe


6412-06-06	67.20
6412-08-06	72.05
6412-08-08	10.75
6412-10-08	18.15



6413 - Str.

(1) (2) Fem. O Ring

6413-08-08	10.40
6413-10-10	63.95



6464-NWO - Str.

(1) Male O Ring
(2) Adj. O Ring


6464-04-04-NWO	8.00
6464-06-06-NWO	8.40
6464-08-08-NWO	12.10
6464-10-08-NWO	59.10
6464-10-10-NWO	21.40
6464-12-08-NWO	83.35
6464-12-12-NWO	19.75
6464-16-12-NWO	55.90
6464-16-16-NWO	27.55
6464-20-20-NWO	43.15
6464-24-20-NWO	204.55
6464-24-24-NWO	78.00
6464-32-32-NWO	265.60



SF-6500 - 90°

(1) Male 45° Flare
(2) 45° Flare Fem. Swivel


SF-6500-06-06	22.55
SF-6500-08-08	33.25
SF-6500-10-10	59.90



6500 - 90°

(1) Male Tube
(2) 37° Fem. Swivel


6500-03-03	39.95
6500-04-04	5.60
6500-04-06	12.90
6500-05-05	9.70
6500-05-06	20.15
6500-06-04	12.55
6500-06-05	14.70
6500-06-06	8.15
6500-06-08	15.10
6500-08-06	14.45
6500-08-08	11.85
6500-08-10	19.30
6500-08-12	30.55
6500-10-08	18.85
6500-10-10	16.75
6500-10-12	42.10
6500-12-08	29.00
6500-12-10	26.00
6500-12-12	22.30
6500-12-16	58.30
6500-14-14	44.30
6500-16-12	39.55
6500-16-16	36.15
6500-20-20	60.60
6500-24-24	93.70
6500-32-32	326.15



6500-L - 90°

(1) Male Tube
(2) 37° Fem. Swivel Long


6500-L-04-04	41.35
6500-L-06-06	36.20
6500-L-08-08	41.90
6500-L-10-10	75.40
6500-L-12-12	72.00
6500-L-16-16	92.10
6500-L-20-20	165.65
6500-L-24-24	591.10
6500-L-32-32	652.50



6500-L-H - 90°

Heavy
(1) Male Tube
(2) 37° Fem. Swivel Long

6500-L-H-08-08	231.50
6500-L-H-12-12	233.00
6500-L-H-16-16	252.20
6500-L-H-20-20	586.30
6500-L-H-24-24	920.90




6500-LL - 90°

(1) Male Tube
(2) 37° Fem. Swivel Ex. Long

6500-LL-04-04	63.95
6500-LL-06-06	40.95
6500-LL-08-08	53.00
6500-LL-10-10	75.10
6500-LL-12-12	86.85
6500-LL-16-16	111.25
6500-LL-20-20	199.15

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



6500-LL-H - 90°
Heavy

(1) Male Tube
(2) 37° Fem. Swivel Ex. Long


6500-LL-H-08-08	248.25
6500-LL-H-12-12	258.15
6500-LL-H-16-16	290.25
6500-LL-H-20-20	353.40



6501 - 90°

(1) 37° Fem. Swivel
(2) Male Pipe

6501-04-02	5.90
6501-04-04	7.15
6501-05-04	13.40
6501-06-04	7.55
6501-06-06	11.00
6501-06-08	13.70
6501-08-06	13.60
6501-08-08	13.35
6501-08-12	22.90
6501-10-08	17.25
6501-12-12	22.75
6501-14-12	62.30
6501-16-16	37.45
6501-20-20	63.90
6501-24-24	94.40
6501-32-32	417.95



6502-45°

(1) Male Tube
(2) 37° Fem. Swivel

6502-04-04	8.10
6502-05-05	13.40
6502-06-06	9.25

6502-08-08	13.80
6502-10-10	18.25
6502-12-12	23.45
6502-14-14	76.40
6502-16-16	33.90
6502-20-20	68.30
6502-24-24	97.15
6502-32-32	358.55



6502-L - 45°

(1) Male Tube
(2) 37° Fem. Swivel Long


6502-L-06-06	51.75
6502-L-08-08	56.30
6502-L-10-10	55.40
6502-L-12-12	64.45
6502-L-16-16	87.90



SF-6502 - 45°

(1) Male 45° Flare.
(2) 45° Flare Fem. Swivel

SF-6502-06-06	31.75
SF-6502-08-08	32.40
SF-6502-10-10	44.85



6503 - 90°

(1) 37° Fem. Swivel
(2) Fem. Pipe

6503-04-02	10.75
6503-04-04	12.40
6503-06-04	13.40
6503-06-06	15.55
6503-08-06	18.10
6503-08-08	27.00
6503-10-08	28.15
6503-12-12	35.15
6503-16-16	75.15




6504 - Str.

(1) Male Tube
(2) 37° Fem. Swivel

6504-04-04	9.85
6504-04-05	25.50
6504-04-06	28.75
6504-04-08	28.75
6504-04-10	43.35
6504-05-04	25.15
6504-05-05	26.30
6504-05-06	26.35
6504-05-08	27.05
6504-06-04	26.35
6504-06-05	26.70
6504-06-06	10.75
6504-06-08	27.50
6504-06-10	31.85
6504-06-12	41.55
6504-08-06	27.10
6504-08-08	13.30
6504-08-10	31.85
6504-08-12	48.30
6504-08-16	64.70
6504-10-06	48.20
6504-10-08	31.40
6504-10-10	14.85
6504-10-12	47.60
6504-12-08	41.75
6504-12-10	41.75
6504-12-12	22.90
6504-12-16	77.10
6504-12-20	156.65
6504-14-14	56.60
6504-16-12	77.10
6504-16-16	28.90
6504-16-20	161.30
6504-16-24	198.75
6504-20-16	132.85
6504-20-20	47.85
6504-20-24	213.20
6504-24-24	127.40
6504-32-32	182.10

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



6505 - Str.

(1) 37° Fem. Swivel
(2) Male Pipe


6505-04-02	5.30
6505-04-04	5.85
6505-04-06	62.50
6505-05-02	60.55
6505-05-04	16.15
6505-06-04	5.70
6505-06-06	5.90
6505-06-08	41.65
6505-08-04	60.60
6505-08-06	8.55
6505-08-08	8.15
6505-08-12	45.75
6505-10-06	19.30
6505-10-08	13.75
6505-10-12	29.60
6505-12-08	18.15
6505-12-12	14.75
6505-12-16	68.65
6505-14-12	90.70
6505-16-12	48.65
6505-16-16	25.25
6505-20-20	44.55
6505-24-24	130.55
6505-32-32	225.25



6506 - Str.

(1) 37° Fem. Swivel
(2) Fem. Pipe


6506-04-02	12.85
6506-04-04	11.30
6506-04-06	43.75
6506-05-04	66.25
6506-06-04	14.70
6506-06-06	10.70
6506-06-08	18.40
6506-08-06	13.40
6506-08-08	10.60
6506-10-08	15.10
6506-10-12	24.75
6506-12-08	47.05
6506-12-12	18.15
6506-14-12	52.55
6506-16-16	28.75
6506-20-20	68.50
6506-24-24	200.70
6506-32-32	289.10



6565 - Str.

(1) (2) 37° Fem. Swivel


6565-04-04	26.30
6565-05-04	30.60
6565-05-05	25.90
6565-06-04	26.35
6565-06-05	26.35
6565-06-06	26.35
6565-08-04	41.10
6565-08-06	27.55
6565-08-08	27.55
6565-10-08	33.05
6565-10-10	33.05
6565-12-08	72.40
6565-12-10	65.35
6565-12-12	65.35
6565-14-12	81.10
6565-16-12	80.30
6565-16-16	80.30
6565-20-16	136.40
6565-20-20	135.35
6565-24-24	217.30
6565-32-32	495.90



6566 - 90°

(1) (2) 37° Fem. Swivel


6566-04-04	52.45
6566-05-05	56.30
6566-06-06	60.15
6566-08-08	76.55
6566-10-10	98.85
6566-12-12	125.10
6566-16-16	230.40



6600 - Tee

(1) (2) Male Tube
(3) 37° Fem. Swivel


6600-04-04-04	8.00
6600-05-05-05	15.45
6600-06-06-06	9.15
6600-08-08-08	13.65
6600-10-10-10	21.45
6600-12-12-12	29.15
6600-14-14-14	76.45
6600-16-16-16	43.70
6600-20-20-20	113.55
6600-24-24-24	153.00
6600-32-32-32	657.15



6602 - Tee

(1) (3) Male Tube
(2) 37° Fem. Swivel

6602-04-04-04	8.40
6602-05-05-05	18.90
6602-06-06-04	35.75
6602-06-06-06	9.40
6602-08-08-06	29.35
6602-08-08-08	19.30
6602-10-10-10	24.55
6602-12-12-12	30.30
6602-14-14-14	68.00
6602-16-16-16	42.90
6602-20-20-20	85.75
6602-24-24-24	133.70
6602-32-32-32	518.90




6603 - Tee

(1) (2) 37° Fem. Swivel
(3) Male Tube

6603-04-04-04	131.40
6603-06-06-06	135.65
6603-08-08-08	139.15
6603-12-12-12	169.75
6603-16-16-16	192.30

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



6606 - Tee

(1) (2) (3) 37° Fem. Swivel

6606-04-04-04	67.90
6606-05-05-05	71.40
6606-06-06-06	80.60
6606-08-08-08	82.70
6606-10-10-10	113.45
6606-12-12-12	187.85
6606-16-16-16	333.70
6606-20-20-20	479.40



6801-NWO - 90°

(1) Male Tube
(2) Adj. O Ring

6801-02-02-NWO	46.30
6801-02-04-NWO	33.70
6801-03-03-NWO	53.30
6801-04-02-NWO	38.15
6801-04-04-NWO	6.85
6801-04-05-NWO	12.15
6801-04-06-NWO	7.25
6801-04-08-NWO	12.40
6801-04-10-NWO	59.00
6801-05-04-NWO	13.25
6801-05-05-NWO	12.15
6801-05-06-NWO	8.40
6801-05-08-NWO	18.70
6801-06-04-NWO	8.70
6801-06-05-NWO	10.60
6801-06-06-NWO	7.00
6801-06-08-NWO	11.05
6801-06-10-NWO	14.95
6801-06-12-NWO	21.10
6801-08-04-NWO	16.40
6801-08-05-NWO	23.75
6801-08-06-NWO	10.50
6801-08-08-NWO	11.15
6801-08-10-NWO	14.30
6801-08-12-NWO	20.25
6801-08-16-NWO	42.15
6801-10-06-NWO	15.30
6801-10-08-NWO	13.75

6801-10-10-NWO	14.65
6801-10-12-NWO	20.80
6801-10-16-NWO	41.90
6801-12-06-NWO	29.70
6801-12-08-NWO	19.15
6801-12-10-NWO	19.90
6801-12-12-NWO	22.60
6801-12-14-NWO	33.55
6801-12-16-NWO	32.25
6801-12-20-NWO	56.55
6801-14-12-NWO	48.10
6801-14-14-NWO	38.25
6801-16-08-NWO	42.15
6801-16-10-NWO	38.60
6801-16-12-NWO	29.75
6801-16-14-NWO	39.60
6801-16-16-NWO	34.25
6801-16-20-NWO	59.00
6801-16-24-NWO	125.85
6801-20-12-NWO	55.90
6801-20-16-NWO	53.55
6801-20-20-NWO	60.30
6801-20-24-NWO	88.30
6801-24-16-NWO	94.40
6801-24-20-NWO	87.85
6801-24-24-NWO	88.30
6801-24-32-NWO	311.65
6801-32-24-NWO	288.25
6801-32-32-NWO	337.25



6801-L-NWO - 90°

(1) Male Tube
(2) Adj. O Ring Long

6801-L-04-04-NWO	9.60
6801-L-04-06-NWO	12.00
6801-L-06-06-NWO	10.30
6801-L-06-08-NWO	23.85
6801-L-08-06-NWO	17.60
6801-L-08-08-NWO	14.55
6801-L-08-10-NWO	20.45
6801-L-10-08-NWO	20.55
6801-L-10-10-NWO	18.25
6801-L-12-10-NWO	41.30
6801-L-12-12-NWO	30.25
6801-L-16-12-NWO	55.70
6801-L-16-16-NWO	54.75
6801-L-20-20-NWO	149.60



6801-LL-NWO - 90°

(1) Male Tube
(2) Adj. O Ring Ex. Long

6801-LL-04-04-NWO	11.70
6801-LL-04-06-NWO	13.70
6801-LL-06-06-NWO	11.40
6801-LL-06-08-NWO	22.25
6801-LL-08-06-NWO	18.25
6801-LL-08-08-NWO	15.90
6801-LL-08-10-NWO	37.00
6801-LL-10-08-NWO	24.15
6801-LL-10-10-NWO	23.70
6801-LL-12-12-NWO	28.60
6801-LL-16-12-NWO	70.40
6801-LL-16-16-NWO	52.40
6801-LL-20-20-NWO	169.70




6801-LLL-NWO - 90°

(1) Male Tube
(2) Adj. O Ring Ex. Ex. Long

6801-LLL-06-06-NWO	34.90
6801-LLL-06-08-NWO	72.85
6801-LLL-08-08-NWO	45.45


DOMESTIC STEEL ADAPTERS

Styles may vary from picture




6802-NWO - 45°
 (1) Male Tube
 (2) Adj. O Ring

6802-04-04-NWO	9.45
6802-04-05-NWO	22.75
6802-04-06-NWO	11.40
6802-04-08-NWO	20.60
6802-05-05-NWO	13.00
6802-05-06-NWO	14.55
6802-06-04-NWO	10.70
6802-06-05-NWO	26.40
6802-06-06-NWO	9.40
6802-06-08-NWO	12.90
6802-06-10-NWO	21.90
6802-08-04-NWO	49.90
6802-08-06-NWO	12.40
6802-08-08-NWO	12.60
6802-08-10-NWO	16.10
6802-08-12-NWO	35.40
6802-10-08-NWO	16.60
6802-10-10-NWO	15.25
6802-10-12-NWO	22.15
6802-12-08-NWO	36.70
6802-12-10-NWO	22.45
6802-12-12-NWO	22.00
6802-12-14-NWO	52.00
6802-12-16-NWO	31.75
6802-14-14-NWO	42.25
6802-16-12-NWO	31.00
6802-16-16-NWO	30.60
6802-16-20-NWO	61.90
6802-20-16-NWO	81.60
6802-20-20-NWO	58.40
6802-24-20-NWO	175.25
6802-24-24-NWO	86.10
6802-32-32-NWO	329.85



6803-NWO - Tee
 (1) (2) Male Tube
 (3) Adj. O Ring


6803-04-04-04-NWO	7.75
6803-04-04-06-NWO	18.30
6803-05-05-05-NWO	16.85
6803-06-06-04-NWO	16.00
6803-06-06-06-NWO	10.40
6803-06-06-08-NWO	21.60
6803-08-08-06-NWO	19.90
6803-08-08-08-NWO	13.70
6803-08-08-10-NWO	24.75
6803-10-10-08-NWO	28.60
6803-10-10-10-NWO	21.40
6803-10-10-12-NWO	55.85
6803-12-12-10-NWO	36.40
6803-12-12-12-NWO	27.85
6803-12-12-16-NWO	63.00
6803-14-14-14-NWO	76.00
6803-16-16-12-NWO	56.45
6803-16-16-16-NWO	42.25
6803-20-20-20-NWO	109.40
6803-24-24-24-NWO	147.90
6803-32-32-32-NWO	627.55



6804-NWO - Tee
 (1) (3) Male Tube
 (2) Adj. O Ring

6804-04-04-04-NWO	8.95
6804-04-06-04-NWO	18.45
6804-05-05-05-NWO	20.60
6804-06-04-06-NWO	23.25
6804-06-06-04-NWO	20.60
6804-06-06-06-NWO	9.75
6804-06-08-06-NWO	35.45
6804-08-06-08-NWO	23.60
6804-08-08-08-NWO	13.80
6804-08-10-08-NWO	33.60
6804-10-08-10-NWO	36.10
6804-10-10-10-NWO	21.70
6804-10-12-10-NWO	59.90
6804-12-08-12-NWO	55.80
6804-12-10-12-NWO	41.70
6804-12-12-10-NWO	49.10
6804-12-12-12-NWO	32.15
6804-12-16-12-NWO	64.40

6804-14-14-14-NWO	75.10
6804-16-12-16-NWO	59.00
6804-16-16-12-NWO	75.55
6804-16-16-16-NWO	50.15
6804-20-20-20-NWO	89.40
6804-24-24-24-NWO	130.90
6804-32-32-32-NWO	527.45




6805-NWO - 90°
 (1) Adj. O Ring
 (2) Fem. Pipe

6805-04-02-NWO	8.60
6805-04-04-NWO	13.00
6805-05-02-NWO	15.25
6805-06-04-NWO	10.55
6805-06-06-NWO	13.70
6805-08-06-NWO	15.10
6805-08-08-NWO	19.95
6805-10-06-NWO	22.90
6805-10-08-NWO	20.85
6805-12-08-NWO	29.40
6805-12-12-NWO	28.40
6805-14-12-NWO	67.00
6805-16-12-NWO	43.00
6805-16-16-NWO	42.00
6805-20-20-NWO	73.90
6805-24-24-NWO	127.00
6805-32-32-NWO	724.60


DOMESTIC STEEL ADAPTERS

Styles may vary from picture




6806-NWO - 90°
 (1) Adj. O Ring
 (2) Male Pipe

6806-04-02-NWO	7.45
6806-04-04-NWO	9.10
6806-05-02-NWO	11.90
6806-06-04-NWO	8.25
6806-06-06-NWO	15.10
6806-06-08-NWO	23.00
6806-08-06-NWO	12.40
6806-08-08-NWO	16.45
6806-10-08-NWO	16.60
6806-12-12-NWO	24.10
6806-12-16-NWO	40.85
6806-14-12-NWO	49.75
6806-16-12-NWO	47.25
6806-16-16-NWO	38.15
6806-20-20-NWO	64.00
6806-20-24 NWO	96.25
6806-24-24-NWO	109.30
6806-32-32-NWO	453.55




6807-NWO - 90°
 (1) (2) Adj. O Ring

6807-04-04-NWO	9.85
6807-06-04-NWO	15.85
6807-06-06-NWO	11.15
6807-08-06-NWO	22.70
6807-08-08-NWO	16.85
6807-10-08-NWO	26.85
6807-10-10-NWO	28.15
6807-12-12-NWO	28.40
6807-16-16-NWO	46.60
6807-20-20-NWO	83.60
6807-24-24-NWO	127.40




6809-NWO - 90°
 (1) Adj. O Ring
 (2) 37° Fem. Swivel

6809-04-04-NWO	12.55
6809-06-04-NWO	14.15
6809-06-06-NWO	12.15
6809-08-06-NWO	17.60
6809-08-08-NWO	19.30
6809-10-08-NWO	24.55
6809-10-10-NWO	23.85
6809-12-10-NWO	36.25
6809-12-12-NWO	36.00
6809-16-16-NWO	51.00
6809-20-20-NWO	94.15




6810-NWO - 45°
 (1) Adj. O Ring
 (2) 37° Fem. Swivel

6810-04-04-NWO	22.75
6810-06-06-NWO	18.10
6810-08-08-NWO	25.10
6810-10-10 NWO	28.30
6810-12-12-NWO	47.45
6810-16-16-NWO	66.85
6810-20-20-NWO	269.10




6815-NWO - 90°
 (1) Adj. O Ring
 (2) Fem. O Ring

6815-04-04-NWO	76.10
6815-06-06-NWO	86.15
6815-08-08-NWO	105.60
6815-10-10-NWO	139.85
6815-12-12-NWO	153.90
6815-16-16-NWO	181.60



6868 - Tee
 (1) (2) (3) Fem. O Ring

6868-04-04-04	135.65
6868-06-06-06	130.65
6868-08-08-08	181.40
6868-10-10-10	295.70
6868-12-12-12	274.60
6868-16-16-16	409.90




6870-NWO - Tee
 (1) Adj. O Ring
 (2) (3) Fem. O Ring

6870-04-04-04-NWO	164.75
6870-06-06-06-NWO	181.15
6870-08-08-08-NWO	302.55
6870-10-10-10-NWO	375.10
6870-12-12-12-NWO	393.60
6870-16-16-16-NWO	399.45

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



6871-NWO - Tee

(1) Adj. O Ring
(2) (3) Fem. O Ring


6871-04-04-04-NWO	143.20
6871-06-06-06-NWO	153.25
6871-08-08-08-NWO	192.20
6871-10-10-10-NWO	253.60
6871-12-12-12-NWO	271.40
6871-16-16-16-NWO	331.45



6900-O - Str.

(1) Male O Ring
(2) Fem. Pipe Swivel

6900-04-02-O	11.90
6900-04-04-O	5.20
6900-04-06-O	12.25
6900-05-04-O	8.00
6900-06-04-O	5.10
6900-06-06-O	5.10
6900-06-08-O	12.15
6900-08-04-O	9.45
6900-08-06-O	6.70
6900-08-08-O	6.55
6900-08-12-O	14.30
6900-10-06-O	10.70
6900-10-08-O	10.06
6900-10-12-O	12.15
6900-12-06-O	58.90
6900-12-08-O	13.30
6900-12-12-O	14.90
6900-12-16-O	31.15
6900-14-12-O	24.15
6900-16-12-O	20.70
6900-16-16-O	24.15
6900-16-20-O	53.55
6900-20-16-O	38.75
6900-20-20-O	42.00
6900-24-20-O	150.10
6900-24-24-O	99.30
6900-32-32-O	267.45



6901-NWO - 90°

(1) Adj. O Ring
(2) Fem. Pipe Swivel

6901-04-02-NWO	21.85
6901-04-04-NWO	12.69
6901-04-06-NWO	20.60
6901-06-04-NWO	11.90
6901-06-06-NWO	12.25
6901-06-08-NWO	19.50
6901-08-04-NWO	23.85
6901-08-06-NWO	15.70
6901-08-08-NWO	16.50
6901-08-12-NWO	31.45
6901-10-04-NWO	26.75
6901-10-06-NWO	16.25
6901-10-08-NWO	18.50
6901-10-12-NWO	24.90
6901-12-06-NWO	31.45
6901-12-08-NWO	26.75
6901-12-12-NWO	28.60
6901-12-16-NWO	51.15
6901-14-12-NWO	55.40
6901-16-12-NWO	47.75
6901-16-16-NWO	44.80
6901-16-20-NWO	99.75
6901-20-12-NWO	96.00
6901-20-16-NWO	90.90
6901-20-20-NWO	89.30
6901-24-24-NWO	226.70
6901-32-32-NWO	556.75



6902-NWO - 45°

(1) Adj. O Ring
(2) Fem. Pipe Swivel

6902-04-04-NWO	17.40
6902-04-06-NWO	36.70
6902-06-04-NWO	18.15
6902-06-06-NWO	16.40
6902-06-08-NWO	36.85
6902-08-04-NWO	42.10
6902-08-06-NWO	18.10
6902-08-08-NWO	20.38
6902-08-12-NWO	67.60
6902-10-06-NWO	23.01
6902-10-08-NWO	20.85
6902-10-12-NWO	41.40
6902-12-08-NWO	41.25
6902-12-12-NWO	31.60
6902-12-16-NWO	101.40
6902-16-12-NWO	67.55
6902-16-16-NWO	49.90
6902-20-20-NWO	130.30
6902-24-24-NWO	248.60



O RING KIT= ALL-IN-ONE 222.00


DOMESTIC STEEL ADAPTERS

Styles may vary from picture



P-0304-C
Plastic Tube Cap

P-0304-C-03	0.25
P-0304-C-04	0.20
P-0304-C-05	0.20
P-0304-C-06	0.20
P-0304-C-08	0.20
P-0304-C-10	0.30
P-0304-C-12	0.35
P-0304-C-14	0.45
P-0304-C-16	0.40
P-0304-C-20	0.55
P-0304-C-24	1.00
P-0304-C-32	1.50
P-0304-C-40	4.53




P-2408
Plastic Male Tube Plug

P-2408-02	0.35
P-2408-03	0.35
P-2408-04	0.30
P-2408-05	0.66
P-2408-06	0.35
P-2408-07	0.84
P-2408-08	0.35
P-2408-10	0.50
P-2408-12	0.50
P-2408-14	0.98
P-2408-16	0.70
P-2408-20	3.95
P-2408-24	4.85
P-2408-32	5.75




P-5406-C
Plastic Pipe Cap

P-5406-C-02	0.28
P-5406-C-04	0.15
P-5406-C-06	0.20
P-5406-C-08	0.20
P-5406-C-12	0.32
P-5406-C-16	0.35
P-5406-C-20	0.40
P-5406-C-24	0.55
P-5406-C-32	0.95
P-5406-C-40	3.75
P-5406-C-48	6.31




P-5406-SHP
Plastic Square Head Pipe Plug

P-5406-SHP-02	0.30
P-5406-SHP-04	0.35
P-5406-SHP-06	0.41
P-5406-SHP-08	0.82
P-5406-SHP-12	0.85
P-5406-SHP-16	3.74
P-5406-SHP-20	5.02




SF-3300-61
(1) (2) Braze Flange
Code 61

SF-3300-61-12-12	22.15
SF-3300-61-16-16	24.45
SF-3300-61-20-20	28.75
SF-3300-61-24-24	38.45
SF-3300-61-32-32	57.40




SF-3300-62
(1) (2) Braze Flange
Code 62

SF-3300-62-12-12	48.70
SF-3300-62-16-16	41.40
SF-3300-62-20-20	53.55
SF-3300-62-24-24	63.40
SF-3300-62-32-32	99.85



SF-61-CP
Connector Plate
Code 61

SF-61-CP-08	25.55
SF-61-CP-12	26.00
SF-61-CP-16	26.90
SF-61-CP-20	34.60
SF-61-CP-24	36.55
SF-61-CP-32	42.60
SF-61-CP-40	43.10
SF-61-CP-48	50.90



SF-62-CP
Connector Plate
Code 62

SF-62-CP-08	30.15
SF-62-CP-12	31.70
SF-62-CP-16	37.10
SF-62-CP-20	49.10
SF-62-CP-24	50.45
SF-62-CP-32	55.75

DOMESTIC STEEL ADAPTERS

Styles may vary from picture



1

SF-P61

(1) Flange Plug

SF-P61-08	19.40
SF-P61-12	21.85
SF-P61-16	26.30
SF-P61-20	29.25
SF-P61-24	36.85
SF-P61-32	58.30
SF-P61-40	111.90
SF-P61-48	164.10
SF-P61-64	247.40




1

SF-P62

(1) Flange Plug

SF-P62-08	35.30
SF-P62-12	31.40
SF-P62-16	39.25
SF-P62-20	44.85
SF-P62-24	74.75
SF-P62-32	110.10



SF-W104

(1) (2) Fem. NPTF
Thread tapped holes
Companion to SF W43K
Code 61

SF-W104-08-08	63.30
SF-W104-12-12	55.75
SF-W104-16-16	69.25
SF-W104-20-20	75.90
SF-W104-24-24	78.55
SF-W104-32-32	104.10
SF-W104-40-40	174.00
SF-W104-48-48	235.00




2

SF-W168K - 90°

90° Elbow NPTF
(1) Female Pipe
(2) Flange O Ring Kit
Code 61

SF-W168K-12-12	167.15
SF-W168K-16-16	175.70
SF-W168K-20-20	184.90
SF-W168K-24-24	308.25
SF-W168K-32-32	360.75




1

2

SF-W3

(1) Deep Socket Weld Pipe
(2) Flange Companion to W31
Code 61

SF-W3-08-08	55.45
SF-W3-12-12	48.70
SF-W3-16-16	48.60
SF-W3-20-20	68.10
SF-W3-24-24	104.45
SF-W3-32-32	123.40
SF-W3-40-40	180.00
SF-W3-48-48	208.85




1

2

SF-W31K

(1) Deep Socket Weld Pipe
(2) Flange with O Ring Kit
Code 61


SF-W31K-08-08	59.15
SF-W31K-12-12	58.90
SF-W31K-16-16	62.85
SF-W31K-20-20	87.75
SF-W31K-24-24	125.75
SF-W31K-32-32	144.70
SF-W31K-40-40	233.00
SF-W31K-48-48	243.85



SF-W36K

Blanking Flange with Groove
Drilled Holes O Ring Kit
Code 61


SF-W36K-08-08	63.40
SF-W36K-12-12	64.00
SF-W36K-16-16	65.00
SF-W36K-20-20	90.90
SF-W36K-24-24	93.70
SF-W36K-32-32	138.15
SF-W36K-40-40	201.25
SF-W36K-48-48	217.70
SF-W36K-56-56	342.40



SF-W37

Blanking Flange Flat Face
Code 61

SF-W37-08-08	87.75
SF-W37-12-12	48.45
SF-W37-16-16	58.60
SF-W37-20-20	69.55
SF-W37-24-24	81.10
SF-W37-32-32	107.55




SF-W38K

Blanking Flange with Groove
Drilled Holes O Ring Kit
Code 62

SF-W38K-08-08	78.40
SF-W38K-12-12	83.40
SF-W38K-16-16	131.75
SF-W38K-20-20	139.25
SF-W38K-24-24	184.90
SF-W38K-32-32	256.75

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



SF-W39

Blanking Flange Flat Face
Code 62

SF-W39-12-12	77.30
SF-W39-16-16	111.40
SF-W39-20-20	126.55
SF-W39-24-24	148.75
SF-W39-32-32	196.60



SF-W43K

(1) Fem. Pipe
(2) Flange Drilled Holes O Ring Kit
Code 61


SF-W43K-08-08	71.00
SF-W43K-12-12	56.10
SF-W43K-16-16	73.75
SF-W43K-20-20	76.25
SF-W43K-24-24	104.25
SF-W43K-32-32	113.25
SF-W43K-40-40	175.40
SF-W43K-48-48	244.15
SF-W43K-64-64	486.10



SF-W44K

(1) Fem. Pipe
(2) Flange Drilled Holes O Ring Kit
Code 62

SF-W44K-08-08	99.90
SF-W44K-12-12	103.00
SF-W44K-16-16	146.45
SF-W44K-20-20	192.40
SF-W44K-24-24	262.85
SF-W44K-32-32	363.25



SF-W45

(1) Fem. Pipe
(2) Flange Companion to W44
Code 62


SF-W45-08-08	90.90
SF-W45-12-12	100.60
SF-W45-16-16	115.10
SF-W45-20-20	147.10
SF-W45-24-24	230.00
SF-W45-32-32	307.10



SF-W46K

(1) SAE Internal Straight Thread
(2) Flange Drilled Holes O Ring Kit
Code 61


SF-W46K-08-08	101.70
SF-W46K-12-12	61.40
SF-W46K-16-16	81.40
SF-W46K-20-20	98.15
SF-W46K-24-24	114.40



SF-W4K

(1) Flat Socket Weld Pipe
(2) Flange Drilled Holes O Ring Kit
Code 61

SF-W4K-12-12	70.55
SF-W4K-16-16	74.25
SF-W4K-20-20	94.30
SF-W4K-24-24	125.70
SF-W4K-32-32	179.70




SF-W61

(1) Flat Socket Weld Pipe
(2) Flange Companion to W4K

SF-W61-12-12	62.90
SF-W61-16-16	66.60
SF-W61-20-20	77.75
SF-W61-24-24	101.70
SF-W61-32-32	156.55
SF-W61-40-40	187.75
SF-W61-48-48	211.15

DOMESTIC STEEL ADAPTERS


Styles may vary from picture



SF-W80

(1) Deep Socket Weld Pipe
(2) Flange Companion to W81
Code 62


SF-W80-08-08	72.00
SF-W80-12-12	73.55
SF-W80-16-16	119.55
SF-W80-20-20	130.55
SF-W80-24-24	226.25
SF-W80-32-32	276.55
SF-W80-40-40	749.25



SF-W81K

(1) Deep Socket Weld Pipe
(2) Flange with O Ring Kit
Code 62


SF-W81K-08-08	81.70
SF-W81K-12-12	97.00
SF-W81K-16-16	160.45
SF-W81K-20-20	169.75
SF-W81K-24-24	270.10
SF-W81K-32-32	333.60
SF-W81K-40-40	749.55



SFK-61

Split Flange Kit
Code 61


SFK-61-08	26.15
SFK-61-12	20.40
SFK-61-16	22.45
SFK-61-20	40.55
SFK-61-24	40.00
SFK-61-32	39.55
SFK-61-40	70.00
SFK-61-48	134.25
SFK-61-56	283.75
SFK-61-64	351.15



SFK-62

Split Flange Kit
Code 62

SFK-62-08	31.40
SFK-62-12	36.85
SFK-62-16	45.45
SFK-62-20	66.45
SFK-62-24	117.75
SFK-62-32	174.45



SFK-CAT

Cat Spacer

SFK-CAT-12	51.25
SFK-CAT-16	35.70
SFK-CAT-20	53.10
SFK-CAT-24	42.10



4000-17

Flange O Ring
Buna N









4000-17-08	0.30
4000-17-12	0.30
4000-17-16	0.50
4000-17-20	0.75
4000-17-24	1.10
4000-17-32	1.25
4000-17-40	1.85
4000-17-48	2.20



4000-V-17

Viton Flange O Ring Brown

4000-V-17-12 BRN-90	4.30
4000-V-17-16 BRN-90	5.73
4000-V-17-20 BRN-90	7.27
4000-V-17-24 BRN-90	9.11
4000-V-17-32 BRN-90	11.01

								
Size	Pipe Size	O-Ring Face Seal	37° Flare (JIC)	Flareless	Straight Thread O-Ring SAE	45° Flare	Inverted Flare	Compression
1/8	1/8-27	–	5/16-24	5/16-24	5/16-24	5/16-24	5/16-28	5/16-24
3/16	–	–	3/8-24	3/8-24	3/8-24	3/8-24	3/8-24	3/8-24
1/4	1/4-18	9/16-18	7/16-20	7/16-20	7/16-20	7/16-20	7/16-24	7/16-24
5/16	–	–	1/2-20	1/2-20	1/2-20	1/2-20	1/2-20	1/2-24
3/8	3/8-18	11/16-16	9/16-18	9/16-18	9/16-18	5/8-18	5/8-18	9/16-24
7/16	–	–	–	–	–	11/16-16	11/16-18	5/8-24
1/2	1/2-14	13/16-16	3/4-16	3/4-16	3/4-16	3/4-16	3/4-18	11/16-20
5/8	–	1-14	7/8-14	7/8-14	7/8-14	7/8-14	7/8-18	13/16-18
3/4	3/4-14	1 3/16-12	1 1/16-12	1 1/16-12	1 1/16-12	1 1/16-14	1 1/16-16	1-18
7/8	–	1 3/16-12	1 3/16-12	1 3/16-12	1 3/16-12	–	1 3/16-16	–
1	1-11/ 1/2	1 7/16-12	1 5/16-12	1 5/16-12	1 5/16-12	–	1 5/16-16	1 1/4-18
1 1/4	1 1/4-11 1/2	1 11/16-12	1 5/8-12	1 5/8-12	1 5/8-12	–	–	–
1 1/2	1 1/2-11 1/2	2-12	1 7/8-12	1 7/8-12	1 7/8-12	–	–	–
2	2-11 1/2	–	2 1/2-12	2 1/2 12	2 1/2-12	–	–	–

Notes: _____
