

FLARE-O TUBE FITTINGS

Styles may vary from picture



FO-0403 - Str.

(1) Bore
(2) Male FLARE O

FO-0403-04-04-O	13.62
FO-0403-06-06-O	9.15
FO-0403-08-08-O	9.38
FO-0403-10-10-O	9.77
FO-0403-12-12-O	11.77
FO-0403-16-16-O	15.08
FO-0403-20-20-O	20.15
FO-0403-24-24-O	33.62



FO-2403 - Str.

(1) (2) Male FLARE O

FO-2403-04-04-O	5.23
FO-2403-05-05-O	37.92
FO-2403-06-04-O	31.85
FO-2403-06-06-O	14.00
FO-2403-08-06-O	11.85
FO-2403-08-08-O	9.08
FO-2403-10-08-O	19.85
FO-2403-10-10-O	12.23
FO-2403-12-08-O	17.08
FO-2403-12-10-O	14.92
FO-2403-12-12-O	13.08
FO-2403-14-14-O	29.62
FO-2403-16-12-O	27.77
FO-2403-16-16-O	19.31
FO-2403-20-20-O	32.85
FO-2403-24-24-O	47.69
FO-2403-32-32-O	210.85



FO-2403-LH - Str.

(1) (2) Male FLARE O
Large Hex

FO-2403-LH-04-04-O	74.46
FO-2403-LH-06-06-O	38.38
FO-2403-LH-08-08-O	39.69
FO-2403-LH-10-10-O	49.85
FO-2403-LH-12-12-O	54.15
FO-2403-LH-16-16-O	69.00
FO-2403-LH-20-20-O	76.69
FO-2403-LH-24-24-O	190.85



FO-2404 - Str.

(1) Male FLARE O
(2) Male Pipe

FO-2404-04-02-O	5.08
FO-2404-04-04-O	8.92
FO-2404-04-06-O	11.46
FO-2404-04-08-O	35.46
FO-2404-05-02-O	45.23
FO-2404-05-04-O	33.85
FO-2404-05-06-O	38.15
FO-2404-06-02-O	9.77
FO-2404-06-04-O	5.31
FO-2404-06-06-O	10.85
FO-2404-06-08-O	33.54
FO-2404-08-04-O	12.23
FO-2404-08-06-O	9.54
FO-2404-08-08-O	9.54
FO-2404-08-12-O	16.00
FO-2404-10-06-O	12.92
FO-2404-10-08-O	13.15
FO-2404-10-12-O	16.08
FO-2404-12-08-O	14.31
FO-2404-12-12-O	12.69
FO-2404-12-16-O	19.15
FO-2404-14-12-O	16.00
FO-2404-16-12-O	18.23
FO-2404-16-16-O	18.54
FO-2404-16-20-O	30.15
FO-2404-20-16-O	29.69
FO-2404-20-20-O	30.31
FO-2404-20-24-O	44.15
FO-2404-24-20-O	42.15
FO-2404-24-24-O	39.85
FO-2404-32-32-O	137.08



FO-2405 - Str.

(1) Male FLARE O
(2) Female Pipe

FO-2405-04-02-O	36.85
FO-2405-04-04-O	37.69
FO-2405-06-04-O	38.15
FO-2405-06-06-O	38.77
FO-2405-08-06-O	12.77
FO-2405-08-08-O	16.08
FO-2405-10-06-O	16.54
FO-2405-10-08-O	14.85
FO-2405-12-08-O	28.85
FO-2405-12-12-O	22.92
FO-2405-14-12-O	22.92
FO-2405-16-16-O	27.23
FO-2405-20-20-O	49.31
FO-2405-24-24-O	105.46
FO-2405-32-32-O	247.08



FO-2406 - Str.

Reducer & Expander
(1) 37° Female
(2) Male FLARE O

FO-2406-06-04-O	5.31
FO-2406-08-04-O	38.62
FO-2406-08-06-O	12.23
FO-2406-08-12-O	19.54
FO-2406-10-04-O	50.92
FO-2406-10-06-O	39.23
FO-2406-10-08-O	13.00
FO-2406-12-04-O	58.38
FO-2406-12-06-O	47.23
FO-2406-12-08-O	16.00
FO-2406-12-10-O	16.77
FO-2406-12-16-O	23.46
FO-2406-14-08-O	63.15
FO-2406-14-10-O	44.31
FO-2406-14-12-O	27.15
FO-2406-16-08-O	29.31
FO-2406-16-10-O	29.15
FO-2406-16-12-O	28.38
FO-2406-16-14-O	35.62
FO-2406-16-20-O	45.69
FO-2406-20-12-O	45.92
FO-2406-20-16-O	45.77
FO-2406-24-20-O	88.31
FO-2406-32-24-O	219.31


FLARE-O TUBE FITTINGS

Styles may vary from picture



FO-2408 - Str.
(1) Male FLARE O Plug

FO-2408-04-O	4.85
FO-2408-05-O	7.46
FO-2408-06-O	9.46
FO-2408-08-O	9.54
FO-2408-10-O	9.85
FO-2408-12-O	9.00
FO-2408-14-O	22.15
FO-2408-16-O	20.23
FO-2408-24-O	36.15
FO-2408-32-O	119.46



FO-2500 - 90°
(1) (2) Male FLARE O

FO-2500-04-04-O	6.38
FO-2500-05-05-O	14.54
FO-2500-06-04-O	15.23
FO-2500-06-06-O	10.31
FO-2500-08-06-O	52.23
FO-2500-08-08-O	12.77
FO-2500-10-08-O	22.62
FO-2500-10-10-O	22.92
FO-2500-12-10-O	28.31
FO-2500-12-12-O	27.31
FO-2500-14-14-O	53.31
FO-2500-16-16-O	35.92
FO-2500-20-20-O	63.31
FO-2500-24-24-O	100.92
FO-2500-32-32-O	298.00



FO-2501 - 90°
(1) Male FLARE O
(2) Male Pipe

FO-2501-04-02-O	6.15
FO-2501-04-04-O	6.85
FO-2501-04-06-O	20.62
FO-2501-04-08-O	34.46
FO-2501-05-02-O	8.77
FO-2501-05-04-O	8.62
FO-2501-05-06-O	88.23
FO-2501-06-02-O	18.54
FO-2501-06-04-O	8.69
FO-2501-06-06-O	12.46
FO-2501-06-08-O	14.62
FO-2501-08-04-O	20.54
FO-2501-08-06-O	12.23
FO-2501-08-08-O	14.23
FO-2501-08-12-O	28.38
FO-2501-10-06-O	20.38
FO-2501-10-08-O	17.77
FO-2501-10-12-O	27.92
FO-2501-12-06-O	25.54
FO-2501-12-08-O	25.62
FO-2501-12-12-O	24.08
FO-2501-12-16-O	31.85
FO-2501-14-12-O	37.46
FO-2501-16-12-O	37.54
FO-2501-16-16-O	32.23
FO-2501-16-20-O	54.62
FO-2501-20-16-O	61.08
FO-2501-20-20-O	64.46
FO-2501-20-24-O	89.38
FO-2501-24-20-O	95.92
FO-2501-24-24-O	98.15
FO-2501-32-32-O	203.15



FO-2501-L - 90°
(1) Male FLARE O
(2) Male Pipe Long

FO-2501-L-04-02-O	7.23
FO-2501-L-04-04-O	14.23
FO-2501-L-06-04-O	10.31
FO-2501-L-06-06-O	30.46
FO-2501-L-08-06-O	13.77
FO-2501-L-08-08-O	19.85
FO-2501-L-08-12-O	41.77
FO-2501-L-10-08-O	28.92
FO-2501-L-12-12-O	38.00
FO-2501-L-16-16-O	50.15
FO-2501-L-20-20-O	107.54
FO-2501-L-24-24-O	163.08




FO-2501-LL - 90°
(1) Male FLARE O
(2) Male Pipe Ex. Long

FO-2501-LL-04-02-O	10.00
FO-2501-LL-04-04-O	15.08
FO-2501-LL-06-04-O	10.38
FO-2501-LL-06-06-O	22.92
FO-2501-LL-08-06-O	19.38
FO-2501-LL-08-08-O	24.69
FO-2501-LL-10-08-O	24.85
FO-2501-LL-12-12-O	51.62
FO-2501-LL-16-16-O	54.31
FO-2501-LL-20-20-O	226.23

FLARE-O TUBE FITTINGS

Styles may vary from picture



FO-2502 - 90°

(1) Male FLARE O
(2) Female Pipe

FO-2502-04-02-O	8.31
FO-2502-04-04-O	9.69
FO-2502-05-02-O	25.08
FO-2502-05-04-O	20.15
FO-2502-06-02-O	88.92
FO-2502-06-04-O	13.31
FO-2502-06-06-O	14.77
FO-2502-06-08-O	26.85
FO-2502-08-06-O	18.77
FO-2502-08-08-O	27.08
FO-2502-10-08-O	25.46
FO-2502-12-12-O	32.38
FO-2502-14-12-O	59.08
FO-2502-16-16-O	45.92
FO-2502-20-20-O	97.08
FO-2502-24-24-O	142.15
FO-2502-32-32-O	565.46



FO-2503 - 45°

(1) Male FLARE O
(2) Male Pipe


FO-2503-04-02-O	12.54
FO-2503-04-04-O	19.46
FO-2503-04-06-O	20.92
FO-2503-05-02-O	19.62
FO-2503-05-04-O	20.85
FO-2503-06-02-O	22.23
FO-2503-06-04-O	31.69
FO-2503-06-06-O	22.00
FO-2503-06-08-O	22.77
FO-2503-08-04-O	13.15
FO-2503-08-06-O	19.15
FO-2503-08-08-O	15.85
FO-2503-08-12-O	25.85
FO-2503-10-06-O	22.23
FO-2503-10-08-O	17.00
FO-2503-10-12-O	27.77
FO-2503-12-08-O	35.23
FO-2503-12-12-O	30.46
FO-2503-12-16-O	35.62
FO-2503-14-12-O	49.92
FO-2503-16-12-O	38.23
FO-2503-16-16-O	33.62
FO-2503-20-20-O	63.69
FO-2503-24-24-O	89.62



FO-2601 - Tee

(1) (2) Male FLARE O
(3) Male Pipe

FO-2601-04-04-02-O	10.23
FO-2601-04-04-04-O	16.23
FO-2601-06-06-04-O	11.23
FO-2601-06-06-06-O	38.31
FO-2601-08-08-06-O	15.46
FO-2601-08-08-08-O	30.62
FO-2601-10-10-08-O	62.00
FO-2601-12-12-12-O	36.08
FO-2601-16-16-12-O	50.92
FO-2601-16-16-16-O	52.38
FO-2601-20-20-20-O	141.62
FO-2601-24-24-24-O	185.54
FO-2601-32-32-32-O	527.85



FO-2602 - Tee

(1) (2) Male FLARE O
(3) Female Pipe


FO-2602-04-04-02-O	33.23
FO-2602-04-04-04-O	22.15
FO-2602-05-05-02-O	35.85
FO-2602-06-06-04-O	23.92
FO-2602-06-06-06-O	74.46
FO-2602-08-08-06-O	23.69
FO-2602-08-08-08-O	27.85
FO-2602-10-10-08-O	44.77
FO-2602-12-12-12-O	48.15
FO-2602-14-14-12-O	76.00
FO-2602-16-16-16-O	81.38
FO-2602-20-20-20-O	134.31
FO-2602-32-32-32-O	817.08



FO-2603 - Tee

(1) (2) (3) Male FLARE O

FO-2603-04-04-04-O	10.69
FO-2603-05-05-05-O	49.00
FO-2603-06-06-06-O	11.69
FO-2603-08-08-08-O	16.31
FO-2603-10-08-08-O	37.31
FO-2603-10-10-08-O	29.08
FO-2603-10-10-10-O	30.08
FO-2603-12-12-12-O	35.62
FO-2603-14-14-14-O	89.46
FO-2603-16-16-16-O	50.15
FO-2603-20-20-20-O	130.31
FO-2603-24-24-24-O	153.00
FO-2603-32-32-32-O	541.69



FO-2605 - Tee

(1) (3) Male FLARE O
(2) Male Pipe

FO-2605-04-02-04-O	16.85
FO-2605-04-04-04-O	25.46
FO-2605-05-02-05-O	52.77
FO-2605-06-04-06-O	66.62
FO-2605-06-06-06-O	21.23
FO-2605-08-06-08-O	19.00
FO-2605-08-08-08-O	68.62
FO-2605-10-08-10-O	40.46
FO-2605-12-12-12-O	43.15
FO-2605-14-12-14-O	62.92
FO-2605-16-16-16-O	53.54
FO-2605-20-20-20-O	110.15
FO-2605-24-24-24-O	152.77
FO-2605-32-32-32-O	419.08



FO-2606 - Tee

(1) (3) Male FLARE O
(2) Female Pipe

FO-2606-06-04-06-O	42.46
FO-2606-08-06-08-O	44.15
FO-2606-10-08-10-O	43.46
FO-2606-12-12-12-O	75.15
FO-2606-16-16-16-O	132.62

FLARE-O TUBE FITTINGS

Styles may vary from picture



FO-2650 - Cross

(1) (2) (3) (4) Male FLARE O

FO-2650-04-04-04-04-O	24.23
FO-2650-05-05-05-05-O	33.62
FO-2650-06-06-06-06-O	61.23
FO-2650-08-08-08-08-O	26.46
FO-2650-10-10-10-10-O	56.62
FO-2650-12-12-12-12-O	83.62
FO-2650-16-16-16-16-O	145.69
FO-2650-20-20-20-20-O	176.77
FO-2650-24-24-24-24-O	264.00



FO-2700 - Str.

(1) Male FLARE O
(2) Bulkhead

FO-2700-04-04-O	10.69
FO-2700-05-05-O	41.69
FO-2700-06-06-O	13.77
FO-2700-08-08-O	14.31
FO-2700-10-10-O	20.85
FO-2700-12-12-O	26.62
FO-2700-16-16-O	36.62
FO-2700-20-20-O	47.54
FO-2700-24-24-O	53.54



FO-2701 - 90°

(1) Male FLARE O
(2) Bulkhead


FO-2701-04-04-O	22.62
FO-2701-05-05-O	24.69
FO-2701-06-06-O	13.69
FO-2701-08-08-O	18.54
FO-2701-10-10-O	33.54
FO-2701-12-12-O	43.15
FO-2701-16-16-O	56.46
FO-2701-20-20-O	104.08



FO-2702 - 45°

(1) Male FLARE O
(2) Bulkhead

FO-2702-04-04-O	30.62
FO-2702-05-05-O	31.69
FO-2702-06-06-O	16.00
FO-2702-08-08-O	19.92
FO-2702-10-10-O	32.00
FO-2702-12-12-O	40.08
FO-2702-16-16-O	54.77



FO-2703 - Tee

(1) (2) Male FLARE O
(3) Bulkhead

FO-2703-04-04-04-O	23.46
FO-2703-06-06-06-O	17.62
FO-2703-08-08-08-O	30.08
FO-2703-10-10-10-O	37.31
FO-2703-12-12-12-O	46.69



FO-4000

Buna N 90 Duro. O Ring

FO-4000-04	0.20
FO-4000-05	0.20
FO-4000-06	0.20
FO-4000-08	0.20
FO-4000-10	0.61
FO-4000-12	0.61
FO-4000-14	0.68
FO-4000-16	0.72
FO-4000-20	0.84
FO-4000-24	0.92
FO-4000-32	1.03



FO-6400-O - Str.

(1) Male FLARE O
(2) Male O Ring

FO-6400-04-04-O	4.54
FO-6400-04-05-O	13.77
FO-6400-04-06-O	6.38
FO-6400-04-08-O	13.69
FO-6400-04-10-O	164.38
FO-6400-05-04-O	9.92
FO-6400-05-05-O	11.23
FO-6400-05-06-O	41.46
FO-6400-06-04-O	5.23
FO-6400-06-05-O	41.46
FO-6400-06-06-O	4.85
FO-6400-06-08-O	7.38
FO-6400-06-10-O	15.15
FO-6400-06-12-O	41.92
FO-6400-08-06-O	9.15
FO-6400-08-08-O	6.69
FO-6400-08-10-O	8.54
FO-6400-08-12-O	16.85
FO-6400-08-16-O	22.38
FO-6400-10-06-O	16.54
FO-6400-10-08-O	10.46
FO-6400-10-10-O	9.69
FO-6400-10-12-O	16.85
FO-6400-10-16-O	21.23
FO-6400-12-08-O	15.23
FO-6400-12-10-O	14.15
FO-6400-12-12-O	13.00
FO-6400-12-14-O	22.31
FO-6400-12-16-O	21.38
FO-6400-12-20-O	34.08
FO-6400-14-12-O	23.00
FO-6400-14-14-O	21.23
FO-6400-16-10-O	23.23
FO-6400-16-12-O	22.23
FO-6400-16-14-O	26.54
FO-6400-16-16-O	17.77
FO-6400-16-20-O	33.15
FO-6400-20-16-O	24.15
FO-6400-20-20-O	36.15
FO-6400-20-24-O	45.77
FO-6400-24-20-O	45.31
FO-6400-24-24-O	42.15
FO-6400-24-32-O	258.23
FO-6400-32-24-O	226.23
FO-6400-32-32-O	179.38

FLARE-O TUBE FITTINGS


Styles may vary from picture



FO-6400-L-O - Str.

(1) Male FLARE O
(2) Male O Ring Long

FO-6400-L-04-04-O	15.15
FO-6400-L-06-06-O	13.69
FO-6400-L-08-08-O	15.08
FO-6400-L-10-10-O	22.46
FO-6400-L-12-12-O	31.15
FO-6400-L-16-16-O	42.23



FO-6500 - 90°

(1) Male FLARE O
(2) 37° Female Swivel


FO-6500-04-04-O	7.77
FO-6500-05-05-O	32.85
FO-6500-06-06-O	11.46
FO-6500-08-08-O	17.46
FO-6500-08-10-O	23.69
FO-6500-10-10-O	24.69
FO-6500-12-12-O	28.31
FO-6500-14-14-O	57.85
FO-6500-16-16-O	42.92
FO-6500-20-20-O	80.08
FO-6500-24-24-O	117.38
FO-6500-32-32-O	448.15



FO-6502 - 45°

(1) Male FLARE O
(2) 37° Female Swivel

FO-6502-04-04-O	16.31
FO-6502-05-05-O	19.92
FO-6502-06-06-O	15.23
FO-6502-08-08-O	18.15
FO-6502-10-10-O	27.54
FO-6502-12-12-O	32.00
FO-6502-16-16-O	49.69
FO-6502-20-20-O	78.15
FO-6502-24-24-O	120.31
FO-6502-32-32-O	608.31



FO-6600 - Tee

(1) (2) Male FLARE O
(3) 37° Female Swivel

FO-6600-04-04-04-O	12.23
FO-6600-06-06-06-O	13.54
FO-6600-08-08-08-O	20.54
FO-6600-10-10-10-O	32.85
FO-6600-12-12-12-O	45.54
FO-6600-14-14-14-O	97.08
FO-6600-16-16-16-O	56.31
FO-6600-20-20-20-O	140.46
FO-6600-24-24-24-O	198.54
FO-6600-32-32-32-O	733.69



FO-6602 - Tee

(1) (3) Male FLARE O
(2) 37° Female Swivel

FO-6602-04-04-04-O	23.23
FO-6602-05-05-05-O	40.62
FO-6602-06-06-06-O	17.54
FO-6602-08-08-08-O	26.46
FO-6602-10-10-10-O	43.15
FO-6602-12-12-12-O	49.85
FO-6602-14-14-14-O	89.54
FO-6602-16-16-16-O	61.92
FO-6602-20-20-20-O	121.69
FO-6602-24-24-24-O	183.69
FO-6602-32-32-32-O	566.08



FO-6801-NWO - 90°

(1) Male FLARE O
(2) Adj. O Ring

FO-6801-04-04-NWO	9.54
FO-6801-04-05-NWO	30.54
FO-6801-04-06-NWO	10.69
FO-6801-04-08-NWO	19.85
FO-6801-05-04-NWO	50.15
FO-6801-05-05-NWO	14.46
FO-6801-05-06-NWO	11.69
FO-6801-06-04-NWO	13.38
FO-6801-06-05-NWO	59.77
FO-6801-06-06-NWO	10.31
FO-6801-06-08-NWO	16.46
FO-6801-06-10-NWO	32.92
FO-6801-08-06-NWO	14.92
FO-6801-08-08-NWO	15.54
FO-6801-08-10-NWO	19.38
FO-6801-08-12-NWO	35.31
FO-6801-10-06-NWO	27.00
FO-6801-10-08-NWO	23.92
FO-6801-10-10-NWO	22.00
FO-6801-10-12-NWO	29.15
FO-6801-12-08-NWO	30.46
FO-6801-12-10-NWO	33.85
FO-6801-12-12-NWO	30.00
FO-6801-12-14-NWO	44.31
FO-6801-12-16-NWO	40.54
FO-6801-14-12-NWO	57.08
FO-6801-14-14-NWO	50.46
FO-6801-16-12-NWO	38.15
FO-6801-16-14-NWO	53.54
FO-6801-16-16-NWO	45.23
FO-6801-16-20-NWO	74.77
FO-6801-20-16-NWO	65.62
FO-6801-20-20-NWO	76.62
FO-6801-20-24-NWO	114.77
FO-6801-24-20-NWO	110.85
FO-6801-24-24-NWO	125.46
FO-6801-32-32-NWO	422.15

FLARE-O TUBE FITTINGS

Styles may vary from picture



FO-6801-L-NWO - 90°

(1) Male FLARE O
(2) Adj. O Ring Long

FO-6801-L-06-06-NWO	13.69
FO-6801-L-08-08-NWO	19.00
FO-6801-L-10-10-NWO	27.38
FO-6801-L-12-12-NWO	40.92
FO-6801-L-16-16-NWO	139.92



FO-6801-LL-NWO - 90°

(1) Male FLARE O
(2) Adj. O Ring Ex. Long

FO-6801-LL-06-06-NWO	14.77
FO-6801-LL-08-08-NWO	20.62
FO-6801-LL-10-10-NWO	32.38
FO-6801-LL-12-12-NWO	42.00
FO-6801-LL-16-16-NWO	64.69



FO-6802-NWO - 45°

(1) Male FLARE O
(2) Adj. O Ring


FO-6802-04-04-NWO	13.69
FO-6802-05-05-NWO	22.62
FO-6802-06-04-NWO	17.31
FO-6802-06-06-NWO	14.92
FO-6802-06-08-NWO	39.69
FO-6802-08-06-NWO	20.69
FO-6802-08-08-NWO	16.00
FO-6802-08-10-NWO	20.69
FO-6802-10-08-NWO	22.31
FO-6802-10-10-NWO	21.69
FO-6802-10-12-NWO	32.54
FO-6802-12-10-NWO	34.77
FO-6802-12-12-NWO	28.54
FO-6802-12-16-NWO	45.85
FO-6802-14-14-NWO	64.69
FO-6802-16-12-NWO	41.62
FO-6802-16-16-NWO	43.23
FO-6802-20-20-NWO	79.85
FO-6802-24-24-NWO	134.31
FO-6802-32-32-NWO	384.77



FO-6803-NWO - Tee

(1) (2) Male FLARE O
(3) Adj. O Ring

FO-6803-04-04-04-NWO	13.23
FO-6803-05-05-05-NWO	42.92
FO-6803-06-06-06-NWO	14.92
FO-6803-08-08-08-NWO	19.92
FO-6803-10-10-10-NWO	36.62
FO-6803-12-12-12-NWO	42.92
FO-6803-14-14-14-NWO	98.54
FO-6803-16-16-16-NWO	58.31
FO-6803-20-20-20-NWO	136.69
FO-6803-24-24-24-NWO	175.85



FO-6804-NWO - Tee

(1) (3) Male FLARE O
(2) Adj. O Ring

FO-6804-04-04-04-NWO	18.38
FO-6804-05-05-05-NWO	45.31
FO-6804-06-06-06-NWO	16.69
FO-6804-08-08-08-NWO	19.08
FO-6804-10-10-10-NWO	37.15
FO-6804-12-12-12-NWO	50.69
FO-6804-14-14-14-NWO	99.08
FO-6804-16-16-16-NWO	74.15
FO-6804-20-20-20-NWO	109.54
FO-6804-24-24-24-NWO	178.92

TUBE FITTINGS, J.I.C. - S.A.E.

Dash Number	2	3	4	5	6	8	10	12	14	16	20	24	32
Tube O.D.	1/8	3/16	1/4	5/16	3/8	1/2	5/8	3/4	7/8	1	1-1/4	1-1/2	2
Straight Thread	5/16-24	3/8-24	7/16-20	1/2-20	9/16-18	3/4-16	7/8-14	11/16-12	13/16-12	15/16-12	15/8-12	17/8-12	2 1/2-12
Pipe Thread Std.	1/8-27	1/8-27	1/8-27	1/8-27	1/4-18	3/8-18	1/2-14	3/4-14	3/4-14	1-12 1/2	1 5/8-12	1 1/4-11 1/2	2-11 1/2

PIPE ADAPTER UNIONS and PIPE FITTINGS

Dash Number	2	4	6	8	12	16	20	24	32
Pipe Th'd NPSM - NPTF	1/8-27	1/4-18	3/8-18	1/2-14	3/4-14	1-11 1/2	1 1/4-11 1/2	1 1/2-11 1/2	2-11 1/2

Notes: _____
