

IMPORT ALUMINUM ADAPTERS



Y-AL-0304-C -
37° Cap Nut

Y-AL-0304-C-03	6.64
Y-AL-0304-C-04	6.64
Y-AL-0304-C-06	7.09
Y-AL-0304-C-08	8.73
Y-AL-0304-C-10	14.18
Y-AL-0304-C-12	21.91
Y-AL-0304-C-16	25.45



Y-AL-0306 -
Bulkhead Lock Nut

Y-AL-0306-03	2.64
Y-AL-0306-04	2.64
Y-AL-0306-06	2.73
Y-AL-0306-08	2.91
Y-AL-0306-10	3.91
Y-AL-0306-12	4.45
Y-AL-0306-16	5.01




Y-AL-0318 - 37° Nut

Y-AL-0318-03	4.01
Y-AL-0318-04	4.50
Y-AL-0318-06	5.50
Y-AL-0318-08	9.99
Y-AL-0318-10	19.01
Y-AL-0318-12	20.50
Y-AL-0318-16	37.50



Y-AL-0319 - 37° Sleeve

Y-AL-0319-03	4.50
Y-AL-0319-04	5.01
Y-AL-0319-06	5.01
Y-AL-0319-08	6.50
Y-AL-0319-10	8.02
Y-AL-0319-12	12.50
Y-AL-0319-16	15.50




Y-AL-2403 - Str.
(1) (2) Male 37° Union

Y-AL-2403-03-03	5.45
Y-AL-2403-04-03	5.45
Y-AL-2403-04-04	5.22
Y-AL-2403-05-04	5.45
Y-AL-2403-06-04	5.45
Y-AL-2403-06-06	6.35
Y-AL-2403-08-06	6.64
Y-AL-2403-08-08	7.73
Y-AL-2403-10-06	7.40
Y-AL-2403-10-08	7.73
Y-AL-2403-10-10	8.15
Y-AL-2403-12-06	19.73
Y-AL-2403-12-08	19.73
Y-AL-2403-12-10	19.73
Y-AL-2403-12-12	18.87
Y-AL-2403-16-10	24.09
Y-AL-2403-16-12	24.09
Y-AL-2403-16-16	23.04
Y-AL-2403-20-12	88.15
Y-AL-2403-20-16	88.15
Y-AL-2403-20-20	86.50




Y-AL-2403-LH - Str.
(1) (2) Male 37° Union
Large Hex

Y-AL-2403-LH-03-03	5.75
Y-AL-2403-LH-04-04	5.75
Y-AL-2403-LH-06-04	5.75
Y-AL-2403-LH-06-06	6.95
Y-AL-2403-LH-08-06	7.05
Y-AL-2403-LH-08-08	8.25
Y-AL-2403-LH-10-06	8.25
Y-AL-2403-LH-10-08	8.25
Y-AL-2403-LH-10-10	8.93
Y-AL-2403-LH-12-12	21.07



Y-AL-2404 - Str.
(1) Male 37°
(2) Male Pipe


Y-AL-2404-03-02	5.75
Y-AL-2404-04-02	5.45
Y-AL-2404-04-04	5.45
Y-AL-2404-06-02	6.95
Y-AL-2404-06-04	6.64
Y-AL-2404-06-06	6.64
Y-AL-2404-06-08	6.92
Y-AL-2404-08-04	7.95
Y-AL-2404-08-06	7.73
Y-AL-2404-08-08	7.73
Y-AL-2404-08-12	8.25
Y-AL-2404-10-06	8.60
Y-AL-2404-10-08	8.36
Y-AL-2404-12-12	19.73
Y-AL-2404-12-16	21.07
Y-AL-2404-16-12	25.73
Y-AL-2404-16-16	24.09
Y-AL-2404-20-20	81.59



Y-AL-2408
(1) Male 37° Plug

Y-AL-2408-03	3.95
Y-AL-2408-04	3.82
Y-AL-2408-06	4.64
Y-AL-2408-08	5.36
Y-AL-2408-10	8.55
Y-AL-2408-12	20.73
Y-AL-2408-16	26.02
Y-AL-2408-20	39.05


IMPORT ALUMINUM ADAPTERS



Y-AL-2500 - 90°

(1) (2) Male 37°


Y-AL-2500-03-03	14.18
Y-AL-2500-04-04	14.18
Y-AL-2500-06-06	16.01
Y-AL-2500-08-08	17.18
Y-AL-2500-10-10	30.02
Y-AL-2500-12-12	39.04
Y-AL-2500-16-16	62.67



Y-AL-2501 - 90°

(1) Male 37°
(2) Male Pipe


Y-AL-2501-03-02	14.18
Y-AL-2501-04-02	14.18
Y-AL-2501-04-04	14.18
Y-AL-2501-06-02	16.05
Y-AL-2501-06-04	16.05
Y-AL-2501-06-06	16.05
Y-AL-2501-06-08	17.18
Y-AL-2501-08-04	17.18
Y-AL-2501-08-06	17.18
Y-AL-2501-08-08	17.18
Y-AL-2501-10-06	30.02
Y-AL-2501-10-08	30.02
Y-AL-2501-10-12	39.03
Y-AL-2501-12-08	39.03
Y-AL-2501-12-12	38.41
Y-AL-2501-12-16	67.90
Y-AL-2501-16-12	67.37
Y-AL-2501-16-16	67.37



Y-AL-2503 - 45°

(1) Male 37°
(2) Male Pipe


Y-AL-2503-03-02	14.18
Y-AL-2503-04-02	14.18
Y-AL-2503-04-04	15.60
Y-AL-2503-06-02	17.67
Y-AL-2503-06-04	16.05
Y-AL-2503-06-06	22.88
Y-AL-2503-08-04	23.37
Y-AL-2503-08-06	17.18
Y-AL-2503-08-08	35.47
Y-AL-2503-08-12	49.33
Y-AL-2503-10-06	35.67
Y-AL-2503-10-08	30.06
Y-AL-2503-10-12	50.33
Y-AL-2503-12-12	39.06
Y-AL-2503-12-16	70.69
Y-AL-2503-16-12	70.69
Y-AL-2503-16-16	72.33



Y-AL-2504 - 45°

(1) (2) Male 37°

Y-AL-2504-03-03	14.18
Y-AL-2504-04-04	14.18
Y-AL-2504-06-06	16.01
Y-AL-2504-08-08	17.18
Y-AL-2504-10-10	30.03
Y-AL-2504-12-12	39.05



Y-AL-2601 - Tee

(1) (2) Male 37°
(3) Male Pipe


Y-AL-2601-03-03-02	15.05
Y-AL-2601-04-04-02	15.05
Y-AL-2601-06-06-04	19.77
Y-AL-2601-08-08-06	27.05
Y-AL-2601-10-10-08	47.55
Y-AL-2601-12-12-12	63.73
Y-AL-2601-16-16-16	109.93



Y-AL-2603 - Tee

(1) (2) (3) Male 37°


Y-AL-2603-03-03-03	15.05
Y-AL-2603-04-04-04	15.05
Y-AL-2603-06-06-06	19.77
Y-AL-2603-08-08-08	27.02
Y-AL-2603-10-10-10	47.55
Y-AL-2603-12-12-12	63.73
Y-AL-2603-16-16-16	106.07



Y-AL-2605 - Tee

(1) (3) Male 37°
(2) Male Pipe

Y-AL-2605-03-02-03	15.05
Y-AL-2605-04-02-04	15.05
Y-AL-2605-06-04-06	19.77
Y-AL-2605-08-06-08	27.02
Y-AL-2605-10-08-10	39.67
Y-AL-2605-12-12-12	63.73
Y-AL-2605-16-16-16	110.05



Y-AL-2650 - Cross

(1) (2) (3) (4) Male 37°

Y-AL-2650-04-04-04-04	44.05
Y-AL-2650-06-06-06-06	55.50
Y-AL-2650-08-08-08-08	90.02
Y-AL-2650-10-10-10-10	112.05
Y-AL-2650-12-12-12-12	154.50
Y-AL-2650-16-16-16-16	234.50


IMPORT ALUMINUM ADAPTERS



Y-AL-2700 - Str.

(1) Male 37°
(2) Bulkhead 37°


Y-AL-2700-03-03	8.01
Y-AL-2700-04-04	8.01
Y-AL-2700-06-06	9.27
Y-AL-2700-08-08	10.55
Y-AL-2700-10-10	14.02
Y-AL-2700-12-12	30.83
Y-AL-2700-16-16	37.09



Y-AL-2701 - 90°

(1) Male 37°
(2) Bulkhead 37°


Y-AL-2701-03-03	19.03
Y-AL-2701-04-04	19.03
Y-AL-2701-06-06	22.14
Y-AL-2701-08-08	30.02
Y-AL-2701-10-10	51.27
Y-AL-2701-12-12	67.64
Y-AL-2701-16-16	90.67



Y-AL-2702 - 45°

(1) Male 37°
(2) Bulkhead 37°


Y-AL-2702-03-03	17.01
Y-AL-2702-04-04	17.01
Y-AL-2702-06-06	22.14
Y-AL-2702-08-08	30.01
Y-AL-2702-10-10	51.27
Y-AL-2702-12-12	67.64
Y-AL-2702-16-16	133.50



Y-AL-2703 - Tee

(1) (2) Male 37°
(3) Bulkhead 37°

Y-AL-2703-03-03-03	21.02
Y-AL-2703-04-04-04	21.02
Y-AL-2703-06-06-06	24.50
Y-AL-2703-08-08-08	32.01
Y-AL-2703-10-10-10	53.82
Y-AL-2703-12-12-12	70.18
Y-AL-2703-16-16-16	166.80



Y-AL-2704 - Tee

(1) (3) Male 37°
(2) Bulkhead 37°


Y-AL-2704-03-03-03	21.02
Y-AL-2704-04-04-04	21.02
Y-AL-2704-06-06-06	24.50
Y-AL-2704-08-08-08	32.01
Y-AL-2704-10-10-10	53.82
Y-AL-2704-12-12-12	70.18
Y-AL-2704-16-16-16	166.80



Y-AL-4404 - Str.

(1) Beaded
(2) Male Pipe


Y-AL-4404-04-02	11.82
Y-AL-4404-06-04	11.82
Y-AL-4404-08-06	23.64
Y-AL-4404-10-08	41.45
Y-AL-4404-12-12	55.55



Y-AL-4501 - 90°

(1) Beaded
(2) Male Pipe

Y-AL-4501-04-02	16.05
Y-AL-4501-06-04	16.05
Y-AL-4501-08-06	29.01
Y-AL-4501-10-08	49.98
Y-AL-4501-12-12	65.01



Y-AL-4503 - 45°

(1) Beaded
(2) Male Pipe

Y-AL-4503-04-02	16.01
Y-AL-4503-06-04	16.01
Y-AL-4503-08-06	29.01
Y-AL-4503-10-08	49.98
Y-AL-4503-12-12	65.01



Y-AL-5000 - Str.

(1) (2) Fem. Pipe

Y-AL-5000-02-02	8.18
Y-AL-5000-04-04	8.18
Y-AL-5000-06-06	10.95
Y-AL-5000-08-08	13.18
Y-AL-5000-12-12	17.73
Y-AL-5000-16-16	19.99

IMPORT ALUMINUM ADAPTERS



Y-AL-5404 - Str.

(1) (2) Male Pipe


Y-AL-5404-02-02	6.01
Y-AL-5404-04-04	10.50
Y-AL-5404-06-06	15.20
Y-AL-5404-08-08	24.05
Y-AL-5404-12-12	34.75
Y-AL-5404-16-16	48.02
Y-AL-5404-20-20	77.05



Y-AL-5406 - Str. Bushing

(1) Male Pipe
(2) Fem. Pipe

Y-AL-5406-04-02	9.50
Y-AL-5406-06-02	12.01
Y-AL-5406-06-04	12.01
Y-AL-5406-08-02	15.60
Y-AL-5406-08-04	14.03
Y-AL-5406-08-06	14.03
Y-AL-5406-12-04	26.05
Y-AL-5406-12-06	25.50
Y-AL-5406-12-08	24.61
Y-AL-5406-16-06	43.50
Y-AL-5406-16-08	43.01
Y-AL-5406-16-12	42.55



Y-AL-5605 - Tee

(1) (2) (3) Fem. Pipe

Y-AL-5605-02-02-02	33.45
Y-AL-5605-04-04-04	33.45
Y-AL-5605-06-06-06	45.01
Y-AL-5605-08-08-08	56.45
Y-AL-5605-12-12-12	60.45
Y-AL-5605-16-16-16	295.50



Y-AL-6408-O - Str.

(1) Male O-Ring Plug

Y-AL-6408-03-O	6.01
Y-AL-6408-04-O	7.50
Y-AL-6408-06-O	8.01
Y-AL-6408-08-O	14.50
Y-AL-6408-10-O	17.03
Y-AL-6408-12-O	22.05
Y-AL-6408-16-O	32.50







Y-AL-6505 - Str.

(1) 37° Fem. Swivel
(2) Male Pipe

Y-AL-6505-03-02	14.36
Y-AL-6505-04-02	14.36
Y-AL-6505-04-04	14.36
Y-AL-6505-06-02	16.09
Y-AL-6505-06-04	16.09
Y-AL-6505-06-06	16.09
Y-AL-6505-08-04	19.09
Y-AL-6505-08-06	19.09
Y-AL-6505-08-08	19.09
Y-AL-6505-10-06	31.64
Y-AL-6505-10-08	31.64
Y-AL-6505-12-08	51.18
Y-AL-6505-12-12	51.18

Notes: _____

								
Size	Pipe Size	O-Ring Face Seal	37° Flare (JIC)	Flareless	Straight Thread O-Ring SAE	45° Flare	Inverted Flare	Compression
1/8	1/8-27	—	5/16-24	5/16-24	5/16-24	5/16-24	5/16-28	5/16-24
3/16	—	—	3/8-24	3/8-24	3/8-24	3/8-24	3/8-24	3/8-24
1/4	1/4-18	9/16-18	7/16-20	7/16-20	7/16-20	7/16-20	7/16-24	7/16-24
5/16	—	—	1/2-20	1/2-20	1/2-20	1/2-20	1/2-20	1/2-24
3/8	3/8-18	11/16-16	9/16-18	9/16-18	9/16-18	5/8-18	5/8-18	9/16-24
7/16	—	—	—	—	—	11/16-16	11/16-18	5/8-24
1/2	1/2-14	13/16-16	3/4-16	3/4-16	3/4-16	3/4-16	3/4-18	11/16-20
5/8	—	1-14	7/8-14	7/8-14	7/8-14	7/8-14	7/8-18	13/16-18
3/4	3/4-14	1 3/16-12	1 1/16-12	1 1/16-12	1 1/16-12	1 1/16-14	1 1/16-16	1-18
7/8	—	1 3/16-12	1 3/16-12	1 3/16-12	1 3/16-12	—	1 3/16-16	—
1	1-11 1/2	1 7/16-12	1 5/16-12	1 5/16-12	1 5/16-12	—	1 5/16-16	1 1/4-18
1 1/4	1 1/4-11 1/2	1 11/16-12	1 5/8-12	1 5/8-12	1 5/8-12	—	—	—
1 1/2	1 1/2-11 1/2	2-12	1 7/8-12	1 7/8-12	1 7/8-12	—	—	—
2	2-11 1/2	—	2 1/2-12	2 1/2-12	2 1/2-12	—	—	—