









| |  |  |  |  |  |  |  |  |
|-------|---|---|---|---|---|---|---|---|
| Size | Pipe Size | O-Ring Face Seal | 37° Flare (JIC) | Flareless | Straight Thread O-Ring SAE | 45° Flare | Inverted Flare | Compression |
| 1/8 | 1/8-27 | – | 5/16-24 | 5/16-24 | 5/16-24 | 5/16-24 | 5/16-28 | 5/16-24 |
| 3/16 | – | – | 3/8-24 | 3/8-24 | 3/8-24 | 3/8-24 | 3/8-24 | 3/8-24 |
| 1/4 | 1/4-18 | 9/16-18 | 7/16-20 | 7/16-20 | 7/16-20 | 7/16-20 | 7/16-24 | 7/16-24 |
| 5/16 | – | – | 1/2-20 | 1/2-20 | 1/2-20 | 1/2-20 | 1/2-20 | 1/2-24 |
| 3/8 | 3/8-18 | 11/16-16 | 9/16-18 | 9/16-18 | 9/16-18 | 5/8-18 | 5/8-18 | 9/16-24 |
| 7/16 | – | – | – | – | – | 11/16-16 | 11/16-18 | 5/8-24 |
| 1/2 | 1/2-14 | 13/16-16 | 3/4-16 | 3/4-16 | 3/4-16 | 3/4-16 | 3/4-18 | 11/16-20 |
| 5/8 | – | 1-14 | 7/8-14 | 7/8-14 | 7/8-14 | 7/8-14 | 7/8-18 | 13/16-18 |
| 3/4 | 3/4-14 | 1 3/16-12 | 1 1/16-12 | 1 1/16-12 | 1 1/16-12 | 1 1/16-14 | 1 1/16-16 | 1-18 |
| 7/8 | – | 1 3/16-12 | 1 3/16-12 | 1 3/16-12 | 1 3/16-12 | – | 1 3/16-16 | – |
| 1 | 1-11/ 1/2 | 1 7/16-12 | 1 5/16-12 | 1 5/16-12 | 1 5/16-12 | – | 1 5/16-16 | 1 1/4-18 |
| 1 1/4 | 1 1/4-11 1/2 | 1 11/16-12 | 1 5/8-12 | 1 5/8-12 | 1 5/8-12 | – | – | – |
| 1 1/2 | 1 1/2-11 1/2 | 2-12 | 1 7/8-12 | 1 7/8-12 | 1 7/8-12 | – | – | – |
| 2 | 2-11 1/2 | – | 2 1/2-12 | 2 1/2-12 | 2 1/2-12 | – | – | – |

Notes: _____

IMPORT FLARELESS STEEL

Styles may vary from picture



Y-FL-0304-C
Cap Nut

| | |
|----------------|-------|
| Y-FL-0304-C-04 | 4.95 |
| Y-FL-0304-C-05 | 15.45 |
| Y-FL-0304-C-06 | 6.65 |
| Y-FL-0304-C-08 | 7.90 |
| Y-FL-0304-C-10 | 11.75 |
| Y-FL-0304-C-12 | 11.25 |
| Y-FL-0304-C-16 | 16.35 |
| Y-FL-0304-C-20 | 45.60 |



Y-FL-0306
Bulkhead Lock Nut

| | |
|--------------|-------|
| Y-FL-0306-04 | 0.45 |
| Y-FL-0306-06 | 0.55 |
| Y-FL-0306-08 | 0.85 |
| Y-FL-0306-10 | 1.15 |
| Y-FL-0306-12 | 1.75 |
| Y-FL-0306-14 | 4.25 |
| Y-FL-0306-16 | 2.85 |
| Y-FL-0306-20 | 3.25 |
| Y-FL-0306-24 | 6.65 |
| Y-FL-0306-32 | 13.60 |




Y-FL-0318
Flareless Nut

| | |
|--------------|-------|
| Y-FL-0318-02 | 1.05 |
| Y-FL-0318-03 | 1.05 |
| Y-FL-0318-04 | 0.85 |
| Y-FL-0318-05 | 1.20 |
| Y-FL-0318-06 | 0.85 |
| Y-FL-0318-08 | 1.25 |
| Y-FL-0318-10 | 1.95 |
| Y-FL-0318-12 | 2.65 |
| Y-FL-0318-14 | 5.60 |
| Y-FL-0318-16 | 4.30 |
| Y-FL-0318-20 | 10.95 |
| Y-FL-0318-24 | 15.95 |
| Y-FL-0318-32 | 37.50 |




Y-FL-0319
Flareless Nut

| | |
|--------------|------|
| Y-FL-0319-02 | 0.85 |
| Y-FL-0319-03 | 0.80 |
| Y-FL-0319-04 | 0.60 |
| Y-FL-0319-05 | 0.95 |
| Y-FL-0319-06 | 0.90 |
| Y-FL-0319-08 | 1.00 |
| Y-FL-0319-10 | 1.60 |
| Y-FL-0319-12 | 2.20 |
| Y-FL-0319-14 | 2.75 |
| Y-FL-0319-16 | 3.25 |
| Y-FL-0319-20 | 5.30 |
| Y-FL-0319-24 | 6.45 |
| Y-FL-0319-32 | 7.25 |



Y-FL-2000 - Str.
(1) Male JIC
(2) Male Flareless

| | |
|-----------------|--------|
| Y-FL-2000-04-04 | 19.92 |
| Y-FL-2000-06-06 | 20.77 |
| Y-FL-2000-08-08 | 29.58 |
| Y-FL-2000-10-10 | 69.19 |
| Y-FL-2000-12-12 | 74.96 |
| Y-FL-2000-16-16 | 107.85 |
| Y-FL-2000-20-20 | 174.81 |
| Y-FL-2000-24-24 | 231.01 |




Y-FL-2000-BH - Str.
(1) Male JIC
(2) Male Flareless Bulkhead

| | |
|--------------------|--------|
| Y-FL-2000-BH-04-04 | 25.54 |
| Y-FL-2000-BH-06-06 | 26.19 |
| Y-FL-2000-BH-08-08 | 41.69 |
| Y-FL-2000-BH-10-10 | 79.50 |
| Y-FL-2000-BH-12-12 | 112.73 |
| Y-FL-2000-BH-16-16 | 158.42 |



Y-FL-2403 - Str.
(1) (2) Male Flareless Union

| | |
|-----------------|--------|
| Y-FL-2403-02-02 | 8.75 |
| Y-FL-2403-03-03 | 7.25 |
| Y-FL-2403-04-04 | 5.75 |
| Y-FL-2403-05-05 | 7.25 |
| Y-FL-2403-06-04 | 11.10 |
| Y-FL-2403-06-06 | 7.45 |
| Y-FL-2403-08-06 | 12.25 |
| Y-FL-2403-08-08 | 9.40 |
| Y-FL-2403-10-10 | 12.25 |
| Y-FL-2403-12-12 | 15.55 |
| Y-FL-2403-14-14 | 25.60 |
| Y-FL-2403-16-16 | 26.95 |
| Y-FL-2403-20-20 | 62.20 |
| Y-FL-2403-24-24 | 92.25 |
| Y-FL-2403-32-32 | 240.75 |



Y-FL-2403-LH - Str.
(1) (2) Male Flareless Union
Large Hex

| | |
|--------------------|-------|
| Y-FL-2403-LH-04-04 | 12.96 |
|--------------------|-------|

IMPORT FLARELESS STEEL


Styles may vary from picture



Y-FL-2404 - Str.
(1) Male Flareless
(2) Male Pipe



Y-FL-2405 - Str.
(1) Male Flareless
(2) Fem. Pipe



Y-FL-2500 - 90°
(1) (2) Male Flareless

| | |
|-----------------|--------|
| Y-FL-2404-02-02 | 4.45 |
| Y-FL-2404-02-04 | 5.95 |
| Y-FL-2404-03-02 | 5.01 |
| Y-FL-2404-04-02 | 3.35 |
| Y-FL-2404-04-04 | 3.90 |
| Y-FL-2404-04-06 | 5.35 |
| Y-FL-2404-04-08 | 8.05 |
| Y-FL-2404-05-02 | 4.90 |
| Y-FL-2404-05-04 | 5.95 |
| Y-FL-2404-06-02 | 5.50 |
| Y-FL-2404-06-04 | 4.50 |
| Y-FL-2404-06-06 | 4.85 |
| Y-FL-2404-06-08 | 7.80 |
| Y-FL-2404-08-04 | 7.55 |
| Y-FL-2404-08-06 | 6.35 |
| Y-FL-2404-08-08 | 7.15 |
| Y-FL-2404-08-12 | 14.80 |
| Y-FL-2404-10-06 | 9.75 |
| Y-FL-2404-10-08 | 7.60 |
| Y-FL-2404-10-12 | 12.45 |
| Y-FL-2404-12-08 | 11.75 |
| Y-FL-2404-12-12 | 10.60 |
| Y-FL-2404-14-12 | 18.05 |
| Y-FL-2404-16-12 | 18.01 |
| Y-FL-2404-16-16 | 17.25 |
| Y-FL-2404-20-20 | 33.95 |
| Y-FL-2404-24-24 | 46.05 |
| Y-FL-2404-32-32 | 126.25 |

| | |
|-----------------|--------|
| Y-FL-2405-02-02 | 10.15 |
| Y-FL-2405-03-02 | 15.75 |
| Y-FL-2405-04-02 | 4.25 |
| Y-FL-2405-04-04 | 5.95 |
| Y-FL-2405-05-02 | 6.20 |
| Y-FL-2405-06-04 | 5.85 |
| Y-FL-2405-06-06 | 7.45 |
| Y-FL-2405-06-08 | 15.67 |
| Y-FL-2405-08-04 | 9.30 |
| Y-FL-2405-08-06 | 7.90 |
| Y-FL-2405-08-08 | 10.95 |
| Y-FL-2405-10-08 | 10.95 |
| Y-FL-2405-12-12 | 16.45 |
| Y-FL-2405-14-12 | 23.75 |
| Y-FL-2405-16-16 | 29.35 |
| Y-FL-2405-20-20 | 67.90 |
| Y-FL-2405-24-24 | 139.13 |

| | |
|-----------------|--------|
| Y-FL-2500-02-02 | 30.75 |
| Y-FL-2500-04-04 | 9.80 |
| Y-FL-2500-05-05 | 13.95 |
| Y-FL-2500-06-06 | 11.35 |
| Y-FL-2500-08-08 | 15.60 |
| Y-FL-2500-10-10 | 20.25 |
| Y-FL-2500-12-12 | 29.15 |
| Y-FL-2500-14-14 | 50.25 |
| Y-FL-2500-16-16 | 49.55 |
| Y-FL-2500-20-20 | 126.25 |
| Y-FL-2500-24-24 | 162.25 |
| Y-FL-2500-32-32 | 443.25 |




Y-FL-2406 - Str. Reducer
(1) Female Flareless
(2) Male Flareless

| | |
|-----------------|-------|
| Y-FL-2406-08-16 | 8.24 |
| Y-FL-2406-12-10 | 17.16 |



Y-FL-2408 - Str.
(1) Male Flareless Plug

| | |
|--------------|-------|
| Y-FL-2408-02 | 10.35 |
| Y-FL-2408-04 | 3.75 |
| Y-FL-2408-05 | 13.25 |
| Y-FL-2408-06 | 4.45 |
| Y-FL-2408-08 | 4.85 |
| Y-FL-2408-10 | 10.95 |
| Y-FL-2408-12 | 13.45 |
| Y-FL-2408-16 | 20.60 |




Y-FL-2501 - 90°
(1) Male Flareless
(2) Male Pipe

| | |
|-----------------|--------|
| Y-FL-2501-02-02 | 8.75 |
| Y-FL-2501-03-02 | 8.45 |
| Y-FL-2501-04-02 | 7.10 |
| Y-FL-2501-04-04 | 9.30 |
| Y-FL-2501-04-06 | 24.13 |
| Y-FL-2501-05-02 | 10.85 |
| Y-FL-2501-05-04 | 13.25 |
| Y-FL-2501-06-02 | 12.85 |
| Y-FL-2501-06-04 | 8.65 |
| Y-FL-2501-06-06 | 12.25 |
| Y-FL-2501-06-08 | 14.75 |
| Y-FL-2501-08-04 | 13.30 |
| Y-FL-2501-08-06 | 11.80 |
| Y-FL-2501-08-08 | 17.45 |
| Y-FL-2501-10-06 | 17.45 |
| Y-FL-2501-10-08 | 14.95 |
| Y-FL-2501-10-12 | 54.95 |
| Y-FL-2501-12-08 | 27.55 |
| Y-FL-2501-12-12 | 22.75 |
| Y-FL-2501-14-12 | 37.10 |
| Y-FL-2501-16-12 | 41.65 |
| Y-FL-2501-16-16 | 36.90 |
| Y-FL-2501-20-20 | 72.95 |
| Y-FL-2501-24-24 | 114.30 |
| Y-FL-2501-32-32 | 313.75 |


IMPORT FLARELESS STEEL

Styles may vary from picture




Y-FL-2502 - 90°
(1) Male Flareless
(2) Fem. Pipe

| | |
|-----------------|--------|
| Y-FL-2502-04-02 | 8.95 |
| Y-FL-2502-04-04 | 10.95 |
| Y-FL-2502-05-02 | 18.80 |
| Y-FL-2502-06-04 | 10.55 |
| Y-FL-2502-06-06 | 16.20 |
| Y-FL-2502-08-04 | 16.05 |
| Y-FL-2502-08-06 | 16.25 |
| Y-FL-2502-08-08 | 20.70 |
| Y-FL-2502-10-08 | 20.70 |
| Y-FL-2502-12-12 | 32.10 |
| Y-FL-2502-14-12 | 53.75 |
| Y-FL-2502-16-16 | 57.55 |
| Y-FL-2502-20-20 | 146.50 |
| Y-FL-2502-24-24 | 272.83 |




Y-FL-2601 - Tee
(1) (2) Male Flareless
(3) Male Pipe

| | |
|--------------------|--------|
| Y-FL-2601-02-02-02 | 44.50 |
| Y-FL-2601-04-04-02 | 11.75 |
| Y-FL-2601-04-04-04 | 18.65 |
| Y-FL-2601-05-05-02 | 31.40 |
| Y-FL-2601-06-06-04 | 15.01 |
| Y-FL-2601-08-08-06 | 21.05 |
| Y-FL-2601-08-08-08 | 23.20 |
| Y-FL-2601-10-10-08 | 26.75 |
| Y-FL-2601-12-12-12 | 39.95 |
| Y-FL-2601-14-14-12 | 145.80 |
| Y-FL-2601-16-16-16 | 81.85 |




Y-FL-2603 - Tee
(1) (2) (3) Male Flareless

| | |
|--------------------|--------|
| Y-FL-2603-02-02-02 | 39.30 |
| Y-FL-2603-03-03-03 | 32.35 |
| Y-FL-2603-04-04-04 | 15.60 |
| Y-FL-2603-05-05-05 | 21.40 |
| Y-FL-2603-06-06-06 | 16.35 |
| Y-FL-2603-08-08-08 | 22.95 |
| Y-FL-2603-10-10-10 | 29.55 |
| Y-FL-2603-12-12-12 | 42.45 |
| Y-FL-2603-14-14-14 | 92.01 |
| Y-FL-2603-16-16-16 | 68.96 |
| Y-FL-2603-20-20-20 | 211.79 |
| Y-FL-2603-24-24-24 | 270.08 |




Y-FL-2503 - 45°
(1) Male Flareless
(2) Male Pipe

| | |
|-----------------|--------|
| Y-FL-2503-03-02 | 23.92 |
| Y-FL-2503-04-02 | 7.35 |
| Y-FL-2503-04-04 | 11.95 |
| Y-FL-2503-05-02 | 12.25 |
| Y-FL-2503-06-04 | 8.45 |
| Y-FL-2503-08-06 | 11.95 |
| Y-FL-2503-10-08 | 15.75 |
| Y-FL-2503-12-12 | 29.25 |
| Y-FL-2503-14-12 | 81.85 |
| Y-FL-2503-16-16 | 38.95 |
| Y-FL-2503-20-20 | 135.13 |



Y-FL-2602 - Tee
(1) (2) Male Flareless
(3) Fem. Pipe

| | |
|--------------------|--------|
| Y-FL-2602-04-04-02 | 14.45 |
| Y-FL-2602-04-04-04 | 20.85 |
| Y-FL-2602-06-06-04 | 16.25 |
| Y-FL-2602-08-08-06 | 24.45 |
| Y-FL-2602-08-08-08 | 19.55 |
| Y-FL-2602-10-10-08 | 34.95 |
| Y-FL-2602-12-12-12 | 43.66 |
| Y-FL-2602-14-14-12 | 84.80 |
| Y-FL-2602-16-16-16 | 81.95 |
| Y-FL-2602-20-20-20 | 178.25 |




Y-FL-2605 - Tee
(1) (3) Male Flareless
(2) Male Pipe

| | |
|--------------------|--------|
| Y-FL-2605-04-02-04 | 13.95 |
| Y-FL-2605-04-04-04 | 14.80 |
| Y-FL-2605-05-02-05 | 58.04 |
| Y-FL-2605-06-04-06 | 16.30 |
| Y-FL-2605-08-06-08 | 24.95 |
| Y-FL-2605-08-08-08 | 32.95 |
| Y-FL-2605-10-08-10 | 28.65 |
| Y-FL-2605-12-12-12 | 49.35 |
| Y-FL-2605-14-12-14 | 121.75 |
| Y-FL-2605-16-16-16 | 73.20 |

IMPORT FLARELESS STEEL


Styles may vary from picture



Y-FL-2606 - Tee

(1) (3) Male Flareless
(2) Fem. Pipe

| | |
|--------------------|--------|
| Y-FL-2606-04-02-04 | 16.25 |
| Y-FL-2606-04-04-04 | 24.95 |
| Y-FL-2606-06-04-06 | 18.40 |
| Y-FL-2606-08-06-08 | 26.95 |
| Y-FL-2606-10-08-10 | 42.15 |
| Y-FL-2606-12-12-12 | 64.95 |
| Y-FL-2606-14-12-14 | 104.45 |
| Y-FL-2606-16-16-16 | 158.04 |



Y-FL-2650 - Cross

(1) (2) (3) (4) Male Flareless

| | |
|-----------------------|-------|
| Y-FL-2650-04-04-04-04 | 31.45 |
| Y-FL-2650-06-06-06-06 | 37.25 |
| Y-FL-2650-08-08-08-08 | 55.25 |
| Y-FL-2650-10-10-10-10 | 55.75 |
| Y-FL-2650-12-12-12-12 | 71.20 |



Y-FL-2700-LN - Str.

(1) Male Flareless
(2) Male Flareless
Bulkhead with Locknut


| | |
|--------------------|--------|
| Y-FL-2700-LN-03-03 | 22.40 |
| Y-FL-2700-LN-04-04 | 8.75 |
| Y-FL-2700-LN-06-06 | 11.60 |
| Y-FL-2700-LN-08-08 | 16.15 |
| Y-FL-2700-LN-10-10 | 26.25 |
| Y-FL-2700-LN-12-12 | 33.65 |
| Y-FL-2700-LN-14-14 | 58.05 |
| Y-FL-2700-LN-16-16 | 82.25 |
| Y-FL-2700-LN-20-20 | 166.55 |



Y-FL-6400-O - Str.

(1) Male Flareless
(2) Male O-Ring


| | |
|-------------------|--------|
| Y-FL-6400-02-02-O | 16.04 |
| Y-FL-6400-03-03-O | 14.85 |
| Y-FL-6400-04-02-O | 36.55 |
| Y-FL-6400-04-04-O | 4.25 |
| Y-FL-6400-04-05-O | 16.25 |
| Y-FL-6400-04-06-O | 10.45 |
| Y-FL-6400-05-05-O | 8.30 |
| Y-FL-6400-06-06-O | 5.60 |
| Y-FL-6400-06-08-O | 8.25 |
| Y-FL-6400-08-06-O | 10.35 |
| Y-FL-6400-08-08-O | 7.45 |
| Y-FL-6400-08-10-O | 9.80 |
| Y-FL-6400-08-12-O | 15.80 |
| Y-FL-6400-10-10-O | 10.75 |
| Y-FL-6400-12-08-O | 64.40 |
| Y-FL-6400-12-12-O | 13.65 |
| Y-FL-6400-12-16-O | 26.05 |
| Y-FL-6400-14-14-O | 26.65 |
| Y-FL-6400-16-12-O | 29.40 |
| Y-FL-6400-16-16-O | 28.01 |
| Y-FL-6400-16-20-O | 81.33 |
| Y-FL-6400-20-20-O | 58.95 |
| Y-FL-6400-24-24-O | 69.45 |
| Y-FL-6400-32-32-O | 206.25 |



Y-FL-6500 - 90°

(1) Male Flareless
(2) Fem. Flareless Swivel


| | |
|-----------------|--------|
| Y-FL-6500-04-04 | 16.70 |
| Y-FL-6500-06-06 | 19.60 |
| Y-FL-6500-08-08 | 29.40 |
| Y-FL-6500-10-10 | 43.45 |
| Y-FL-6500-12-12 | 49.45 |
| Y-FL-6500-16-16 | 122.50 |
| Y-FL-6500-20-20 | 276.95 |



Y-FL-6600 - Tee

(1) (2) Male Flareless
(3) Fem. Flareless Swivel

| | |
|--------------------|--------|
| Y-FL-6600-04-04-04 | 84.20 |
| Y-FL-6600-06-06-06 | 31.75 |
| Y-FL-6600-08-08-08 | 40.15 |
| Y-FL-6600-12-12-12 | 124.45 |




Y-FL-6602 - Tee

(1) (3) Male Flareless
(2) Fem. Flareless Swivel

| | |
|--------------------|--------|
| Y-FL-6602-04-04-04 | 26.35 |
| Y-FL-6602-06-06-06 | 32.60 |
| Y-FL-6602-08-08-08 | 42.85 |
| Y-FL-6602-12-12-12 | 92.20 |
| Y-FL-6602-16-16-16 | 293.80 |


IMPORT FLARELESS STEEL

Styles may vary from picture




Y-FL-6801-NWO - 90°
 (1) Male Flareless
 (2) Adj. O-Ring

| | |
|---------------------|--------|
| Y-FL-6801-03-03-NWO | 49.08 |
| Y-FL-6801-04-04-NWO | 10.35 |
| Y-FL-6801-05-05-NWO | 18.25 |
| Y-FL-6801-06-06-NWO | 13.10 |
| Y-FL-6801-06-08-NWO | 18.65 |
| Y-FL-6801-08-06-NWO | 17.75 |
| Y-FL-6801-08-08-NWO | 16.50 |
| Y-FL-6801-08-10-NWO | 22.55 |
| Y-FL-6801-08-12-NWO | 27.45 |
| Y-FL-6801-10-10-NWO | 20.95 |
| Y-FL-6801-12-08-NWO | 35.25 |
| Y-FL-6801-12-10-NWO | 87.60 |
| Y-FL-6801-12-12-NWO | 30.01 |
| Y-FL-6801-16-12-NWO | 133.95 |
| Y-FL-6801-16-16-NWO | 52.01 |
| Y-FL-6801-20-20-NWO | 114.55 |
| Y-FL-6801-24-24-NWO | 190.75 |
| Y-FL-6801-32-32-NWO | 411.85 |




Y-FL-6801-L-NWO - 90°
 (1) Male Flareless
 (2) Adj. O-Ring-Long

| | |
|-----------------------|--------|
| Y-FL-6801-L-04-04-NWO | 82.14 |
| Y-FL-6801-L-06-06-NWO | 86.91 |
| Y-FL-6801-L-08-08-NWO | 91.36 |
| Y-FL-6801-L-10-10-NWO | 107.27 |
| Y-FL-6801-L-12-12-NWO | 148.05 |
| Y-FL-6801-L-16-16-NWO | 197.95 |




Y-FL-6802- NWO - 45°
 (1) Male Flareless
 (2) Adj. O-Ring

| | |
|---------------------|-------|
| Y-FL-6802-04-04-NWO | 22.27 |
| Y-FL-6802-06-06-NWO | 23.25 |
| Y-FL-6802-08-08-NWO | 23.85 |
| Y-FL-6802-12-12-NWO | 36.35 |
| Y-FL-6802-16-16-NWO | 66.25 |



Y-FL-6803- NWO - Tee
 (1) (2) Male Flareless
 (3) Adj. O-Ring

| | |
|------------------------|--------|
| Y-FL-6803-04-04-04-NWO | 20.30 |
| Y-FL-6803-06-06-06-NWO | 20.50 |
| Y-FL-6803-08-08-08-NWO | 28.01 |
| Y-FL-6803-10-10-10-NWO | 87.67 |
| Y-FL-6803-12-12-12-NWO | 119.40 |
| Y-FL-6803-16-16-16-NWO | 187.45 |



Y-FL-6804- NWO - Tee
 (1) (3) Male Flareless
 (2) Adj. O-Ring

| | |
|------------------------|--------|
| Y-FL-6804-04-04-04-NWO | 26.30 |
| Y-FL-6804-06-06-06-NWO | 26.45 |
| Y-FL-6804-08-08-08-NWO | 28.01 |
| Y-FL-6804-10-10-10-NWO | 83.50 |
| Y-FL-6804-12-12-12-NWO | 97.82 |
| Y-FL-6804-16-16-16-NWO | 172.82 |