


# IMPORT O-RING FACE SEAL

Styles may vary from picture



**Y-OFS-0304-C**  
Cap Nut

Y-OFS-0304-C-04	1.85
Y-OFS-0304-C-06	2.45
Y-OFS-0304-C-08	2.45
Y-OFS-0304-C-10	3.61
Y-OFS-0304-C-12	5.05
Y-OFS-0304-C-16	7.07
Y-OFS-0304-C-20	10.05
Y-OFS-0304-C-24	20.45
Y-OFS-0304-C-32	90.75



**Y-OFS-0306**  
Bulkhead Lock Nut

Y-OFS-0306-04	0.60
Y-OFS-0306-06	1.15
Y-OFS-0306-08	1.45
Y-OFS-0306-10	1.95
Y-OFS-0306-12	2.40
Y-OFS-0306-16	3.25
Y-OFS-0306-20	3.75
Y-OFS-0306-24	28.45




**Y-OFS-0318**  
OFS Nut

Y-OFS-0318-04	0.55
Y-OFS-0318-06	0.75
Y-OFS-0318-08	1.10
Y-OFS-0318-10	1.35
Y-OFS-0318-12	2.50
Y-OFS-0318-16	3.35
Y-OFS-0318-20	5.60
Y-OFS-0318-24	13.75
Y-OFS-0318-32	40.65




**Y-OFS-0319**  
OFS Braze Shoulder

Y-OFS-0319-04	0.40
Y-OFS-0319-06	0.50
Y-OFS-0319-08	0.60
Y-OFS-0319-10	0.70
Y-OFS-0319-12	1.20
Y-OFS-0319-16	1.75
Y-OFS-0319-20	3.05
Y-OFS-0319-24	9.75
Y-OFS-0319-32	28.25




**Y-OFS-0403**  
(1) Bore for Brazing  
(2) Male OFS

Y-OFS-0403-04-04	1.05
Y-OFS-0403-04-06	5.95
Y-OFS-0403-04-08	43.75
Y-OFS-0403-06-04	5.95
Y-OFS-0403-06-06	1.60
Y-OFS-0403-06-08	11.25
Y-OFS-0403-06-10	8.50
Y-OFS-0403-08-06	4.75
Y-OFS-0403-08-08	2.55
Y-OFS-0403-08-10	8.35
Y-OFS-0403-08-12	29.12
Y-OFS-0403-10-06	23.47
Y-OFS-0403-10-08	6.95
Y-OFS-0403-10-10	3.70
Y-OFS-0403-10-12	8.05
Y-OFS-0403-12-08	32.75
Y-OFS-0403-12-10	8.25
Y-OFS-0403-12-12	3.90
Y-OFS-0403-12-16	23.65
Y-OFS-0403-16-12	12.75
Y-OFS-0403-16-16	6.20
Y-OFS-0403-16-20	39.85
Y-OFS-0403-20-16	42.05
Y-OFS-0403-20-20	17.80
Y-OFS-0403-20-24	39.94
Y-OFS-0403-24-20	47.56
Y-OFS-0403-24-24	26.70



**Y-OFS-2403 - Str.**  
(1) (2) Male OFS Union

Y-OFS-2403-04-04	2.30
Y-OFS-2403-06-04	3.60
Y-OFS-2403-06-06	3.55
Y-OFS-2403-08-06	4.64
Y-OFS-2403-08-08	3.95
Y-OFS-2403-10-08	6.45
Y-OFS-2403-10-10	5.74
Y-OFS-2403-12-08	17.95
Y-OFS-2403-12-10	9.45
Y-OFS-2403-12-12	7.25
Y-OFS-2403-16-12	12.96
Y-OFS-2403-16-16	9.30
Y-OFS-2403-20-20	12.75
Y-OFS-2403-24-24	26.96
Y-OFS-2403-32-32	181.24




**Y-OFS-2404 - Str.**  
(1) Male OFS  
(2) Male Pipe

Y-OFS-2404-04-02	2.16
Y-OFS-2404-04-04	2.16
Y-OFS-2404-04-06	2.80
Y-OFS-2404-04-08	5.37
Y-OFS-2404-06-02	3.80
Y-OFS-2404-06-04	2.40
Y-OFS-2404-06-06	2.46
Y-OFS-2404-06-08	3.77
Y-OFS-2404-08-04	2.96
Y-OFS-2404-08-06	3.26
Y-OFS-2404-08-08	3.45
Y-OFS-2404-08-12	4.21
Y-OFS-2404-08-16	11.55
Y-OFS-2404-10-08	4.40
Y-OFS-2404-10-12	5.37
Y-OFS-2404-10-16	14.97
Y-OFS-2404-12-08	4.88
Y-OFS-2404-12-12	5.46
Y-OFS-2404-12-16	9.79
Y-OFS-2404-16-12	9.67
Y-OFS-2404-16-16	7.59
Y-OFS-2404-16-20	14.50
Y-OFS-2404-20-16	16.95
Y-OFS-2404-20-20	12.16
Y-OFS-2404-24-24	24.91

# IMPORT O-RING FACE SEAL

Styles may vary from picture




**Y-OFS-2406 - Str - Reducer**  
(1) Fem. OFS  
(2) Male OFS

Y-OFS-2406-06-04	6.55
Y-OFS-2406-08-04	7.47
Y-OFS-2406-08-06	6.48
Y-OFS-2406-10-04	9.95
Y-OFS-2406-10-08	10.81
Y-OFS-2406-12-04	10.95
Y-OFS-2406-12-06	10.25
Y-OFS-2406-12-08	11.15
Y-OFS-2406-12-10	10.99
Y-OFS-2406-16-08	21.40
Y-OFS-2406-16-10	25.76
Y-OFS-2406-16-12	16.45
Y-OFS-2406-20-12	32.80
Y-OFS-2406-20-16	29.85
Y-OFS-2406-24-16	41.94
Y-OFS-2406-24-20	69.50




**Y-OFS-2407 - Str.  
Reducer Less Nut**  
(1) Fem. OFS  
(2) Male OFS

Y-OFS-2407-08-04	7.20
Y-OFS-2407-10-04	9.10
Y-OFS-2407-10-06	11.85
Y-OFS-2407-10-08	10.45
Y-OFS-2407-12-04	11.40
Y-OFS-2407-12-06	11.75
Y-OFS-2407-12-08	9.20
Y-OFS-2407-12-10	9.20
Y-OFS-2407-16-08	14.01
Y-OFS-2407-16-10	18.85
Y-OFS-2407-20-12	25.70
Y-OFS-2407-24-16	25.55
Y-OFS-2407-24-20	26.71
Y-OFS-2407-32-20	132.10
Y-OFS-2407-32-24	125.25




**Y-OFS-2408**  
(1) Male OFS Plug

Y-OFS-2408-04	1.80
Y-OFS-2408-06	1.95
Y-OFS-2408-08	2.40
Y-OFS-2408-10	2.95
Y-OFS-2408-12	4.90
Y-OFS-2408-16	8.26
Y-OFS-2408-20	17.30
Y-OFS-2408-24	19.45



**Y-OFS-2500-F - 90°**  
(1) (2) Male OFS Union


Y-OFS-2500-F-04-04	4.01
Y-OFS-2500-F-06-04	6.45
Y-OFS-2500-F-06-06	4.96
Y-OFS-2500-F-08-08	5.97
Y-OFS-2500-F-10-10	8.45
Y-OFS-2500-F-12-12	11.26
Y-OFS-2500-F-16-16	15.45
Y-OFS-2500-F-20-20	29.87
Y-OFS-2500-F-24-24	64.20
Y-OFS-2500-F-32-32	267.81



**Y-OFS-2501-F - 90°**  
(1) Male OFS  
(2) Male Pipe


Y-OFS-2501-F-04-02	3.41
Y-OFS-2501-F-04-04	3.60
Y-OFS-2501-F-04-06	4.61
Y-OFS-2501-F-04-08	5.95
Y-OFS-2501-F-06-02	45.79
Y-OFS-2501-F-06-04	4.50
Y-OFS-2501-F-06-06	4.91
Y-OFS-2501-F-06-08	6.10
Y-OFS-2501-F-08-04	4.91

Y-OFS-2501-F-08-06	5.20
Y-OFS-2501-F-08-08	6.31
Y-OFS-2501-F-08-12	8.30
Y-OFS-2501-F-10-08	8.01
Y-OFS-2501-F-10-12	8.45
Y-OFS-2501-F-10-16	18.46
Y-OFS-2501-F-12-08	10.75
Y-OFS-2501-F-12-12	10.96
Y-OFS-2501-F-12-16	13.41
Y-OFS-2501-F-16-12	14.75
Y-OFS-2501-F-16-16	16.66
Y-OFS-2501-F-20-16	31.25
Y-OFS-2501-F-20-20	31.35
Y-OFS-2501-F-24-20	137.02
Y-OFS-2501-F-24-24	46.95



**Y-OFS-2503-F - 45°**  
(1) Male OFS  
(2) Male Pipe

Y-OFS-2503-F-04-02	3.45
Y-OFS-2503-F-04-04	3.55
Y-OFS-2503-F-06-04	4.61
Y-OFS-2503-F-06-06	5.90
Y-OFS-2503-F-08-06	4.55
Y-OFS-2503-F-08-08	5.90
Y-OFS-2503-F-10-08	8.31
Y-OFS-2503-F-12-12	9.30
Y-OFS-2503-F-16-16	12.95
Y-OFS-2503-F-20-20	28.01
Y-OFS-2503-F-24-24	259.50




**Y-OFS-2601-F - Tee**  
(1) (2) Male OFS  
(3) Male Pipe

Y-OFS-2601-F-04-04-02	16.05
Y-OFS-2601-F-04-04-04	9.50
Y-OFS-2601-F-06-06-04	9.95
Y-OFS-2601-F-06-06-06	8.60
Y-OFS-2601-F-08-08-06	9.95
Y-OFS-2601-F-08-08-08	11.36
Y-OFS-2601-F-12-12-12	28.05
Y-OFS-2601-F-16-16-16	38.46
Y-OFS-2601-F-20-20-20	60.90


# IMPORT O-RING FACE SEAL

Styles may vary from picture




**Y-OFS-2603-F - Tee**  
(1) (2) (3) Male OFS Union

Y-OFS-2603-F-04-04-04	5.85
Y-OFS-2603-F-06-06-06	8.20
Y-OFS-2603-F-06-06-08	9.41
Y-OFS-2603-F-06-08-08	9.25
Y-OFS-2603-F-08-06-08	12.97
Y-OFS-2603-F-08-08-06	13.64
Y-OFS-2603-F-08-08-08	8.35
Y-OFS-2603-F-08-08-10	34.50
Y-OFS-2603-F-10-10-10	12.01
Y-OFS-2603-F-10-10-12	31.25
Y-OFS-2603-F-12-12-04	23.75
Y-OFS-2603-F-12-12-06	29.55
Y-OFS-2603-F-12-12-08	28.45
Y-OFS-2603-F-12-12-12	18.27
Y-OFS-2603-F-12-12-16	50.93
Y-OFS-2603-F-16-16-12	43.10
Y-OFS-2603-F-16-16-16	26.05
Y-OFS-2603-F-20-20-16	48.48
Y-OFS-2603-F-20-20-20	50.96
Y-OFS-2603-F-24-24-24	74.40
Y-OFS-2603-F-32-32-32	338.65




**Y-OFS-2605-F - Tee**  
(1) (3) Male OFS  
(2) Male Pipe

Y-OFS-2605-F-04-04-04	11.90
Y-OFS-2605-F-06-04-06	13.21
Y-OFS-2605-F-06-06-06	14.20
Y-OFS-2605-F-08-08-08	17.10




**Y-OFS-2650-F - Cross**  
(1) (2) (3) (4) Male OFS Union

Y-OFS-2650-F-04-04-04-04	12.45
Y-OFS-2650-F-06-06-06-06	17.24
Y-OFS-2650-F-08-08-08-08	19.95
Y-OFS-2650-F-10-10-10-10	29.51
Y-OFS-2650-F-12-12-12-12	41.95
Y-OFS-2650-F-16-16-16-16	51.51
Y-OFS-2650-F-20-20-20-20	68.75
Y-OFS-2650-F-24-24-24-24	112.83



**Y-OFS-2700 - Str.**  
(1) Male OFS  
(2) OFS Bulkhead

Y-OFS-2700-04-04	3.35
Y-OFS-2700-06-06	4.65
Y-OFS-2700-06-08	8.95
Y-OFS-2700-08-06	8.95
Y-OFS-2700-08-08	5.70
Y-OFS-2700-10-10	11.06
Y-OFS-2700-12-12	11.24
Y-OFS-2700-16-16	13.95
Y-OFS-2700-20-20	35.17
Y-OFS-2700-24-24	48.75



**Y-OFS-2700-LN - Str.**  
(1) Male OFS  
(2) OFS Bulkhead with Locknut

Y-OFS-2700-LN-04-04	4.80
Y-OFS-2700-LN-06-06	6.05
Y-OFS-2700-LN-08-08	7.46
Y-OFS-2700-LN-10-10	14.70
Y-OFS-2700-LN-12-12	13.75
Y-OFS-2700-LN-16-16	17.46
Y-OFS-2700-LN-20-20	39.95
Y-OFS-2700-LN-24-24	79.84




**Y-OFS-2701-F - 90°**  
(1) Male OFS  
(2) OFS Bulkhead

Y-OFS-2701-F-04-04	4.85
Y-OFS-2701-F-06-06	6.46
Y-OFS-2701-F-06-08	10.30
Y-OFS-2701-F-08-06	10.90
Y-OFS-2701-F-08-08	7.45
Y-OFS-2701-F-08-10	14.66
Y-OFS-2701-F-10-10	11.25
Y-OFS-2701-F-12-12	14.91
Y-OFS-2701-F-16-16	19.70
Y-OFS-2701-F-20-20	44.45
Y-OFS-2701-F-24-24	76.10



**Y-OFS-2701-F-LN - 90°**  
(1) Male OFS  
(2) OFS Bulkhead with Locknut

Y-OFS-2701-F-LN-04-04	5.65
Y-OFS-2701-F-LN-06-06	7.90
Y-OFS-2701-F-LN-08-08	9.11
Y-OFS-2701-F-LN-10-10	13.25
Y-OFS-2701-F-LN-12-12	17.41
Y-OFS-2701-F-LN-16-16	22.96
Y-OFS-2701-F-LN-20-20	56.30
Y-OFS-2701-F-LN-24-24	78.42




**Y-OFS-2702-F - 45°**  
(1) Male OFS  
(2) OFS Bulkhead

Y-OFS-2702-F-04-04	4.86
Y-OFS-2702-F-06-06	6.45
Y-OFS-2702-F-08-08	7.20
Y-OFS-2702-F-10-08	14.95
Y-OFS-2702-F-10-10	11.45
Y-OFS-2702-F-12-12	13.90
Y-OFS-2702-F-16-16	19.85
Y-OFS-2702-F-20-20	43.77
Y-OFS-2702-F-24-24	84.10


# IMPORT O-RING FACE SEAL

Styles may vary from picture



**Y-OFS-2702-F-LN - 45°**  
 (1) Male OFS  
 (2) OFS Bulkhead with Locknut

Y-OFS-2702-F-LN-04-04	5.85
Y-OFS-2702-F-LN-06-06	7.86
Y-OFS-2702-F-LN-08-08	8.74
Y-OFS-2702-F-LN-10-10	12.95
Y-OFS-2702-F-LN-12-12	16.66
Y-OFS-2702-F-LN-16-16	22.81
Y-OFS-2702-F-LN-20-20	68.20
Y-OFS-2702-F-LN-24-24	90.11




**Y-OFS-2704-F - Tee**  
 (1) (3) Male OFS  
 (2) OFS Bulkhead

Y-OFS-2704-F-04-04-04	7.91
Y-OFS-2704-F-06-06-06	11.01
Y-OFS-2704-F-08-08-08	11.20
Y-OFS-2704-F-10-10-10	18.45
Y-OFS-2704-F-12-12-12	26.20
Y-OFS-2704-F-16-16-16	32.45
Y-OFS-2704-F-20-20-20	100.91
Y-OFS-2704-F-24-24-24	154.70




**Y-OFS-4000-V**  
 Viton O-Ring Brown

Y-OFS-4000-V-04 BRN-90	0.25
Y-OFS-4000-V-06 BRN-90	0.25
Y-OFS-4000-V-08 BRN-90	0.30
Y-OFS-4000-V-10 BRN-90	0.35
Y-OFS-4000-V-12 BRN-90	0.40
Y-OFS-4000-V-16 BRN-90	0.45
Y-OFS-4000-V-20 BRN-90	0.65
Y-OFS-4000-V-24 BRN-90	0.85




**Y-OFS-2703-F - Tee**  
 (1) (2) Male OFS  
 (3) OFS Bulkhead

Y-OFS-2703-F-04-04-04	8.45
Y-OFS-2703-F-06-06-06	11.01
Y-OFS-2703-F-08-08-08	12.45
Y-OFS-2703-F-10-10-10	18.92
Y-OFS-2703-F-12-12-12	25.55
Y-OFS-2703-F-16-16-16	33.20
Y-OFS-2703-F-20-20-20	57.05
Y-OFS-2703-F-24-24-24	118.40




**Y-OFS-2704-F-LN - Tee**  
 (1) (3) Male OFS  
 (2) OFS Bulkhead with Locknut

Y-OFS-2704-F-LN-04-04-04	9.11
Y-OFS-2704-F-LN-06-06-06	12.45
Y-OFS-2704-F-LN-08-08-08	13.10
Y-OFS-2704-F-LN-10-10-10	19.95
Y-OFS-2704-F-LN-12-12-12	28.11
Y-OFS-2704-F-LN-16-16-16	35.90
Y-OFS-2704-F-LN-20-20-20	122.45
Y-OFS-2704-F-LN-24-24-24	158.26



**Y-OFS-6400-O - Str.**  
 (1) Male OFS  
 (2) Male O-Ring

Y-OFS-6400-04-04-O	1.85
Y-OFS-6400-04-05-O	5.60
Y-OFS-6400-04-06-O	2.15
Y-OFS-6400-04-08-O	3.45
Y-OFS-6400-04-10-O	5.49
Y-OFS-6400-06-04-O	2.76
Y-OFS-6400-06-05-O	5.90
Y-OFS-6400-06-06-O	2.30
Y-OFS-6400-06-08-O	3.20
Y-OFS-6400-06-10-O	4.45
Y-OFS-6400-08-04-O	13.75
Y-OFS-6400-08-06-O	3.40
Y-OFS-6400-08-08-O	2.95
Y-OFS-6400-08-10-O	3.76
Y-OFS-6400-08-12-O	6.45
Y-OFS-6400-08-16-O	9.80
Y-OFS-6400-10-06-O	14.85
Y-OFS-6400-10-08-O	4.27
Y-OFS-6400-10-10-O	3.70
Y-OFS-6400-10-12-O	6.55
Y-OFS-6400-12-08-O	6.95
Y-OFS-6400-12-10-O	5.46
Y-OFS-6400-12-12-O	5.43
Y-OFS-6400-12-16-O	9.75
Y-OFS-6400-16-08-O	13.59
Y-OFS-6400-16-12-O	9.05
Y-OFS-6400-16-16-O	8.44
Y-OFS-6400-16-20-O	14.21
Y-OFS-6400-20-16-O	14.75
Y-OFS-6400-20-20-O	12.30
Y-OFS-6400-20-24-O	35.81
Y-OFS-6400-24-20-O	35.81
Y-OFS-6400-24-24-O	29.05
Y-OFS-6400-32-32-O	149.42



**Y-OFS-2703-F-LN - Tee**  
 (1) (2) Male OFS  
 (3) OFS Bulkhead with Locknut

Y-OFS-2703-F-LN-04-04-04	11.51
Y-OFS-2703-F-LN-06-06-06	13.55
Y-OFS-2703-F-LN-08-08-08	15.36
Y-OFS-2703-F-LN-10-10-10	26.02
Y-OFS-2703-F-LN-12-12-12	30.90
Y-OFS-2703-F-LN-16-16-16	44.95
Y-OFS-2703-F-LN-20-20-20	74.65
Y-OFS-2703-F-LN-24-24-24	142.55



**Y-OFS-4000**  
 Buna N 90 Duro O-Ring

Y-OFS-4000-04	0.15
Y-OFS-4000-06	0.15
Y-OFS-4000-08	0.20
Y-OFS-4000-10	0.20
Y-OFS-4000-12	0.20
Y-OFS-4000-16	0.20
Y-OFS-4000-20	0.25
Y-OFS-4000-24	0.39




# IMPORT O-RING FACE SEAL

Styles may vary from picture




**Y-OFS-6400-L-O - Str.**  
(1) Male OFS  
(2) Male O-Ring-Long

Y-OFS-6400-L-04-04-O	4.80
Y-OFS-6400-L-06-06-O	4.90
Y-OFS-6400-L-08-08-O	7.80
Y-OFS-6400-L-10-10-O	15.75
Y-OFS-6400-L-12-12-O	19.76
Y-OFS-6400-L-16-16-O	33.01
Y-OFS-6400-L-20-20-O	48.06
Y-OFS-6400-L-24-24-O	103.50




**Y-OFS-6402-O - Str.**  
(1) Fem. OFS Swivel  
(2) Male O-Ring

Y-OFS-6402-04-04-O	7.05
Y-OFS-6402-06-06-O	7.46
Y-OFS-6402-08-08-O	8.45
Y-OFS-6402-10-10-O	15.06
Y-OFS-6402-12-12-O	18.59
Y-OFS-6402-16-16-O	33.18
Y-OFS-6402-20-20-O	45.59




**Y-OFS-6500-F - 90°**  
(1) Male OFS  
(2) Fem. OFS Swivel

Y-OFS-6500-F-04-04	5.85
Y-OFS-6500-F-04-06	8.91
Y-OFS-6500-F-06-06	6.95
Y-OFS-6500-F-08-06	9.90
Y-OFS-6500-F-08-08	8.26
Y-OFS-6500-F-08-12	23.75
Y-OFS-6500-F-10-10	10.60
Y-OFS-6500-F-12-12	16.46
Y-OFS-6500-F-16-16	23.15
Y-OFS-6500-F-20-20	39.96
Y-OFS-6500-F-24-20	67.65
Y-OFS-6500-F-24-24	48.70



**Y-OFS-6502-F - 45°**  
(1) Male OFS  
(2) Fem. OFS Swivel

Y-OFS-6502-F-04-04	8.01
Y-OFS-6502-F-06-06	8.95
Y-OFS-6502-F-08-08	10.56
Y-OFS-6502-F-10-10	12.77
Y-OFS-6502-F-12-12	18.25
Y-OFS-6502-F-16-16	33.47




**Y-OFS-6504 - Str.**  
(1) Male OFS  
(2) Fem. OFS Swivel

Y-OFS-6504-04-04	13.45
Y-OFS-6504-06-06	14.25
Y-OFS-6504-08-08	15.16
Y-OFS-6504-10-10	17.71
Y-OFS-6504-12-12	20.15
Y-OFS-6504-16-16	27.61
Y-OFS-6504-20-20	44.35
Y-OFS-6504-24-24	69.02




**Y-OFS-6505 - Str.**  
(1) Fem. OFS Swivel  
(2) Male Pipe

Y-OFS-6505-04-04	6.80
Y-OFS-6505-06-06	9.62
Y-OFS-6505-08-08	12.26
Y-OFS-6505-10-08	14.60
Y-OFS-6505-12-12	15.05
Y-OFS-6505-16-16	23.02
Y-OFS-6505-20-20	34.85
Y-OFS-6505-24-24	53.50



**Y-OFS-6600-F - Tee**  
(1) (2) Male OFS  
(3) Fem. OFS Swivel

Y-OFS-6600-F-04-04-04	8.30
Y-OFS-6600-F-04-04-06	18.65
Y-OFS-6600-F-06-06-06	10.60
Y-OFS-6600-F-08-08-08	11.95
Y-OFS-6600-F-10-10-10	18.97
Y-OFS-6600-F-12-12-12	25.70
Y-OFS-6600-F-16-16-12	57.75
Y-OFS-6600-F-16-16-16	35.40
Y-OFS-6600-F-20-20-20	65.95
Y-OFS-6600-F-24-24-24	77.80




**Y-OFS-6602-F - Tee**  
(1) (3) Male OFS  
(2) Fem. OFS Swivel

Y-OFS-6602-F-04-04-04	8.35
Y-OFS-6602-F-06-06-04	17.50
Y-OFS-6602-F-06-06-06	10.80
Y-OFS-6602-F-06-06-08	17.95
Y-OFS-6602-F-06-08-06	21.65
Y-OFS-6602-F-06-08-08	22.15
Y-OFS-6602-F-08-08-06	21.65
Y-OFS-6602-F-08-08-08	12.75
Y-OFS-6602-F-10-10-10	18.96
Y-OFS-6602-F-12-10-10	42.70
Y-OFS-6602-F-12-12-10	45.65
Y-OFS-6602-F-12-12-12	26.25
Y-OFS-6602-F-16-16-16	35.90
Y-OFS-6602-F-20-20-20	56.25
Y-OFS-6602-F-24-24-24	99.20


# IMPORT O-RING FACE SEAL

Styles may vary from picture




**Y-OFS-6801-F-NWO - 90°**  
(1) Male OFS  
(2) Adj. O-Ring

Y-OFS-6801-F-04-03-NWO	8.85
Y-OFS-6801-F-04-04-NWO	4.40
Y-OFS-6801-F-04-06-NWO	5.61
Y-OFS-6801-F-04-08-NWO	7.40
Y-OFS-6801-F-06-04-NWO	6.10
Y-OFS-6801-F-06-05-NWO	12.45
Y-OFS-6801-F-06-06-NWO	5.65
Y-OFS-6801-F-06-08-NWO	7.40
Y-OFS-6801-F-06-10-NWO	10.10
Y-OFS-6801-F-06-12-NWO	15.36
Y-OFS-6801-F-06-16-NWO	38.95
Y-OFS-6801-F-08-06-NWO	6.45
Y-OFS-6801-F-08-08-NWO	6.75
Y-OFS-6801-F-08-10-NWO	10.10
Y-OFS-6801-F-08-12-NWO	13.91
Y-OFS-6801-F-10-08-NWO	9.10
Y-OFS-6801-F-10-10-NWO	10.10
Y-OFS-6801-F-10-12-NWO	13.92
Y-OFS-6801-F-12-08-NWO	13.80
Y-OFS-6801-F-12-10-NWO	13.45
Y-OFS-6801-F-12-12-NWO	13.90
Y-OFS-6801-F-12-16-NWO	22.62
Y-OFS-6801-F-16-12-NWO	19.10
Y-OFS-6801-F-16-16-NWO	20.77
Y-OFS-6801-F-16-20-NWO	35.15
Y-OFS-6801-F-20-12-NWO	46.95
Y-OFS-6801-F-20-16-NWO	34.85
Y-OFS-6801-F-20-20-NWO	34.60
Y-OFS-6801-F-20-24-NWO	50.27
Y-OFS-6801-F-24-20-NWO	48.25
Y-OFS-6801-F-24-24-NWO	50.25




**Y-OFS-6801-F-LL-NWO - 90°**  
(1) Male OFS  
(2) Adj. O-Ring-Ex. Long

Y-OFS-6801-F-LL-08-08-NWO	28.65
Y-OFS-6801-F-LL-12-12-NWO	35.80
Y-OFS-6801-F-LL-16-16-NWO	52.30



**Y-OFS-6802-F-NWO - 45°**  
(1) Male OFS  
(2) Adj. O-Ring

Y-OFS-6802-F-04-03-NWO	14.41
Y-OFS-6802-F-04-04-NWO	4.60
Y-OFS-6802-F-04-05-NWO	16.75
Y-OFS-6802-F-04-06-NWO	5.60
Y-OFS-6802-F-06-04-NWO	5.60
Y-OFS-6802-F-06-06-NWO	5.85
Y-OFS-6802-F-06-08-NWO	6.80
Y-OFS-6802-F-06-10-NWO	14.95
Y-OFS-6802-F-08-06-NWO	6.30
Y-OFS-6802-F-08-08-NWO	7.10
Y-OFS-6802-F-08-10-NWO	9.91
Y-OFS-6802-F-08-12-NWO	19.20
Y-OFS-6802-F-10-08-NWO	11.45
Y-OFS-6802-F-10-10-NWO	9.75
Y-OFS-6802-F-10-12-NWO	13.46
Y-OFS-6802-F-12-08-NWO	19.62
Y-OFS-6802-F-12-10-NWO	12.30
Y-OFS-6802-F-12-12-NWO	14.31
Y-OFS-6802-F-12-16-NWO	20.82
Y-OFS-6802-F-16-12-NWO	20.15
Y-OFS-6802-F-16-16-NWO	21.01
Y-OFS-6802-F-16-20-NWO	30.35
Y-OFS-6802-F-20-16-NWO	58.67
Y-OFS-6802-F-20-20-NWO	30.35
Y-OFS-6802-F-24-24-NWO	59.55



**Y-OFS-6803-F-NWO - Tee**  
(1) (2) Male OFS  
(3) Adj. O-Ring

Y-OFS-6803-F-04-04-03-NWO	12.15
Y-OFS-6803-F-04-04-04-NWO	6.95
Y-OFS-6803-F-06-06-03-NWO	15.89
Y-OFS-6803-F-06-06-04-NWO	24.65
Y-OFS-6803-F-06-06-06-NWO	9.60
Y-OFS-6803-F-06-06-08-NWO	15.33
Y-OFS-6803-F-08-08-06-NWO	17.87
Y-OFS-6803-F-08-08-08-NWO	11.10
Y-OFS-6803-F-10-10-10-NWO	19.95
Y-OFS-6803-F-12-12-10-NWO	33.55
Y-OFS-6803-F-12-12-12-NWO	23.60
Y-OFS-6803-F-12-16-16-NWO	59.65
Y-OFS-6803-F-16-16-16-NWO	30.65
Y-OFS-6803-F-16-16-20-NWO	86.38
Y-OFS-6803-F-20-20-16-NWO	78.05
Y-OFS-6803-F-20-20-20-NWO	69.73
Y-OFS-6803-F-24-24-24-NWO	108.65




**Y-OFS-6801-F-L-NWO - 90°**  
(1) Male OFS  
(2) Adj. O-Ring-Long

Y-OFS-6801-F-L-04-04-NWO	9.85
Y-OFS-6801-F-L-06-06-NWO	11.15
Y-OFS-6801-F-L-08-08-NWO	14.50
Y-OFS-6801-F-L-10-10-NWO	28.45
Y-OFS-6801-F-L-12-12-NWO	29.01
Y-OFS-6801-F-L-16-16-NWO	42.30


# IMPORT O-RING FACE SEAL

Styles may vary from picture




**Y-OFS-6804-F-NWO - Tee**  
(1) (3) Male OFS  
(2) Adj. O-Ring

Y-OFS-6804-F-04-04-04-NWO	7.31
Y-OFS-6804-F-04-04-06-NWO	18.40
Y-OFS-6804-F-04-06-04-NWO	18.25
Y-OFS-6804-F-06-04-06-NWO	14.95
Y-OFS-6804-F-06-06-06-NWO	9.46
Y-OFS-6804-F-08-06-08-NWO	19.55
Y-OFS-6804-F-08-08-04-NWO	20.01
Y-OFS-6804-F-08-08-08-NWO	11.30
Y-OFS-6804-F-08-10-08-NWO	33.49
Y-OFS-6804-F-08-12-04-NWO	46.50
Y-OFS-6804-F-08-12-08-NWO	33.45
Y-OFS-6804-F-08-16-08-NWO	57.57
Y-OFS-6804-F-10-10-08-NWO	33.55
Y-OFS-6804-F-10-10-10-NWO	17.60
Y-OFS-6804-F-10-12-10-NWO	34.33
Y-OFS-6804-F-10-12-12-NWO	37.88
Y-OFS-6804-F-12-08-12-NWO	39.50
Y-OFS-6804-F-12-12-08-NWO	41.15
Y-OFS-6804-F-12-12-10-NWO	41.15
Y-OFS-6804-F-12-12-12-NWO	23.50
Y-OFS-6804-F-12-12-16-NWO	48.02
Y-OFS-6804-F-12-16-12-NWO	49.95
Y-OFS-6804-F-12-16-16-NWO	56.77
Y-OFS-6804-F-16-16-12-NWO	56.77
Y-OFS-6804-F-16-16-16-NWO	33.70
Y-OFS-6804-F-16-20-08-NWO	96.83
Y-OFS-6804-F-20-20-20-NWO	66.25
Y-OFS-6804-F-24-24-24-NWO	93.20




**Y-OFS-6809-F-NWO - 90°**  
(1) Fem. OFS Swivel  
(2) Adj. O-Ring

Y-OFS-6809-F-04-04-NWO	6.80
Y-OFS-6809-F-06-06-NWO	8.05
Y-OFS-6809-F-08-08-NWO	10.41
Y-OFS-6809-F-10-10-NWO	15.72
Y-OFS-6809-F-12-12-NWO	21.03
Y-OFS-6809-F-16-16-NWO	34.40
Y-OFS-6809-F-20-20-NWO	56.75




**Y-OFS-FJIC-6504 - Str.**  
(1) Male OFS  
(2) Fem. JIC Swivel

Y-OFS-FJIC-6504-04-04	4.70
Y-OFS-FJIC-6504-06-06	6.25
Y-OFS-FJIC-6504-08-08	7.45
Y-OFS-FJIC-6504-10-10	12.42
Y-OFS-FJIC-6504-12-12	10.70
Y-OFS-FJIC-6504-16-16	22.85



**Y-OFS-MJIC-2403 - Str.**  
(1) Male OFS  
(2) Male JIC

Y-OFS-MJIC-2403-04-04	7.05
Y-OFS-MJIC-2403-06-06	7.45
Y-OFS-MJIC-2403-08-08	9.60
Y-OFS-MJIC-2403-10-10	10.40
Y-OFS-MJIC-2403-12-12	10.50
Y-OFS-MJIC-2403-16-16	13.75
Y-OFS-MJIC-2403-20-20	23.95
Y-OFS-MJIC-2403-24-24	63.15



**Y-OFS-MJIC-6504 - Str.**  
(1) Fem. OFS Swivel  
(2) Male JIC

Y-OFS-MJIC-6504-04-04	5.49
Y-OFS-MJIC-6504-06-06	5.75
Y-OFS-MJIC-6504-08-08	6.75
Y-OFS-MJIC-6504-10-10	9.25
Y-OFS-MJIC-6504-12-12	13.05
Y-OFS-MJIC-6504-16-16	18.57
Y-OFS-MJIC-6504-20-20	28.94
Y-OFS-MJIC-6504-24-24	77.40

