




# O-RING FACE SEAL

Styles may vary from picture



**OFS-0304-C**

Cap Nut


OFS-0304-C-04	3.81
OFS-0304-C-06	4.13
OFS-0304-C-08	5.08
OFS-0304-C-10	7.86
OFS-0304-C-12	10.16
OFS-0304-C-16	15.79
OFS-0304-C-20	21.90
OFS-0304-C-24	42.38
OFS-0304-C-32	283.47



**OFS-0306**

Bulkhead Lock Nut


OFS-0306-04	1.11
OFS-0306-06	2.70
OFS-0306-08	3.25
OFS-0306-10	4.05
OFS-0306-12	4.29
OFS-0306-16	6.51
OFS-0306-20	10.00
OFS-0306-24	25.40



**OFS-0318**

OFS Nut

OFS-0318-04	1.43
OFS-0318-06	1.90
OFS-0318-08	2.22
OFS-0318-10	4.05
OFS-0318-12	6.11
OFS-0318-16	9.76
OFS-0318-20	12.46
OFS-0318-24	25.16
OFS-0318-32	105.71



**OFS-0319**

OFS Braze Shoulder

OFS-0319-04	1.03
OFS-0319-06	1.11
OFS-0319-06-04	11.51
OFS-0319-08	1.51
OFS-0319-08-04	13.24
OFS-0319-08-06	13.24
OFS-0319-10	1.90
OFS-0319-10-04	85.22
OFS-0319-10-06	22.30
OFS-0319-10-08	22.30
OFS-0319-12	3.81
OFS-0319-12-04	75.12
OFS-0319-12-06	28.97
OFS-0319-12-08	30.68
OFS-0319-12-10	30.23
OFS-0319-12-14	76.18
OFS-0319-16	4.37
OFS-0319-16-08	106.14
OFS-0319-16-10	76.42
OFS-0319-16-12	47.08
OFS-0319-16-14	47.08
OFS-0319-20	6.35
OFS-0319-20-12	143.61
OFS-0319-20-16	143.61
OFS-0319-24	17.06
OFS-0319-24-16	171.25
OFS-0319-24-20	171.25
OFS-0319-32	85.47



**OFS-0320**

Insert Cap  
(Use with OFS 0318 nut)

OFS-0320-04	5.85
OFS-0320-06	8.85
OFS-0320-08	11.90
OFS-0320-10	15.58
OFS-0320-12	26.21
OFS-0320-16	35.08
OFS-0320-20	54.60



**OFS-0333**

OFS Sleeve


OFS-0333-04	3.94
OFS-0333-06	4.10
OFS-0333-08	5.72
OFS-0333-10	4.76
OFS-0333-12	5.56
OFS-0333-16	12.30
OFS-0333-20	38.22
OFS-0333-24	28.41
OFS-0333-32	140.18



**OFS-0400**

OFS Braze Ring

OFS-0400-04	4.05
OFS-0400-06	4.84
OFS-0400-08	5.32
OFS-0400-10	5.87
OFS-0400-12	8.10
OFS-0400-16	9.84
OFS-0400-20	11.27
OFS-0400-24	13.10




**OFS-0403 - Str.**

(1) Bore for Brazing  
(2) Male OFS

OFS-0403-04-04	6.77
OFS-0403-06-04	40.19
OFS-0403-06-06	8.92
OFS-0403-08-06	29.31
OFS-0403-08-08	9.23
OFS-0403-08-10	22.90
OFS-0403-10-08	20.81
OFS-0403-10-10	10.79
OFS-0403-12-10	52.29
OFS-0403-12-12	13.81
OFS-0403-12-16	62.46
OFS-0403-16-12	26.03
OFS-0403-16-16	23.49
OFS-0403-20-16	138.26
OFS-0403-20-20	30.63
OFS-0403-24-24	65.87

# O-RING FACE SEAL

Styles may vary from picture



## OFS-0618

OFS Nut  
(For Non Brazed Assembly)

OFS-0618-04	9.03
OFS-0618-06	11.88
OFS-0618-08	11.11
OFS-0618-10	28.81
OFS-0618-12	24.21
OFS-0618-16	37.44
OFS-0618-20	50.04
OFS-0618-24	112.24



## OFS-0619

OFS Ferrule  
(Requires OFS 0620)


OFS-0619-04	14.68
OFS-0619-06	13.83
OFS-0619-08	12.84
OFS-0619-10	21.81
OFS-0619-12	23.57
OFS-0619-16	65.06
OFS-0619-20	40.00
OFS-0619-24	78.51



## OFS-0620

OFS Sleeve


OFS-0620-04	15.26
OFS-0620-06	29.54
OFS-0620-08	24.86
OFS-0620-10	67.00
OFS-0620-12	31.75
OFS-0620-16	36.21
OFS-0620-20	79.05
OFS-0620-24	70.38



## OFS-1700-61 - Str.

(1) Male OFS  
(2) O Ring Flange  
Code 61


OFS-1700-61-12-12	136.59
OFS-1700-61-16-16	170.95
OFS-1700-61-20-20	209.21
OFS-1700-61-24-24	246.03



## OFS-1700-61-H-Str

Heavy  
(1) Male OFS  
(2) O Ring Flange  
Code 61


OFS-1700-61-H-12-12	233.49
OFS-1700-61-H-16-16	238.57
OFS-1700-61-H-20-20	233.97



## OFS-1700-62 - Str.

(1) Male OFS  
(2) O Ring Flange  
Code 62


OFS-1700-62-12-12	165.75
OFS-1700-62-16-16	177.45
OFS-1700-62-20-20	222.45
OFS-1700-62-24-24	302.29



## OFS-1703-61 - 45°

(1) Male OFS  
(2) O Ring Flange  
Code 61


OFS-1703-61-16-16	188.78
-------------------	--------



## OFS-1703-61-H - 45°

Heavy  
(1) Male OFS  
(2) O Ring Flange  
Code 61

OFS-1703-61-H-12-12	318.17
OFS-1703-61-H-16-16	352.86
OFS-1703-61-H-20-20	372.62




## OFS-1703-62 - 45°

(1) Male OFS  
(2) O Ring Flange  
Code 62

OFS-1703-62-12-12	174.39
OFS-1703-62-16-16	197.14

# O-RING FACE SEAL

Styles may vary from picture




**OFS-1703-F-61 - 45°**  
 Forged  
 (1) Male OFS  
 (2) O Ring Flange  
 Code 61

OFS-1703-F-61-12-12	328.01
OFS-1703-F-61-16-16	357.72
OFS-1703-F-61-20-20	559.11




**OFS-1703-F-62 - 45°**  
 Forged  
 (1) Male OFS  
 (2) O Ring Flange  
 Code 62

OFS-1703-F-62-16-16	357.72
OFS-1703-F-62-20-20	559.11
OFS-1703-F-62-24-24	710.97




**OFS-1704-61 - 90°**  
 (1) Male OFS  
 (2) O Ring Flange  
 Code 61

OFS-1704-61-12-12	161.11
OFS-1704-61-16-16	214.22
OFS-1704-61-20-20	235.58




**OFS-1704-61-H - 90°**  
 Heavy  
 (1) Male OFS  
 (2) O Ring Flange  
 Code 61

OFS-1704-61-H-12-12	345.95
OFS-1704-61-H-16-16	396.83
OFS-1704-61-H-20-20	413.89




**OFS-1704-62 - 90°**  
 (1) Male OFS  
 (2) O Ring Flange  
 Code 62

OFS-1704-62-12-12	169.37
OFS-1704-62-16-16	203.45
OFS-1704-62-20-20	300.21




**OFS-1704-F-61 - 90°**  
 Forged  
 (1) Male OFS  
 (2) O Ring Flange  
 Code 61

OFS-1704-F-61-12-12	208.45
OFS-1704-F-61-16-16	235.26
OFS-1704-F-61-20-20	322.16
OFS-1704-F-61-24-24	404.50



**OFS-1704-F-62 - 90°**  
 Forged  
 (1) Male OFS  
 (2) O Ring Flange  
 Code 62

OFS-1704-F-62-12-12	208.45
OFS-1704-F-62-16-16	224.06
OFS-1704-F-62-20-20	306.84
OFS-1704-F-62-24-24	419.62




**OFS-2403 - Str.**  
 (1) (2) Male OFS Union

OFS-2403-04-04	8.25
OFS-2403-06-04	9.05
OFS-2403-06-06	8.89
OFS-2403-08-06	11.51
OFS-2403-08-08	10.63
OFS-2403-10-08	14.44
OFS-2403-10-10	13.73
OFS-2403-12-08	48.77
OFS-2403-12-10	18.10
OFS-2403-12-12	16.38
OFS-2403-16-12	23.41
OFS-2403-16-16	22.14
OFS-2403-20-20	38.49
OFS-2403-24-24	49.84
OFS-2403-32-32	440.35


# O-RING FACE SEAL

Styles may vary from picture




**OFS-2404 - Str.**  
(1) Male OFS  
(2) Male Pipe

OFS-2404-04-02	6.03
OFS-2404-04-04	4.21
OFS-2404-04-06	7.62
OFS-2404-04-08	39.78
OFS-2404-06-02	7.22
OFS-2404-06-04	4.76
OFS-2404-06-06	5.48
OFS-2404-06-08	8.49
OFS-2404-08-04	12.78
OFS-2404-08-06	6.59
OFS-2404-08-08	7.14
OFS-2404-08-12	11.19
OFS-2404-10-08	8.81
OFS-2404-10-12	12.38
OFS-2404-12-08	14.05
OFS-2404-12-12	13.65
OFS-2404-12-16	20.24
OFS-2404-16-12	20.56
OFS-2404-16-16	17.30
OFS-2404-16-20	25.56
OFS-2404-20-16	28.97
OFS-2404-20-20	51.90
OFS-2404-24-24	55.87




**OFS-2406 - Str.**  
Reducer  
(1) Fem. OFS  
(2) Male OFS

OFS-2406-06-04	17.38
OFS-2406-08-04	17.62
OFS-2406-08-06	12.94
OFS-2406-10-04	17.30
OFS-2406-10-06	22.30
OFS-2406-10-08	21.67
OFS-2406-12-04	29.21
OFS-2406-12-06	28.97
OFS-2406-12-08	22.38
OFS-2406-12-10	26.90
OFS-2406-16-08	43.02
OFS-2406-16-10	75.07
OFS-2406-16-12	37.14
OFS-2406-20-12	65.95
OFS-2406-20-16	59.29
OFS-2406-24-16	69.68
OFS-2406-24-20	230.19
OFS-2406-32-20	525.40
OFS-2406-32-24	533.13




**OFS-2407 - Str.**  
Reducer Less Nut  
(1) Fem. OFS  
(2) Male OFS

OFS-2407-08-04	13.10
OFS-2407-10-04	13.73
OFS-2407-10-06	19.52
OFS-2407-10-08	18.89
OFS-2407-12-04	23.65
OFS-2407-12-06	23.57
OFS-2407-12-08	15.48
OFS-2407-16-08	28.10
OFS-2407-16-10	50.59
OFS-2407-20-12	51.67
OFS-2407-24-16	44.60
OFS-2407-24-20	163.32
OFS-2407-32-20	320.90
OFS-2407-32-24	328.70




**OFS-2408**  
(1) Male OFS Plug

OFS-2408-04	3.89
OFS-2408-06	4.67
OFS-2408-08	5.48
OFS-2408-10	7.38
OFS-2408-12	8.33
OFS-2408-16	14.29
OFS-2408-20	29.92
OFS-2408-24	32.38
OFS-2408-32	387.03




**OFS-2500 - 90°**  
(1) (2) Male OFS Union

OFS-2500-04-04	11.03
OFS-2500-06-06	14.37
OFS-2500-08-08	14.13
OFS-2500-10-10	21.03
OFS-2500-12-12	30.87
OFS-2500-16-16	41.98
OFS-2500-20-20	82.94
OFS-2500-24-24	123.33
OFS-2500-32-32	650.85



**OFS-2501 - 90°**  
(1) Male OFS  
(2) Male Pipe

OFS-2501-04-02	11.19
OFS-2501-04-04	9.68
OFS-2501-04-06	11.83
OFS-2501-04-08	58.28
OFS-2501-06-04	13.02
OFS-2501-06-06	11.83
OFS-2501-06-08	14.52
OFS-2501-08-04	60.90
OFS-2501-08-06	14.13
OFS-2501-08-08	14.68
OFS-2501-08-12	23.41
OFS-2501-10-06	73.95
OFS-2501-10-08	20.95
OFS-2501-10-12	21.27
OFS-2501-12-08	24.44
OFS-2501-12-12	28.65
OFS-2501-12-16	38.73
OFS-2501-16-12	39.37
OFS-2501-16-16	41.59
OFS-2501-20-20	63.17
OFS-2501-24-20	108.10
OFS-2501-24-24	94.92




**OFS-2503 - 45°**  
(1) Male OFS  
(2) Male Pipe

OFS-2503-04-02	9.05
OFS-2503-04-04	9.76
OFS-2503-06-04	10.40
OFS-2503-06-06	11.03
OFS-2503-08-06	13.81
OFS-2503-08-08	13.33
OFS-2503-10-08	13.97
OFS-2503-12-12	20.56
OFS-2503-16-16	30.32
OFS-2503-20-20	46.98


# O-RING FACE SEAL

Styles may vary from picture




**OFS-2603 - Tee**  
(1) (2) (3) Male OFS Union

OFS-2603-04-04-04	12.54
OFS-2603-06-06-06	20.40
OFS-2603-08-08-08	24.44
OFS-2603-10-10-10	27.78
OFS-2603-12-12-12	44.76
OFS-2603-16-16-16	58.97
OFS-2603-20-20-20	102.38
OFS-2603-24-24-24	157.94
OFS-2603-32-32-32	1079.07




**OFS-2650 - Cross**  
(1) (2) (3) (4) Male OFS Union

OFS-2650-04-04-04-04	99.25
OFS-2650-06-06-06-06	102.29
OFS-2650-08-08-08-08	169.80
OFS-2650-10-10-10-10	322.68
OFS-2650-12-12-12-12	374.40
OFS-2650-16-16-16-16	425.53
OFS-2650-20-20-20-20	806.95




**OFS-2700**  
(1) Male OFS  
(2) OFS Bulkhead

OFS-2700-04-04	13.65
OFS-2700-06-06	14.13
OFS-2700-08-08	15.40
OFS-2700-10-10	25.00
OFS-2700-12-12	30.71
OFS-2700-16-16	39.52
OFS-2700-20-20	71.03
OFS-2700-24-24	98.10



**OFS-2700-LN - Str.**  
(1) Male OFS  
(2) OFS Bulkhead with Locknut

OFS-2700-LN-04-04	15.79
OFS-2700-LN-06-06	16.98
OFS-2700-LN-08-08	19.92
OFS-2700-LN-10-10	28.65
OFS-2700-LN-12-12	35.24
OFS-2700-LN-16-16	48.49
OFS-2700-LN-20-20	86.98
OFS-2700-LN-24-24	128.73



**OFS-2701 - 90°**  
(1) Male OFS  
(2) OFS Bulkhead

OFS-2701-04-04	13.41
OFS-2701-06-06	15.00
OFS-2701-08-08	18.97
OFS-2701-10-10	23.41
OFS-2701-12-12	37.62
OFS-2701-16-16	47.86
OFS-2701-20-20	85.63
OFS-2701-24-24	99.37




**OFS-2701-LN - 90°**  
(1) Male OFS  
(2) OFS Bulkhead with Locknut

OFS-2701-LN-04-04	16.27
OFS-2701-LN-06-06	18.02
OFS-2701-LN-08-08	22.78
OFS-2701-LN-10-10	27.54
OFS-2701-LN-12-12	42.62
OFS-2701-LN-16-16	58.25
OFS-2701-LN-20-20	105.24
OFS-2701-LN-24-24	133.41




**OFS-2702 - 45°**  
(1) Male OFS  
(2) OFS Bulkhead

OFS-2702-04-04	13.57
OFS-2702-06-06	16.43
OFS-2702-08-08	18.97
OFS-2702-10-10	24.52
OFS-2702-12-12	37.38
OFS-2702-16-16	47.86
OFS-2702-20-20	81.35
OFS-2702-24-24	104.29



**OFS-2702-LN - 45°**  
(1) Male OFS  
(2) OFS Bulkhead with Locknut

OFS-2702-LN-04-04	16.43
OFS-2702-LN-06-06	19.76
OFS-2702-LN-08-08	22.54
OFS-2702-LN-10-10	28.89
OFS-2702-LN-12-12	43.02
OFS-2702-LN-16-16	58.33
OFS-2702-LN-20-20	96.35
OFS-2702-LN-24-24	155.56




**OFS-2703 - Tee**  
(1) (2) Male OFS  
(3) OFS Bulkhead

OFS-2703-04-04-04	20.48
OFS-2703-06-06-06	24.05
OFS-2703-08-08-08	26.83
OFS-2703-10-10-10	36.35
OFS-2703-12-12-12	47.46
OFS-2703-16-16-16	593.19

# O-RING FACE SEAL


Styles may vary from picture



### OFS-2703-LN - Tee

(1) (2) Male OFS  
(3) OFS Bulkhead with Locknut


OFS-2703-LN-04-04-04	23.10
OFS-2703-LN-06-06-06	26.83
OFS-2703-LN-08-08-08	30.87
OFS-2703-LN-10-10-10	41.11
OFS-2703-LN-12-12-12	52.54
OFS-2703-LN-16-16-16	709.63



### OFS-2704-LN - Tee

(1) (3) Male OFS  
(2) OFS Bulkhead with Locknut


OFS-2704-LN-04-04-04	24.13
OFS-2704-LN-06-06-06	31.59
OFS-2704-LN-08-08-08	33.41
OFS-2704-LN-10-10-10	37.14
OFS-2704-LN-12-12-12	50.63
OFS-2704-LN-16-16-16	86.35
OFS-2704-LN-20-20-20	551.87
OFS-2704-LN-24-24-24	718.05



### OFS-2711-O - Str.

(1) Male O Ring  
(2) OFS Bulkhead

OFS-2711-04-04-O	53.99
OFS-2711-06-06-O	105.71
OFS-2711-08-08-O	55.84
OFS-2711-10-10-O	82.85
OFS-2711-12-12-O	142.55



### OFS-2711-LN-O - Str.

(1) Male O Ring  
(2) OFS Bulkhead with Locknut

OFS-2711-LN-04-04-O	59.35
OFS-2711-LN-06-06-O	107.90
OFS-2711-LN-08-08-O	68.38
OFS-2711-LN-10-10-O	98.11
OFS-2711-LN-12-12-O	147.46



### OFS-4000 O-Ring

Buna N 90 Duro


OFS-4000-04	0.40
OFS-4000-06	0.55
OFS-4000-08	0.56
OFS-4000-10	0.57
OFS-4000-12	0.65
OFS-4000-16	0.67
OFS-4000-20	0.68
OFS-4000-24	0.75



### OFS-4000-V

Viton O Ring


OFS-4000-V-04 BRN-90	1.80
OFS-4000-V-06 BRN-90	2.07
OFS-4000-V-08 BRN-90	3.01
OFS-4000-V-10 BRN-90	3.47
OFS-4000-V-12 BRN-90	4.53
OFS-4000-V-16 BRN-90	5.60
OFS-4000-V-20 BRN-90	9.27
OFS-4000-V-24 BRN-90	12.40



### OFS-6400-O - Str.

(1) Male OFS  
(2) Male O Ring

OFS-6400-04-03-O	11.35
OFS-6400-04-04-O	3.89
OFS-6400-04-05-O	12.54
OFS-6400-04-06-O	5.40
OFS-6400-04-08-O	8.49
OFS-6400-06-04-O	6.98
OFS-6400-06-05-O	11.51
OFS-6400-06-06-O	5.08
OFS-6400-06-08-O	6.75
OFS-6400-06-10-O	10.08
OFS-6400-06-12-O	19.21
OFS-6400-08-04-O	85.52
OFS-6400-08-06-O	7.30
OFS-6400-08-08-O	5.95
OFS-6400-08-10-O	8.33
OFS-6400-08-12-O	14.54
OFS-6400-08-16-O	25.87
OFS-6400-10-06-O	36.40
OFS-6400-10-08-O	9.44
OFS-6400-10-10-O	7.62
OFS-6400-10-12-O	12.62
OFS-6400-10-16-O	92.19
OFS-6400-12-08-O	13.41
OFS-6400-12-10-O	12.54
OFS-6400-12-12-O	11.19
OFS-6400-12-16-O	18.10
OFS-6400-16-10-O	31.43
OFS-6400-16-12-O	15.40
OFS-6400-16-16-O	16.75
OFS-6400-16-20-O	29.05
OFS-6400-20-16-O	32.38
OFS-6400-20-20-O	29.29
OFS-6400-20-24-O	90.08
OFS-6400-24-20-O	59.21
OFS-6400-24-24-O	62.54
OFS-6400-32-32-O	289.52




### OFS-6400-L-O - Str.

(1) Male OFS  
(2) Male O Ring Long

OFS-6400-L-04-04-O	22.94
OFS-6400-L-06-06-O	10.48
OFS-6400-L-08-08-O	16.83
OFS-6400-L-10-10-O	29.29
OFS-6400-L-12-12-O	36.98
OFS-6400-L-16-16-O	59.84
OFS-6400-L-20-20-O	96.43
OFS-6400-L-24-24-O	408.37


# O-RING FACE SEAL

Styles may vary from picture




**OFS-6402-O - Str.**  
 (1) Fem. OFS Swivel  
 (2) Male O Ring

OFS-6402-04-04-O	14.92
OFS-6402-06-06-O	16.59
OFS-6402-08-08-O	18.97
OFS-6402-10-10-O	22.94
OFS-6402-12-12-O	29.76
OFS-6402-16-16-O	44.76
OFS-6402-20-20-O	62.94




**OFS-6504 - Str.**  
 (1) Male OFS  
 (2) Fem. OFS Swivel

OFS-6504-04-04	30.65
OFS-6504-08-04	52.44
OFS-6504-10-04	55.22
OFS-6504-10-08	55.01
OFS-6504-12-06	76.11
OFS-6504-12-08	76.11
OFS-6504-16-08	76.11
OFS-6504-16-10	91.33
OFS-6504-20-12	91.33




**OFS-6801-NWO - 90°**  
 (1) Male OFS  
 (2) Adj. O Ring

OFS-6801-04-04-NWO	12.06
OFS-6801-04-06-NWO	13.41
OFS-6801-04-08-NWO	26.03
OFS-6801-06-04-NWO	14.60
OFS-6801-06-05-NWO	17.38
OFS-6801-06-06-NWO	13.25
OFS-6801-06-08-NWO	15.79
OFS-6801-06-10-NWO	30.24
OFS-6801-06-12-NWO	41.59
OFS-6801-08-06-NWO	18.65
OFS-6801-08-08-NWO	15.71
OFS-6801-08-10-NWO	21.67
OFS-6801-08-12-NWO	36.98
OFS-6801-10-08-NWO	23.17
OFS-6801-10-10-NWO	22.94
OFS-6801-10-12-NWO	30.63
OFS-6801-12-08-NWO	38.73
OFS-6801-12-10-NWO	33.41
OFS-6801-12-12-NWO	31.11
OFS-6801-12-16-NWO	55.16
OFS-6801-16-12-NWO	49.21
OFS-6801-16-16-NWO	46.19
OFS-6801-16-20-NWO	75.24
OFS-6801-20-16-NWO	82.14
OFS-6801-20-20-NWO	68.10
OFS-6801-20-24-NWO	101.19
OFS-6801-24-20-NWO	97.22
OFS-6801-24-24-NWO	94.44
OFS-6801-32-32-NWO	395.63




**OFS-6500 - 90°**  
 (1) Male OFS  
 (2) Fem. OFS Swivel

OFS-6500-04-04	13.33
OFS-6500-06-06	13.97
OFS-6500-08-08	16.11
OFS-6500-10-10	21.27
OFS-6500-12-12	33.17
OFS-6500-16-16	55.32
OFS-6500-20-20	88.89
OFS-6500-24-24	130.48




**OFS-6600 - Tee**  
 (1) (2) Male OFS  
 (3) Fem. OFS Swivel

OFS-6600-04-04-04	21.03
OFS-6600-06-06-06	23.10
OFS-6600-08-08-08	25.08
OFS-6600-10-10-10	36.43
OFS-6600-12-12-12	49.84
OFS-6600-16-16-16	71.11
OFS-6600-20-20-20	133.33
OFS-6600-24-24-24	203.33



**OFS-6502 - 45°**  
 (1) Male OFS  
 (2) Fem. OFS Swivel

OFS-6502-04-04	16.11
OFS-6502-06-06	16.98
OFS-6502-08-08	21.35
OFS-6502-10-10	26.11
OFS-6502-12-12	36.90



**OFS-6602 - Tee**  
 (1) (3) Male OFS  
 (2) Fem. OFS Swivel

OFS-6602-04-04-04	21.03
OFS-6602-06-06-06	23.49
OFS-6602-08-08-08	25.48
OFS-6602-10-10-10	35.08
OFS-6602-12-12-12	45.08
OFS-6602-16-16-16	70.87
OFS-6602-20-20-20	134.52
OFS-6602-24-24-24	212.30




**OFS-6801-L-NWO - 90°**  
 (1) Male OFS  
 (2) Adj. O Ring Long

OFS-6801-L-04-04-NWO	98.21
OFS-6801-L-06-06-NWO	94.31
OFS-6801-L-08-08-NWO	101.03
OFS-6801-L-10-10-NWO	181.03
OFS-6801-L-12-12-NWO	63.02
OFS-6801-L-16-16-NWO	144.13



# O-RING FACE SEAL


Styles may vary from picture



**OFS-6802-NWO - 45°**

- (1) Male OFS
- (2) Adj. O Ring


OFS-6802-04-04-NWO	13.81
OFS-6802-04-06-NWO	16.83
OFS-6802-06-04-NWO	17.54
OFS-6802-06-06-NWO	15.63
OFS-6802-06-08-NWO	18.89
OFS-6802-08-06-NWO	20.08
OFS-6802-08-08-NWO	19.84
OFS-6802-08-10-NWO	24.60
OFS-6802-08-12-NWO	47.78
OFS-6802-10-08-NWO	29.13
OFS-6802-10-10-NWO	25.32
OFS-6802-10-12-NWO	29.52
OFS-6802-12-10-NWO	36.67
OFS-6802-12-12-NWO	30.24
OFS-6802-12-16-NWO	48.57
OFS-6802-16-12-NWO	52.70
OFS-6802-16-16-NWO	46.11
OFS-6802-16-20-NWO	82.22
OFS-6802-20-20-NWO	65.24
OFS-6802-20-24-NWO	157.54
OFS-6802-24-20-NWO	118.65
OFS-6802-24-24-NWO	145.63



**OFS-6803-NWO - Tee**

- (1) (2) Male OFS
- (3) Adj. O Ring


OFS-6803-04-04-04-NWO	17.70
OFS-6803-04-04-06-NWO	95.48
OFS-6803-06-06-04-NWO	113.16
OFS-6803-06-06-06-NWO	23.57
OFS-6803-06-06-08-NWO	30.71
OFS-6803-08-08-08-NWO	27.06
OFS-6803-08-08-10-NWO	157.41
OFS-6803-08-08-12-NWO	166.42
OFS-6803-10-10-10-NWO	39.52
OFS-6803-12-12-12-NWO	44.60
OFS-6803-12-12-16-NWO	211.14
OFS-6803-16-16-16-NWO	80.63
OFS-6803-20-20-20-NWO	125.56
OFS-6803-24-24-24-NWO	188.49



**OFS-6804-NWO - Tee**

- (1) (3) Male OFS
- (2) Adj. O Ring


OFS-6804-04-04-04-NWO	18.49
OFS-6804-04-06-04-NWO	30.24
OFS-6804-06-06-06-NWO	25.32
OFS-6804-08-08-08-NWO	26.83
OFS-6804-08-10-08-NWO	148.09
OFS-6804-08-12-08-NWO	210.34
OFS-6804-10-10-10-NWO	35.40
OFS-6804-10-12-10-NWO	175.96
OFS-6804-12-12-12-NWO	45.16
OFS-6804-12-16-12-NWO	187.09
OFS-6804-16-16-16-NWO	70.48
OFS-6804-20-20-20-NWO	134.52
OFS-6804-24-24-24-NWO	187.30



**OFS-6809-NWO - 90°**

- (1) Fem. OFS Swivel
- (2) Adj. O Ring


OFS-6809-04-04-NWO	17.70
OFS-6809-06-06-NWO	20.48
OFS-6809-08-08-NWO	25.24
OFS-6809-10-10-NWO	168.41
OFS-6809-12-12-NWO	205.44
OFS-6809-16-16-NWO	85.00
OFS-6809-20-20-NWO	993.63
OFS-6809-24-24-NWO	1421.22



**OFS-FJIC-6504 - Str.**

- (1) Male OFS
- (2) Fem. JIC Swivel


OFS-FJIC-6504-04-04	96.92
OFS-FJIC-6504-06-06	110.07
OFS-FJIC-6504-08-08	121.01
OFS-FJIC-6504-10-10	190.88
OFS-FJIC-6504-12-12	203.73
OFS-FJIC-6504-16-16	220.57
OFS-FJIC-6504-20-20	332.41



**OFS-MJIC-2403 - Str.**

- (1) Male OFS
- (2) Male JIC

OFS-MJIC-2403-04-04	16.11
OFS-MJIC-2403-06-06	17.94
OFS-MJIC-2403-08-08	19.29
OFS-MJIC-2403-10-10	20.87
OFS-MJIC-2403-12-12	31.11
OFS-MJIC-2403-16-16	36.19
OFS-MJIC-2403-20-20	102.14
OFS-MJIC-2403-24-24	428.91




**OFS-MJIC-6504 - Str.**

- (1) Fem. OFS Swivel
- (2) Male JIC

OFS-MJIC-6504-04-04	18.97
OFS-MJIC-6504-06-06	20.08
OFS-MJIC-6504-08-08	25.95
OFS-MJIC-6504-10-10	29.52
OFS-MJIC-6504-12-12	35.40
OFS-MJIC-6504-16-16	43.49
OFS-MJIC-6504-20-20	66.75

# O-RING FACE SEAL


Styles may vary from picture



**OFS-SPO-2287 - Str.**

- (1) Steel Push On
- (2) Fem. OFS Swivel


OFS-SPO-2287-04-04	17.55
OFS-SPO-2287-06-06	21.54
OFS-SPO-2287-06-08	41.69
OFS-SPO-2287-08-08	27.76
OFS-SPO-2287-10-10	84.13
OFS-SPO-2287-12-12	56.83



**OFS-SPO-2306-LL - 90°**

- (1) Steel Push On
- (2) Fem. OFS Swivel Ex. Long


OFS-SPO-2306-LL-08-08	70.11
-----------------------	-------



**OFS-SPO-2305 - 45°**

- (1) Steel Push On
- (2) Fem. OFS Swivel

OFS-SPO-2305-04-04	37.70
OFS-SPO-2305-06-06	45.69
OFS-SPO-2305-08-08	46.24



**OFS-SPO-2306 - 90°**

- (1) Steel Push On
- (2) Fem. OFS Swivel

OFS-SPO-2306-04-04	41.14
OFS-SPO-2306-06-06	42.44
OFS-SPO-2306-06-08	117.37
OFS-SPO-2306-08-06	47.91
OFS-SPO-2306-08-08	54.14
OFS-SPO-2306-10-10	90.54
OFS-SPO-2306-12-12	107.16