

TABLE OF CONTENTS

PNEUMATIC QUICK COUPLERS

QC-1000	Industrial Interchange MIL-C4109 SPECS	1-14
QC-1300	ARO Interchange	15-16
QC-1400	Automotive Interchange TRU-FLATE	17-20
QC-1450	Full Flow, Interchangeable BOWES MIL-C3486	21-24
QC-1460	Full Flow, Interchangeable THOR	25-26
QC-1470	Single Shut-off Specialty	27-30
QC-1630	Universal Interchange	31

FLUID TRANSFER QUICK COUPLERS

QC-1500	High Pressure - Screw Together 10,000 PSI	32-33
QC-1600	Industrial Full Flow Interchange	34-37
QC-1690	Mobile / Industrial Garden Hose Interchange	38
QC-1700	Double Shut-off ISO-B Industrial Interchange	39-44
QC-1800	ISO-B Interchange for Steam	45
QC-1900	Double Shut-off Valved and Non Valved High Flow	46-59
QC-2000	ISO-A Double Shut-off Industrial Interchange	60-61
QC-2300, 2700	Agriculture Interchange	62-65
QC-2500	Mobile, Wing Nut Interchange	66-67
QC-ST23, ST71	Snap-Tite Series	68-70
QC-2600	Double Shut-off Interchangeable Flush Face - No Spill	71-73
QC-3000	Diagnostic Quick Connects	74
QC-3400	Refrigerant and Fluid Transfer Connectors	75
QC-3600, 3700	Double Shut-off Screw Together	76
QC-7000	Industrial, Mold Interchange	77-80
QC-CAPS & PLUGS	Brass, Steel and Rubber Caps and Plugs	81-91

Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

BRASS

AQ	FD40
PH	B60
TOMCO	180



B-QC-1000

- (1) Push Socket
(2) Male Pipe

B-QC-1000-04-02	19.85
B-QC-1000-04-04	19.85
B-QC-1000-04-06	20.88
B-QC-1000-06-04	31.71
B-QC-1000-06-06	31.90
B-QC-1000-06-08	32.16
B-QC-1000-08-06	40.37
B-QC-1000-08-08	39.97
B-QC-1000-08-12	40.10
B-QC-1000-12-08	91.18
B-QC-1000-12-12	92.06
B-QC-1000-12-16	95.22



B-QC-1002

- (1) Push Socket
(2) Hose Barb

B-QC-1002-04-04	20.88
B-QC-1002-04-05	26.40
B-QC-1002-04-06	20.88
B-QC-1002-06-04	34.04
B-QC-1002-06-06	34.15
B-QC-1002-06-08	34.81
B-QC-1002-08-06	42.50
B-QC-1002-08-08	43.15
B-QC-1002-08-12	44.15
B-QC-1002-12-08	97.94
B-QC-1002-12-12	93.31
B-QC-1002-12-16	96.27



B-QC-1001

- (1) Push Socket
(2) Female Pipe

B-QC-1001-04-02	21.49
B-QC-1001-04-04	19.26
B-QC-1001-04-06	20.88
B-QC-1001-06-04	31.90
B-QC-1001-06-06	32.96
B-QC-1001-06-08	33.49
B-QC-1001-08-06	40.10
B-QC-1001-08-08	39.97
B-QC-1001-08-12	41.40
B-QC-1001-12-08	91.19
B-QC-1001-12-12	92.06
B-QC-1001-12-16	98.82



B-QC-1003

- (1) Push Socket
(2) Push On Barb

B-QC-1003-04-04	18.60
B-QC-1003-04-06	18.60
B-QC-1003-06-06	46.85
B-QC-1003-06-08	48.31
B-QC-1003-08-06	55.23
B-QC-1003-08-08	56.15

Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

BRASS



B-QC-1004

(1) Push Socket

(2) Reusable Hose Connection

B-QC-1004-04-04x1/2	22.15
B-QC-1004-04-04x11/16	22.23
B-QC-1004-04-04x3/4	26.08
B-QC-1004-04-04x5/8	22.85
B-QC-1004-04-04x9/16	22.62
B-QC-1004-04-05x11/16	22.69
B-QC-1004-04-05x5/8	22.23
B-QC-1004-04-05x9/16	22.15
B-QC-1004-04-06x11/16	29.08
B-QC-1004-04-06x3/4	29.46
B-QC-1004-04-06x9/16	24.23
B-QC-1004-06-05x11/16	43.08
B-QC-1004-06-05x5/8	41.01
B-QC-1004-06-05x9/16	40.85
B-QC-1004-06-06x9/16	41.02

Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STEEL

AQ FD40
TOMCO T4000



S-QC-1000

- (1) Push Socket
(2) Male Pipe

S-QC-1000-04-02	17.92
S-QC-1000-04-04	16.99
S-QC-1000-04-06	19.08
S-QC-1000-06-04	32.33
S-QC-1000-06-06	32.33
S-QC-1000-06-08	33.83
S-QC-1000-08-06	41.42
S-QC-1000-08-08	40.58
S-QC-1000-08-12	42.50



S-QC-1002

- (1) Push Socket
(2) Hose Barb

S-QC-1002-04-04	17.92
S-QC-1002-04-06	17.92
S-QC-1002-06-04	34.83
S-QC-1002-06-06	35.33
S-QC-1002-06-08	36.09
S-QC-1002-08-06	43.67
S-QC-1002-08-08	44.33
S-QC-1002-08-12	44.75



S-QC-1001

- (1) Push Socket
(2) Female Pipe

S-QC-1001-04-02	18.83
S-QC-1001-04-04	16.17
S-QC-1001-04-06	17.92
S-QC-1001-06-04	32.33
S-QC-1001-06-06	33.17
S-QC-1001-06-08	34.59
S-QC-1001-08-06	43.50
S-QC-1001-08-08	41.42
S-QC-1001-08-12	42.50



S-QC-1003

- (1) Push Socket
(2) Push On Barb

S-QC-1003-06-06	40.33
-----------------	-------

Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STAINLESS STEEL

AQ FD40
TOMCO T4000



SS-QC-1000-303

- (1) Push Socket
(2) Male Pipe

SS-QC-1000-04-04-303	83.62
SS-QC-1000-06-06-303	107.85
SS-QC-1000-08-08-303	137.69



SS-QC-1002-303

- (1) Push Socket
(2) Hose Barb

SS-QC-1002-04-04-303	85.31
SS-QC-1002-06-06-303	114.01
SS-QC-1002-08-08-303	144.23



SS-QC-1001-303

- (1) Push Socket
(2) Female Pipe

SS-QC-1001-04-04-303	84.23
SS-QC-1001-06-06-303	116.85
SS-QC-1001-08-08-303	147.92

Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STEEL

AQ FD40
TOMCO T4000



S-QC-1004

- (1) Push Socket
(2) Reusable Hose Connection

S-QC-1004-04-06x11/16	25.50
S-QC-1004-04-06x13/16	25.92
S-QC-1004-04-06x3/4	24.75
S-QC-1004-04-06x5/8	23.83
S-QC-1004-04-06x7/8	25.01
S-QC-1004-06-06x11/16	43.01
S-QC-1004-06-06x13/16	45.08
S-QC-1004-06-06x3/4	43.93
S-QC-1004-06-06x5/8	44.42
S-QC-1004-06-06x7/8	44.42
S-QC-1004-08-06x11/16	47.25
S-QC-1004-08-06x13/16	50.17
S-QC-1004-08-06x3/4	48.17
S-QC-1004-08-06x5/8	49.33
S-QC-1004-08-06x7/8	53.42
S-QC-1004-08-08x1	52.92
S-QC-1004-08-08x15/16	52.25
S-QC-1004-08-08x7/8	54.42

Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

BRASS

AQ FD43
TOMCO 180



B-QC-1100

- (1) Sleeve Socket
(2) Male Pipe

B-QC-1100-04-02	13.52
B-QC-1100-04-04	12.01
B-QC-1100-04-06	14.68
B-QC-1100-06-06	35.01
B-QC-1100-06-08	43.83
B-QC-1100-08-06	45.17
B-QC-1100-08-08	40.51
B-QC-1100-08-12	50.17



B-QC-1102

- (1) Sleeve Socket
(2) Hose Barb

B-QC-1102-04-04	14.93
B-QC-1102-04-05	15.78
B-QC-1102-04-06	15.53
B-QC-1102-06-04	43.83
B-QC-1102-06-06	44.33
B-QC-1102-08-08	50.83



B-QC-1101

- (1) Sleeve Socket
(2) Female Pipe

B-QC-1101-04-02	14.99
B-QC-1101-04-04	12.01
B-QC-1101-04-06	14.37
B-QC-1101-06-04	37.92
B-QC-1101-06-06	35.77
B-QC-1101-06-08	43.83
B-QC-1101-08-06	46.50
B-QC-1101-08-08	41.47
B-QC-1101-08-12	47.83



B-QC-1103

- (1) Sleeve Socket
(2) Push On Barb

B-QC-1103-04-04	16.35
B-QC-1103-04-06	16.35
B-QC-1103-06-06	38.92
B-QC-1103-08-08	49.33

Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

BRASS

AQ FD43

TOMCO 180



B-QC-1104

(1) Sleeve Socket

(2) Reusable Hose Connection

B-QC-1104-04-04x1/2	17.74
B-QC-1104-04-04x11/16	21.27
B-QC-1104-04-04x3/4	22.58
B-QC-1104-04-04x5/8	19.27
B-QC-1104-04-04x9/16	21.70
B-QC-1104-04-05x11/16	24.08
B-QC-1104-04-05x5/8	23.33
B-QC-1104-04-05x9/16	23.33
B-QC-1104-04-06x11/16	23.33
B-QC-1104-04-06x3/4	22.92

Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STEEL


AQ	FD43
TOMCO	T400
TOMCO	T500



S-QC-1100

- (1) Sleeve Socket
(2) Male Pipe

S-QC-1100-04-02	22.33
S-QC-1100-04-04	32.92
S-QC-1100-04-06	36.08
S-QC-1100-06-04	25.37
S-QC-1100-06-06	24.80
S-QC-1100-06-08	26.18
S-QC-1100-08-06	29.95
S-QC-1100-08-08	29.64
S-QC-1100-08-12	32.41



S-QC-1102

- (1) Sleeve Socket
(2) Hose Barb


S-QC-1102-06-04	28.90
S-QC-1102-06-06	26.32
S-QC-1102-06-08	29.46
S-QC-1102-08-06	32.62
S-QC-1102-08-08	32.75
S-QC-1102-08-12	33.82



S-QC-1101

- (1) Sleeve Socket
(2) Female Pipe

S-QC-1101-04-02	20.75
S-QC-1101-04-04	16.92
S-QC-1101-04-06	36.08
S-QC-1101-06-04	24.77
S-QC-1101-06-06	24.58
S-QC-1101-06-08	27.50
S-QC-1101-08-06	30.02
S-QC-1101-08-08	30.33
S-QC-1101-08-12	33.79



S-QC-1103

- (1) Sleeve Socket
(2) Push On Barb


S-QC-1103-04-04	38.54
S-QC-1103-04-06	38.54
S-QC-1103-06-06	28.62

Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STEEL



S-QC-1104

(1) Sleeve Socket

(2) Reusable Hose Connection

S-QC-1104-04-04x1/2	41.75
S-QC-1104-04-04x5/8	41.75
S-QC-1104-04-04x9/16	41.75
S-QC-1104-06-05x11/16	39.46
S-QC-1104-06-05x5/8	36.70
S-QC-1104-06-05x9/16	37.12
S-QC-1104-06-06x11/16	34.20
S-QC-1104-06-06x13/16	33.54
S-QC-1104-06-06x3/4	32.01
S-QC-1104-06-06x5/8	30.92
S-QC-1104-06-06x7/8	35.62
S-QC-1104-06-06x9/16	21.01
S-QC-1104-06-08x1	42.69
S-QC-1104-06-08x15/16	38.46
S-QC-1104-06-08x7/8	38.46
S-QC-1104-08-06x11/16	35.54
S-QC-1104-08-06x13/16	36.62
S-QC-1104-08-06x3/4	35.54
S-QC-1104-08-06x5/8	35.54
S-QC-1104-08-06x7/8	48.46
S-QC-1104-08-08x1	40.62
S-QC-1104-08-08x15/16	39.77
S-QC-1104-08-08x7/8	38.92

Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STAINLESS STEEL

AQ	FD43
TOMCO	T400
TOMCO	T500



SS-QC-1100-303

- (1) Sleeve Socket
- (2) Male Pipe

SS-QC-1100-04-02-303	79.31
SS-QC-1100-04-04-303	55.31
SS-QC-1100-06-06-303	97.69
SS-QC-1100-08-08-303	122.08



SS-QC-1102-303

- (1) Sleeve Socket
- (2) Hose Barb

SS-QC-1102-04-04-303	85.54
SS-QC-1102-06-06-303	104.69
SS-QC-1102-08-08-303	127.31



SS-QC-1101-303

- (1) Sleeve Socket
- (2) Female Pipe

SS-QC-1101-04-04-303	57.15
SS-QC-1101-06-06-303	95.85
SS-QC-1101-08-08-303	127.15

Styles may vary from picture

INDUSTRIAL INTERCHANGE PLUGS

Conforms to MIL-C4109 Specs

BRASS

AQ FD40
TOMCO 1800



B-QC-1200

- (1) Plug
(2) Male Pipe


B-QC-1200-04-02	5.16
B-QC-1200-04-04	3.21
B-QC-1200-04-06	7.50
B-QC-1200-06-04	10.50
B-QC-1200-06-06	9.31
B-QC-1200-08-06	11.46
B-QC-1200-08-08	12.69
B-QC-1200-08-12	20.77
B-QC-1200-12-12	62.57



B-QC-1202

- (1) Plug
(2) Hose Barb

B-QC-1202-04-04	5.22
B-QC-1202-04-06	5.96
B-QC-1202-06-06	10.77
B-QC-1202-08-06	11.92
B-QC-1202-08-08	11.85
B-QC-1202-08-12	19.50
B-QC-1202-12-12	77.92



B-QC-1201

- (1) Plug
(2) Female Pipe

B-QC-1201-04-02	16.85
B-QC-1201-04-04	3.90
B-QC-1201-04-06	5.75
B-QC-1201-06-06	9.69
B-QC-1201-08-06	11.01
B-QC-1201-08-08	13.50



B-QC-1203

- (1) Plug
(2) Push On Barb

B-QC-1203-04-04	6.56
-----------------	------

Styles may vary from picture

INDUSTRIAL INTERCHANGE PLUGS

Conforms to MIL-C4109 Specs

STEEL

AQ FD40
TOMCO 1800



S-QC-1200

(1) Plug

(2) Male Pipe

S-QC-1200-04-02	2.99
S-QC-1200-04-04	2.55
S-QC-1200-04-06	3.97
S-QC-1200-06-02	7.36
S-QC-1200-06-04	4.84
S-QC-1200-06-06	5.03
S-QC-1200-06-08	8.55
S-QC-1200-08-04	6.87
S-QC-1200-08-06	7.07
S-QC-1200-08-08	8.02
S-QC-1200-08-12	13.21
S-QC-1200-12-08	18.62
S-QC-1200-12-12	20.15
S-QC-1200-12-16	31.54



S-QC-1202

(1) Plug

(2) Hose Barb

S-QC-1202-04-04	4.15
S-QC-1202-04-05	4.49
S-QC-1202-04-06	4.46
S-QC-1202-06-04	7.51
S-QC-1202-06-05	10.23
S-QC-1202-06-06	7.51
S-QC-1202-06-08	9.04
S-QC-1202-08-06	8.49
S-QC-1202-08-08	8.90
S-QC-1202-08-12	13.38
S-QC-1202-12-08	24.80
S-QC-1202-12-12	21.54
S-QC-1202-12-16	34.20



S-QC-1201

(1) Plug

(2) Female Pipe

S-QC-1201-04-02	3.14
S-QC-1201-04-04	2.57
S-QC-1201-04-06	4.87
S-QC-1201-06-04	6.66
S-QC-1201-06-06	5.17
S-QC-1201-06-08	9.18
S-QC-1201-08-06	8.02
S-QC-1201-08-08	8.49
S-QC-1201-08-12	14.18
S-QC-1201-12-08	20.59
S-QC-1201-12-12	23.48
S-QC-1201-12-16	34.94



S-QC-1203

(1) Plug

(2) Push On Barb

S-QC-1203-04-04	5.06
S-QC-1203-04-06	5.41
S-QC-1203-06-04	10.74
S-QC-1203-06-06	8.17
S-QC-1203-06-08	15.96
S-QC-1203-08-06	11.38
S-QC-1203-08-08	15.77

Styles may vary from picture

INDUSTRIAL INTERCHANGE PLUGS

Conforms to MIL-C4109 Specs

STEEL



S-QC-1204

(1) Plug

(2) Reusable Hose Connection

S-QC-1204-04-04x1/2	7.35
S-QC-1204-04-04x5/8	8.24
S-QC-1204-04-04x9/16	17.55
S-QC-1204-04-05x9/16	8.77
S-QC-1204-04-06x11/16	9.92
S-QC-1204-04-06x13/16	10.46
S-QC-1204-04-06x3/4	9.85
S-QC-1204-04-06x5/8	9.23
S-QC-1204-04-06x7/8	14.92
S-QC-1204-04-06x9/16	12.83
S-QC-1204-06-05x11/16	14.67
S-QC-1204-06-05x5/8	14.69
S-QC-1204-06-05x9/16	14.69
S-QC-1204-06-06x11/16	12.77
S-QC-1204-06-06x13/16	16.31
S-QC-1204-06-06x3/4	12.56
S-QC-1204-06-06x5/8	12.54
S-QC-1204-06-06x7/8	20.95
S-QC-1204-06-06x9/16	20.95
S-QC-1204-06-08x1	30.85
S-QC-1204-06-08x15/16	29.01
S-QC-1204-06-08x7/8	28.85
S-QC-1204-08-06x11/16	13.92
S-QC-1204-08-06x13/16	17.38
S-QC-1204-08-06x3/4	14.31
S-QC-1204-08-06x5/8	13.92
S-QC-1204-08-06x7/8	18.46
S-QC-1204-08-08x1	19.23
S-QC-1204-08-08x15/16	19.63
S-QC-1204-08-08x7/8	19.23

Styles may vary from picture

INDUSTRIAL INTERCHANGE PLUGS

Conforms to MIL-C4109 Specs
STAINLESS STEEL

AQ	FD40
TOMCO	1800



SS-QC-1200-303

- (1) Plug
(2) Male Pipe

SS-QC-1200-04-02-30	16.54
SS-QC-1200-04-04-30	10.31
SS-QC-1200-06-06-30	22.69
SS-QC-1200-08-08-30	34.85



SS-QC-1201-303

- (1) Plug
(2) Female Pipe

SS-QC-1201-04-04-30	14.01
SS-QC-1201-06-06-30	26.08
SS-QC-1201-08-08-30	36.23



SS-QC-1202-303

- (1) Plug
(2) Hose Barb

SS-QC-1202-04-04-30	16.08
SS-QC-1202-06-06-30	20.08
SS-QC-1202-08-08-30	32.23

Styles may vary from picture

ARO INTERCHANGE

STEEL

AQ	FD41
ARO	210, 310
FOSTER	210-10
HANSEN	102
PARKER	50



S-QC-1300

- (1) Socket
(2) Female Pipe

S-QC-1300-04-02	15.62
S-QC-1300-04-04	14.15
S-QC-1300-04-06	15.78
S-QC-1300-06-04	33.92
S-QC-1300-06-06	35.54
S-QC-1300-06-08	37.62



S-QC-1301

- (1) Plug
(2) Male Pipe

S-QC-1301-04-02	3.46
S-QC-1301-04-04	2.92
S-QC-1301-04-06	4.34
S-QC-1301-06-06	6.85



S-QC-1302

- (1) Plug
(2) Female Pipe

S-QC-1302-04-02	4.23
S-QC-1302-04-04	2.99
S-QC-1302-04-06	4.89
S-QC-1302-06-06	8.60



S-QC-1303

- (1) Plug
(2) Hose Barb

S-QC-1303-04-04	5.22
S-QC-1303-04-05	7.17
S-QC-1303-04-06	5.01
S-QC-1303-06-06	9.63
S-QC-1303-06-08	10.01



S-QC-1304

- (1) Socket
(2) Male Pipe

S-QC-1304-04-02	15.81
S-QC-1304-04-04	14.37
S-QC-1304-04-06	14.87
S-QC-1304-06-04	35.15
S-QC-1304-06-06	32.38
S-QC-1304-06-08	37.38



S-QC-1305

- (1) Socket
(2) Hose Barb

S-QC-1305-04-04	16.31
S-QC-1305-04-05	18.56
S-QC-1305-04-06	19.31
S-QC-1305-06-04	38.54
S-QC-1305-06-06	35.54
S-QC-1305-06-08	37.85

Styles may vary from picture

ARO INTERCHANGE

STEEL

AQ	FD41
ARO	210, 310
FOSTER	210-10
HANSEN	102
PARKER	50



S-QC-1306

- (1) Socket
- (2) Push Loc Hose Barb

S-QC-1306-04-04	21.92
S-QC-1306-04-06	22.31



S-QC-1307

- (1) Plug
- (2) Push Loc Hose Barb

S-QC-1307-04-04	6.38
-----------------	------

Styles may vary from picture

AUTOMOTIVE INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

TRU-FLATE STYLE

STEEL

FOSTER	TF
PARKER	10
TOMCO	2000



B-QC-1400

- (1) Sleeve Socket
(2) Male Pipe

B-QC-1400-04-02	16.43
B-QC-1400-04-04	13.64
B-QC-1400-04-06	16.49
B-QC-1400-06-06	59.92
B-QC-1400-08-08	59.99



B-QC-1401

- (1) Sleeve Socket
(2) Female Pipe

B-QC-1401-04-02	16.53
B-QC-1401-04-04	14.04
B-QC-1401-04-06	16.99
B-QC-1401-06-06	63.83
B-QC-1401-08-08	64.81



B-QC-1402

- (1) Sleeve Socket
(2) Hose Barb

B-QC-1402-04-04	16.19
B-QC-1402-04-05	17.35
B-QC-1402-04-06	17.35



B-QC-1403

- (1) Sleeve Socket
(2) Push On Barb

B-QC-1403-04-04	18.31
B-QC-1403-04-06	18.31



B-QC-1404

- (1) Sleeve Socket
(2) Reusable Hose Connection

B-QC-1404-04-04x1/2	22.88
B-QC-1404-04-04x11/16	26.33
B-QC-1404-04-04x3/4	26.83
B-QC-1404-04-04x5/8	25.15
B-QC-1404-04-04x9/16	25.15
B-QC-1404-04-05x11/16	26.33
B-QC-1404-04-05x5/8	26.33
B-QC-1404-04-05x9/16	26.33
B-QC-1404-04-06x11/16	26.33
B-QC-1404-04-06x13/16	27.72
B-QC-1404-04-06x3/4	38.25
B-QC-1404-04-06x5/8	26.33
B-QC-1404-04-06x7/8	29.17
B-QC-1404-04-06x9/16	28.33

Styles may vary from picture

AUTOMOTIVE INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

TRU-FLATE STYLE

BRASS

FOSTER	TF
PARKER	10
TOMCO	2000



B-QC-1405

(1) Plug

(2) Male Pipe

B-QC-1405-04-04	3.61
B-QC-1405-06-06	3.86
B-QC-1405-08-08	23.01



B-QC-1406

(1) Plug

(2) Female Pipe

B-QC-1406-04-04	3.70
B-QC-1406-06-06	11.34
B-QC-1406-08-08	26.33

Styles may vary from picture

AUTOMOTIVE INTERCHANGE

SEMI-AUTOMATIC, SINGLE SHUT-OFF

TRU-FLATE STYLE

STEEL

FOSTER TF
PARKER 10
TOMCO PT400



S-QC-1400

(1) Socket
(2) Male Pipe

S-QC-1400-04-04	12.08
S-QC-1400-06-04	25.49
S-QC-1400-06-06	24.68
S-QC-1400-06-08	31.32
S-QC-1400-08-06	32.57
S-QC-1400-08-08	33.24
S-QC-1400-08-12	36.32



S-QC-1402

(1) Socket
(2) Hose Barb

S-QC-1402-04-04	23.01
S-QC-1402-06-04	30.14
S-QC-1402-06-06	30.43
S-QC-1402-06-08	31.99
S-QC-1402-08-06	37.21
S-QC-1402-08-08	37.43
S-QC-1402-08-12	38.31



S-QC-1401

(1) Socket
(2) Female Pipe

S-QC-1401-06-04	25.49
S-QC-1401-06-06	23.32
S-QC-1401-06-08	31.99
S-QC-1401-08-06	33.90
S-QC-1401-08-08	33.90
S-QC-1401-08-12	34.51



S-QC-1403

(1) Socket
(2) Push On Barb

S-QC-1403-04-04	22.15
S-QC-1403-06-04	39.77
S-QC-1403-06-06	31.23
S-QC-1403-08-06	70.62
S-QC-1403-08-08	67.08

Styles may vary from picture

AUTOMOTIVE INTERCHANGE

SEMI-AUTOMATIC, SINGLE SHUT-OFF

TRU-FLATE STYLE

STEEL

TOMCO 2000



S-QC-1405

- (1) Plug
(2) Male Pipe

S-QC-1405-04-02	4.25
S-QC-1405-04-04	2.57
S-QC-1405-04-06	5.69
S-QC-1405-06-04	4.94
S-QC-1405-06-06	4.84
S-QC-1405-06-08	10.01
S-QC-1405-08-06	9.41
S-QC-1405-08-08	9.64
S-QC-1405-08-12	13.60



S-QC-1406

- (1) Plug
(2) Female Pipe

S-QC-1406-04-02	3.85
S-QC-1406-04-04	2.75
S-QC-1406-04-06	5.97
S-QC-1406-06-04	4.97
S-QC-1406-06-06	6.13
S-QC-1406-06-08	12.77
S-QC-1406-08-06	10.90
S-QC-1406-08-08	11.01
S-QC-1406-08-12	16.49



S-QC-1407

- (1) Plug
(2) Hose Barb

S-QC-1407-04-04	5.34
S-QC-1407-04-05	6.91
S-QC-1407-04-06	5.53
S-QC-1407-06-04	11.01
S-QC-1407-06-06	8.08
S-QC-1407-06-08	10.69
S-QC-1407-08-06	10.07
S-QC-1407-08-08	13.33
S-QC-1407-08-12	14.78



S-QC-1408

- (1) Plug
(2) Push On Barb

S-QC-1408-04-04	6.16
S-QC-1408-04-06	6.66
S-QC-1408-06-06	8.39
S-QC-1408-08-06	16.63
S-QC-1408-08-08	19.38



S-QC-1409

- (1) Plug
(2) Reusable Hose Connection

S-QC-1409-04-04x08	9.62
S-QC-1409-04-04x10	10.92
S-QC-1409-04-06x11	12.77
S-QC-1409-04-06x12	14.38

Styles may vary from picture

FULL FLOW, INTERCHANGEABLE

MIL-C3486


BOWES INTERCHANGE
BRASS



B-QC-1450

- (1) Plug
(2) Male Pipe

B-QC-1450-08-06	46.36
B-QC-1450-08-08	46.36
B-QC-1450-08-12	46.36



B-QC-1453

- (1) Socket
(2) Collar Hose Barb


B-QC-1453-08-06	37.08
B-QC-1453-08-08	37.08
B-QC-1453-08-12	37.08



B-QC-1451

- (1) Socket
(2) Male Pipe

B-QC-1451-08-06	35.44
B-QC-1451-08-08	35.44
B-QC-1451-08-12	35.44



B-QC-1454

- (1) Plug
(2) Female Pipe


B-QC-1454-08-06	44.75
B-QC-1454-08-08	44.75
B-QC-1454-08-12	46.59



B-QC-1452

- (1) Plug
(2) Collar Hose Barb

B-QC-1452-08-06	53.98
B-QC-1452-08-08	53.98
B-QC-1452-08-12	53.98



B-QC-1455

- (1) Socket
(2) Female Pipe

B-QC-1455-08-06	35.44
B-QC-1455-08-08	35.44
B-QC-1455-08-12	35.44

Styles may vary from picture

FULL FLOW, INTERCHANGEABLE

MIL-C3486


BOWES INTERCHANGE
BRASS



B-QC-1456

- (1) Plug with Sleeve Lock Ring
- (2) Male Pipe

B-QC-1456-08-08	60.22
B-QC-1456-08-12	60.22



B-QC-1459

- (1) Plug
- (2) Socket

B-QC-1459-08-08-08	132.38
--------------------	--------



B-QC-1457

- (1) Plug
- (2) Collar Hose Barb with Sleeve Lock Ring

B-QC-1457-08-08	55.91
B-QC-1457-08-12	55.91



B-QC-1458

- (1) Socket
- (2) (3) Plug

B-QC-1458-08-08-08	128.85
--------------------	--------

Styles may vary from picture

FULL FLOW, INTERCHANGEABLE

MIL-C3486

BOWES INTERCHANGE

STEEL



S-QC-1450

- (1) Plug
- (2) Male Pipe

S-QC-1450-08-06	32.31
S-QC-1450-08-08	33.46
S-QC-1450-08-12	32.92



S-QC-1453

- (1) Socket
- (2) Collar Hose Barb

S-QC-1453-08-06	26.46
S-QC-1453-08-08	26.46
S-QC-1453-08-12	26.46



S-QC-1451

- (1) Socket
- (2) Male Pipe

S-QC-1451-08-06	26.46
S-QC-1451-08-08	26.46
S-QC-1451-08-12	26.46



S-QC-1454

- (1) Plug
- (2) Female Pipe


S-QC-1454-08-06	32.31
S-QC-1454-08-08	32.15
S-QC-1454-08-12	33.08



S-QC-1452

- (1) Plug
- (2) Collar Hose Barb

S-QC-1452-08-06	35.46
S-QC-1452-08-08	35.46
S-QC-1452-08-12	35.46



S-QC-1455

- (1) Socket
- (2) Female Pipe

S-QC-1455-08-06	26.46
S-QC-1455-08-08	26.46
S-QC-1455-08-12	26.46

Styles may vary from picture

FULL FLOW, INTERCHANGEABLE

MIL-C3486

BOWES INTERCHANGE

STEEL



S-QC-1456

(1) Plug

(2) Male Pipe with Sleeve Lock Ring

S-QC-1456-08-08 44.69

S-QC-1456-08-12 44.69



S-QC-1457

(1) Plug

(2) Collar Hose Barb with Sleeve Lock Ring

S-QC-1457-08-08 44.69

S-QC-1457-08-12 44.69

Styles may vary from picture

FULL FLOW, INTERCHANGEABLE COUPLINGS

THOR INDUSTRIAL INTERCHANGE

BRASS



B-QC-1460

(1) Socket

(2) Collar Hose Barb

B-QC-1460-08-12 111.69

B-QC-1460-08-16 110.22



B-QC-1463

(1) Coupling

(2) Male Pipe

B-QC-1463-08-08 73.09

B-QC-1463-08-12 79.04

B-QC-1463-08-16 89.04

Styles may vary from picture

FULL FLOW, INTERCHANGEABLE COUPLINGS

THOR INDUSTRIAL INTERCHANGE
STEEL



S-QC-1460

- (1) Coupling (with Sleeve)
(2) Collar Hose Barb

S-QC-1460-08-06	49.01
S-QC-1460-08-08	49.01
S-QC-1460-08-12	51.85
S-QC-1460-08-16	62.77



S-QC-1463

- (1) Coupling
(2) Male Pipe

S-QC-1463-08-06	26.92
S-QC-1463-08-08	26.92
S-QC-1463-08-12	28.15
S-QC-1463-08-16	30.23



S-QC-1461

- (1) Coupling (with Sleeve)
(2) Male Pipe

S-QC-1461-08-06	46.15
S-QC-1461-08-08	46.15
S-QC-1461-08-12	46.15



S-QC-1464

- (1) Coupling
(2) Female Pipe

S-QC-1464-08-06	31.54
S-QC-1464-08-08	31.54
S-QC-1464-08-12	33.69
S-QC-1464-08-16	36.69



S-QC-1462

- (1) Coupling (with Sleeve)
(2) Female Pipe

S-QC-1462-08-08	52.69
S-QC-1462-08-12	52.69

S-QC-1465

Sleeve Locking Key

S-QC-1465-08	1.32
--------------	------

SINGLE SHUT-OFF, SPECIALTY COUPLINGS

For Air-Compact Profile - Reduce Risk of Disconnection When Pulling Across Obstacles

SOCKETS

BRASS



B-QC-1470

- (1) Socket
(2) Male Pipe

B-QC-1470-02-02	27.80
B-QC-1470-04-02	37.54
B-QC-1470-04-04	29.90
B-QC-1470-04-06	36.32



B-QC-1473

- (1) Socket
(2) Poly Flow

B-QC-1473-02-.170x1/4	32.80
B-QC-1473-04-.125x1/4	32.80



B-QC-1471

- (1) Socket
(2) Female Pipe

B-QC-1471-02-02	32.72
B-QC-1471-04-02	35.88
B-QC-1471-04-04	34.79
B-QC-1471-04-06	36.32



B-QC-1474

- (1) Socket
(2) Reusable Hose

B-QC-1474-04-04x1/2	43.46
B-QC-1474-04-04x5/8	49.04
B-QC-1474-04-06x11/16	45.51
B-QC-1474-04-06x3/4	45.51



B-QC-1472

- (1) Socket
(2) Hose Barb

B-QC-1472-02-02	36.25
B-QC-1472-04-02	39.12
B-QC-1472-04-04	37.39
B-QC-1472-04-06	38.16

Styles may vary from picture

SINGLE SHUT-OFF, SPECIALTY COUPLINGS

For Air-Compact Profile - Reduce Risk of Disconnection When Pulling Across Obstacles

SOCKETS STAINLESS STEEL



SS-QC-1470-303

(1) Socket

(2) Male Pipe

SS-QC-1470-02-02-303 77.23

SS-QC-1470-04-04-303 83.15



SS-QC-1471-303

(1) Socket

(2) Female Pipe

SS-QC-1471-02-02-303 91.33

SS-QC-1471-04-04-303 83.77



SS-QC-1472-303

(1) Socket

(2) Hose Barb

SS-QC-1472-02-02-303 100.31

SS-QC-1472-04-04-303 86.85

SINGLE SHUT-OFF, SPECIALTY COUPLINGS

For Air-Compact Profile - Reduce Risk of Disconnection When Pulling Across Obstacles

PLUGS

BRASS



B-QC-1475

- (1) Plug
- (2) Male Pipe

B-QC-1475-02-02	9.60
B-QC-1475-04-02	9.71
B-QC-1475-04-04	8.20
B-QC-1475-04-06	13.31



B-QC-1478

- (1) Plug
- (2) Poly Flow

B-QC-1478-02-.125x1/4	12.13
B-QC-1478-02-.170x1/4	12.43



B-QC-1476

- (1) Plug
- (2) Female Pipe

B-QC-1476-02-02	11.54
B-QC-1476-04-02	7.43
B-QC-1476-04-04	8.75
B-QC-1476-04-06	14.26



B-QC-1479

- (1) Plug
- (2) Reusable Hose

B-QC-1479-04-06x3/4	20.51
---------------------	-------



B-QC-1477

- (1) Plug
- (2) Hose Barb

B-QC-1477-02-02	11.32
B-QC-1477-04-02	9.71
B-QC-1477-04-03	9.71
B-QC-1477-04-04	13.31
B-QC-1477-04-06	13.31

Styles may vary from picture

SINGLE SHUT-OFF, SPECIALTY COUPLINGS

For Air-Compact Profile-Reduce Risk of Disconnection When Pulling Across Obstacles

PLUGS

STEEL and STAINLESS STEEL



S-QC-1475

- (1) Plug
- (2) Male Pipe

S-QC-1475-02-02	12.46
S-QC-1475-04-02	5.08
S-QC-1475-04-04	4.77
S-QC-1475-04-06	7.38



SS-QC-1475-303

- (1) Plug
- (2) Male Pipe

SS-QC-1475-02-02-303	24.92
SS-QC-1475-04-04-303	26.72



S-QC-1476

- (1) Plug
- (2) Female Pipe

S-QC-1476-02-02	13.15
S-QC-1476-04-02	6.15
S-QC-1476-04-04	5.85
S-QC-1476-04-06	9.54



SS-QC-1476-303

- (1) Plug
- (2) Female Pipe

SS-QC-1476-02-02-303	18.01
SS-QC-1476-04-04-303	21.85



S-QC-1477

- (1) Plug
- (2) Hose Barb

S-QC-1477-04-02	7.62
S-QC-1477-04-04	7.62
S-QC-1477-04-06	10.15



SS-QC-1477-303

- (1) Plug
- (2) Hose Barb

SS-QC-1477-02-02-303	19.62
SS-QC-1477-04-04-303	19.77

Styles may vary from picture

UNIVERSAL INTERCHANGE

BRASS and STEEL



B-QC-1630

- (1) Socket
- (2) Male Pipe

B-QC-1630-04-04	20.68
B-QC-1630-04-06	20.68



S-QC-1633

- (1) Plug
- (2) Male Pipe

S-QC-1633-04-04	3.15
S-QC-1633-04-06	6.23



B-QC-1631

- (1) Socket
- (2) Female Pipe

B-QC-1631-04-04	20.68
B-QC-1631-04-06	21.93



S-QC-1634

- (1) Plug
- (2) Female Pipe

S-QC-1634-04-04	4.15
S-QC-1634-04-06	5.77



B-QC-1632

- (1) Socket
- (2) Push Loc

B-QC-1632-04-04	23.61
B-QC-1632-04-06	23.33



S-QC-1635

- (1) Plug
- (2) Push Loc

S-QC-1635-04-04	6.46
S-QC-1635-04-06	6.23

Styles may vary from picture

HIGH PRESSURE - SCREW TOGETHER HYDRAULIC

STEEL
10,000 PSI

BRUNING	IP-370
ENERPAC	C-604
PARKER	3000
SAFEWAY	S30



S-QC-1500

Plug & Socket Assy with Threaded
Metal Dust Plug for Socket

S-QC-1500-04-04	90.40
S-QC-1500-06-06	99.23



S-QC-1502-C

Metal Screw Type Cap

S-QC-1502-C-04	19.12
S-QC-1502-C-06	19.12



S-QC-1501

Socket Assy with Threaded
Metal Dust Plug

S-QC-1501-04-04	73.40
S-QC-1501-06-06	79.25



S-QC-1505

(1) Threaded Socket
(2) Male Pipe

S-QC-1505-04-04	45.74
S-QC-1505-06-06	46.19



S-QC-1502

(1) Threaded Plug
(2) Female Pipe

S-QC-1502-04-04	26.40
S-QC-1502-06-06	27.11



S-QC-1505-P

Metal Screw Type Plug

S-QC-1505-P-04	11.69
S-QC-1505-P-06	11.69

Styles may vary from picture

HIGH PRESSURE - SCREW TOGETHER HYDRAULIC STAINLESS STEEL 10,000 PSI

BRUNING	IP-370
ENERPAC	C-604
PARKER	3000
SAFEWAY	S30



SS-QC-1502

(1) Threaded Plug

(2) Female Pipe

SS-QC-1502-06-06

153.46



SS-QC-1505

(1) Threaded Socket

(2) Male Pipe

SS-QC-1505-06-06

277.23

Styles may vary from picture

INDUSTRIAL FULL FLOW INTERCHANGE

BRASS

PARKER BST
TOMCO ST



B-QC-1600

- (1) Socket
(2) Male Pipe

B-QC-1600-02-02	9.93
B-QC-1600-04-04	12.48
B-QC-1600-06-06	15.06
B-QC-1600-08-08	20.71
B-QC-1600-12-12	33.33
B-QC-1600-16-16	55.15
B-QC-1600-20-20	205.70
B-QC-1600-24-24	287.08
B-QC-1600-32-32	338.75



B-QC-1602

- (1) Plug
(2) Male Pipe

B-QC-1602-02-02	3.08
B-QC-1602-04-04	4.25
B-QC-1602-06-06	5.50
B-QC-1602-08-08	7.29
B-QC-1602-12-12	13.77
B-QC-1602-16-16	26.99
B-QC-1602-20-20	83.05
B-QC-1602-24-24	108.38
B-QC-1602-32-32	192.87



B-QC-1601

- (1) Socket
(2) Female Pipe

B-QC-1601-02-02	9.90
B-QC-1601-04-04	11.03
B-QC-1601-06-06	12.50
B-QC-1601-08-08	21.06
B-QC-1601-12-12	33.32
B-QC-1601-16-16	50.01
B-QC-1601-20-20	139.63
B-QC-1601-24-24	193.57
B-QC-1601-32-32	243.75



B-QC-1603

- (1) Plug
(2) Female Pipe

B-QC-1603-02-02	3.13
B-QC-1603-04-04	4.62
B-QC-1603-06-06	6.01
B-QC-1603-08-08	7.86
B-QC-1603-12-12	14.59
B-QC-1603-16-16	28.25
B-QC-1603-20-20	66.36
B-QC-1603-24-24	109.34
B-QC-1603-32-32	193.83

Styles may vary from picture

INDUSTRIAL FULL FLOW INTERCHANGE

STEEL

PARKER BST
TOMCO ST



S-QC-1602

- (1) Plug
(2) Male Pipe

S-QC-1602-02-02	4.65
S-QC-1602-04-04	4.20
S-QC-1602-06-06	5.82
S-QC-1602-08-08	7.32
S-QC-1602-12-12	12.13
S-QC-1602-16-16	26.18
S-QC-1602-20-20	73.68
S-QC-1602-24-24	107.72
S-QC-1602-32-32	129.26



S-QC-1611

- (1) Plug
(2) Hose Barb

S-QC-1611-04-04	9.08
S-QC-1611-06-06	20.15
S-QC-1611-08-08	28.01
S-QC-1611-12-12	43.92
S-QC-1611-16-16	68.01



S-QC-1603

- (1) Plug
(2) Female Pipe

S-QC-1603-02-02	4.10
S-QC-1603-04-04	5.03
S-QC-1603-06-06	6.13
S-QC-1603-08-08	7.95
S-QC-1603-12-12	13.35
S-QC-1603-16-16	28.31
S-QC-1603-20-20	92.43
S-QC-1603-24-24	96.85
S-QC-1603-32-32	137.50



S-QC-1621

- (1) Plug
(2) Collar Hose Barb

S-QC-1621-12-12	18.23
-----------------	-------

Styles may vary from picture

INDUSTRIAL FULL FLOW INTERCHANGE

STAINLESS STEEL

PARKER BST
TOMCO ST



SS-QC-1600-303

- (1) Socket
(2) Male Pipe

SS-QC-1600-02-02-303	53.90
SS-QC-1600-04-04-303	77.36
SS-QC-1600-06-06-303	89.35
SS-QC-1600-08-08-303	96.03
SS-QC-1600-12-12-303	174.49
SS-QC-1600-16-16-303	268.95
SS-QC-1600-20-20-303	493.54
SS-QC-1600-24-24-303	700.54
SS-QC-1600-32-32-303	1,002.38



SS-QC-1602-303

- (1) Plug
(2) Male Pipe


SS-QC-1602-02-02-303	19.71
SS-QC-1602-04-04-303	20.88
SS-QC-1602-06-06-303	22.57
SS-QC-1602-08-08-303	46.05
SS-QC-1602-12-12-303	61.55
SS-QC-1602-16-16-303	99.95
SS-QC-1602-20-20-303	188.92
SS-QC-1602-24-24-303	310.38
SS-QC-1602-32-32-303	498.92



SS-QC-1601-303

- (1) Socket
(2) Female Pipe

SS-QC-1601-02-02-303	48.95
SS-QC-1601-04-04-303	78.45
SS-QC-1601-06-06-303	84.04
SS-QC-1601-08-08-303	92.50
SS-QC-1601-12-12-303	155.01
SS-QC-1601-16-16-303	201.03
SS-QC-1601-20-20-303	448.69
SS-QC-1601-24-24-303	700.54
SS-QC-1601-32-32-303	954.62



SS-QC-1603-303

- (1) Plug
(2) Female Pipe

SS-QC-1603-02-02-303	20.08
SS-QC-1603-04-04-303	20.55
SS-QC-1603-06-06-303	27.50
SS-QC-1603-08-08-303	45.85
SS-QC-1603-12-12-303	62.95
SS-QC-1603-16-16-303	98.53
SS-QC-1603-20-20-303	228.69
SS-QC-1603-24-24-303	443.54
SS-QC-1603-32-32-303	592.92

Styles may vary from picture

INDUSTRIAL FULL FLOW INTERCHANGE

STAINLESS STEEL

PARKER BST
TOMCO ST



SS-QC-1610-303

- (1) Socket
(2) Hose Barb

SS-QC-1610-04-04-303	73.08
SS-QC-1610-06-06-303	124.15
SS-QC-1610-08-08-303	133.38
SS-QC-1610-12-12-303	213.54
SS-QC-1610-16-16-303	269.36



SS-QC-1611-303

- (1) Plug
(2) Hose Barb

SS-QC-1611-04-04-303	31.31
SS-QC-1611-06-06-303	50.38
SS-QC-1611-08-08-303	52.31
SS-QC-1611-12-12-303	111.92
SS-QC-1611-16-16-303	131.08

Styles may vary from picture

MOBILE / INDUSTRIAL, GARDEN HOSE INTERCHANGE BRASS



B-QC-1690

(1) Socket

(2) Female Garden Hose

B-QC-1690-12-12

7.54



B-QC-1691

(1) Plug

(2) Male Garden Hose

B-QC-1691-12-12

5.20



B-QC-1692

(1) Plug

(2) Hose Barb

B-QC-1692-10-12

11.53

B-QC-1692-12-12

11.53

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

ISO-B 7241-B

BRASS

AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	60
SNAP-TITE	72
TOMCO	TH,TK



B-QC-1700

- (1) Socket
(2) Female Pipe

B-QC-1700-02-02	22.66
B-QC-1700-04-04	27.38
B-QC-1700-06-06	38.40
B-QC-1700-08-08	60.08
B-QC-1700-12-12	100.40
B-QC-1700-16-16	121.17
B-QC-1700-20-20	431.99
B-QC-1700-24-20	454.20
B-QC-1700-24-24	542.62
B-QC-1700-32-32	1,765.25



B-QC-1701

- (1) Plug
(2) Female Pipe

B-QC-1701-02-02	9.93
B-QC-1701-04-04	13.30
B-QC-1701-06-06	17.44
B-QC-1701-08-08	24.84
B-QC-1701-12-12	39.70
B-QC-1701-16-16	55.01
B-QC-1701-20-20	348.46
B-QC-1701-24-20	337.03
B-QC-1701-24-24	328.64
B-QC-1701-32-32	1,230.75



B-QC-1710

- (1) Socket
(2) Female O-Ring

B-QC-1710-08-08	93.85
-----------------	-------



B-QC-1711

- (1) Plug
(2) Female O-Ring

B-QC-1711-08-08	45.77
-----------------	-------



B-QC-1720

- (1) Socket
(2) Female BSPP

B-QC-1720-04-04	28.65
B-QC-1720-06-06	41.35
B-QC-1720-08-08	64.77
B-QC-1720-12-12	108.12
B-QC-1720-16-16	149.15

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

ISO-B 7241-B

BRASS

AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	60
SNAP-TITE	72
TOMCO	TH,TK



B-QC-1721

(1) Plug

(2) Female BSPP

B-QC-1721-04-04	15.55
B-QC-1721-06-06	20.46
B-QC-1721-08-08	26.75
B-QC-1721-12-12	44.92
B-QC-1721-16-16	59.23

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-B 7241-B STEEL

AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	60
SNAP-TITE	72
TOMCO	TH,TK



S-QC-1700

- (1) Socket
(2) Female Pipe

S-QC-1700-02-02	28.89
S-QC-1700-04-04	27.45
S-QC-1700-06-06	39.53
S-QC-1700-08-08	46.95
S-QC-1700-12-12	74.65
S-QC-1700-16-16	100.05
S-QC-1700-20-20	456.84
S-QC-1700-24-20	473.48
S-QC-1700-24-24	473.48
S-QC-1700-32-32	1,411.11



S-QC-1710

- (1) Socket
(2) Female O-Ring

S-QC-1710-02-04	38.54
S-QC-1710-04-06	40.31
S-QC-1710-06-08	56.69
S-QC-1710-08-10	75.01
S-QC-1710-12-12	103.90
S-QC-1710-16-16	147.28
S-QC-1710-24-20	544.92
S-QC-1710-24-24	544.92



S-QC-1701

- (1) Plug
(2) Female Pipe

S-QC-1701-02-02	9.95
S-QC-1701-04-04	12.68
S-QC-1701-06-06	19.15
S-QC-1701-08-08	21.81
S-QC-1701-12-12	34.50
S-QC-1701-16-16	45.63
S-QC-1701-20-20	401.25
S-QC-1701-24-20	436.80
S-QC-1701-24-24	379.28
S-QC-1701-32-32	1031.92



S-QC-1711

- (1) Plug
(2) Female O-Ring

S-QC-1711-02-04	17.15
S-QC-1711-04-06	23.09
S-QC-1711-06-08	34.54
S-QC-1711-08-10	43.15
S-QC-1711-12-12	58.72
S-QC-1711-16-16	90.31
S-QC-1711-24-20	458.63
S-QC-1711-24-24	458.63

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-B 7241-B STEEL

AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	60
SNAP-TITE	72
TOMCO	TH,TK



S-QC-1720

- (1) Socket
(2) Female BSPP

S-QC-1720-04-04	30.15
S-QC-1720-06-06	45.62
S-QC-1720-08-08	52.38
S-QC-1720-12-12	82.77
S-QC-1720-16-16	111.38
S-QC-1720-20-20	477.92
S-QC-1720-24-24	495.38



S-QC-1721

- (1) Plug
(2) Female BSPP

S-QC-1721-04-04	14.77
S-QC-1721-06-06	23.54
S-QC-1721-08-08	25.23
S-QC-1721-12-12	39.85
S-QC-1721-16-16	52.69
S-QC-1721-20-20	419.77
S-QC-1721-24-24	436.85

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

ISO-B 7241-B STAINLESS STEEL

AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	50
SNAP-TITE	72
TOMCO	TH, TK



SS-QC-1700 (316)

- (1) Socket
(2) Female Pipe

SS-QC-1700-04-04	161.16
SS-QC-1700-06-06	220.77
SS-QC-1700-08-08	338.31
SS-QC-1700-12-12	590.63
SS-QC-1700-16-16	870.77
SS-QC-1700-20-20	1,878.54
SS-QC-1700-24-24	2,687.23



SS-QC-1701 (316)

- (1) Plug
(2) Female Pipe

SS-QC-1701-04-04	81.92
SS-QC-1701-06-06	119.54
SS-QC-1701-08-08	153.68
SS-QC-1701-12-12	240.40
SS-QC-1701-16-16	369.75
SS-QC-1701-20-20	1,581.08
SS-QC-1701-24-24	1,883.08



SS-QC-1700-303

- (1) Socket
(2) Female Pipe

SS-QC-1700-02-02-303	83.08
SS-QC-1700-04-04-303	81.46
SS-QC-1700-06-06-303	114.46
SS-QC-1700-08-08-303	181.46
SS-QC-1700-12-12-303	281.54
SS-QC-1700-16-16-303	456.96
SS-QC-1700-20-20-303	1,070.38
SS-QC-1700-24-20-303	1,219.38
SS-QC-1700-24-24-303	1,196.65
SS-QC-1700-32-32-303	4,430.01



SS-QC-1701-303

- (1) Plug
(2) Female Pipe

SS-QC-1701-02-02-303	32.13
SS-QC-1701-04-04-303	32.85
SS-QC-1701-06-06-303	54.13
SS-QC-1701-08-08-303	85.72
SS-QC-1701-12-12-303	129.11
SS-QC-1701-16-16-303	218.50
SS-QC-1701-20-20-303	822.37
SS-QC-1701-24-20-303	860.38
SS-QC-1701-24-24-303	854.75
SS-QC-1701-32-32-303	3,046.15

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

ISO-B 7241-B

STAINLESS STEEL

AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	50
SNAP-TITE	72
TOMCO	TH, TK



SS-QC-1710-303

- (1) Socket
(2) Female O-Ring

SS-QC-1710-02-04-303	129.83
SS-QC-1710-04-06-303	119.46
SS-QC-1710-06-08-303	169.62
SS-QC-1710-08-10-303	293.62
SS-QC-1710-12-12-303	417.77
SS-QC-1710-16-16-303	662.31
SS-QC-1710-20-20-303	1,070.38
SS-QC-1710-24-24-303	1,330.85



SS-QC-1720-303

- (1) Socket
(2) Female BSPP

SS-QC-1720-04-04-303	101.57
SS-QC-1720-06-06-303	142.50
SS-QC-1720-08-08-303	229.82
SS-QC-1720-12-12-303	390.92
SS-QC-1720-16-16-303	581.93



SS-QC-1711-303

- (1) Plug
(2) Female O-Ring

SS-QC-1711-02-04-303	61.69
SS-QC-1711-04-06-303	59.92
SS-QC-1711-06-08-303	115.01
SS-QC-1711-08-10-303	155.69
SS-QC-1711-12-12-303	240.92
SS-QC-1711-16-16-303	394.62
SS-QC-1711-20-20-303	903.46
SS-QC-1711-24-24-303	1,076.08



SS-QC-1721-303

- (1) Plug
(2) Female BSPP

SS-QC-1721-04-04-303	40.93
SS-QC-1721-06-06-303	67.90
SS-QC-1721-08-08-303	108.10
SS-QC-1721-12-12-303	167.90
SS-QC-1721-16-16-303	272.65

Styles may vary from picture

ISO-B INTERCHANGE STEAM SERVICE

BRASS and STEEL



B-QC-1800

- (1) Socket
(2) Female Pipe

B-QC-1800-04-04	54.31
B-QC-1800-06-06	58.46
B-QC-1800-08-08	81.54
B-QC-1800-12-12	127.62
B-QC-1800-16-16	207.23



S-QC-1801

- (1) Plug
(2) Female Pipe

S-QC-1801-04-04	13.54
S-QC-1801-06-06	21.85
S-QC-1801-08-08	24.92
S-QC-1801-12-12	36.69
S-QC-1801-16-16	48.54



B-QC-1801

- (1) Plug
(2) Female Pipe

B-QC-1801-04-04	15.62
B-QC-1801-06-06	20.55
B-QC-1801-08-08	28.59
B-QC-1801-12-12	44.87
B-QC-1801-16-16	59.23

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

Valved
BRASS

FASTER TNY
SNAP-TITE H SERIES



B-QC-1900

(1) Socket
(2) Female Pipe

B-QC-1900-04-04	34.19
B-QC-1900-06-06	44.43
B-QC-1900-08-08	65.22
B-QC-1900-12-12	101.03
B-QC-1900-16-16	165.97
B-QC-1900-20-20	341.18
B-QC-1900-24-24	473.60
B-QC-1900-32-32	1003.82



B-QC-1920

(1) Socket
(2) Female BSPP

B-QC-1920-04-04	35.77
B-QC-1920-06-06	46.48
B-QC-1920-08-08	68.23
B-QC-1920-12-12	105.69
B-QC-1920-16-16	173.62
B-QC-1920-20-20	356.92
B-QC-1920-24-24	495.46
B-QC-1920-32-32	1050.15



B-QC-1901

(1) Plug
(2) Female Pipe

B-QC-1901-04-04	24.34
B-QC-1901-06-06	34.19
B-QC-1901-08-08	45.51
B-QC-1901-12-12	61.84
B-QC-1901-16-16	119.45
B-QC-1901-20-20	241.25
B-QC-1901-24-24	319.79
B-QC-1901-32-32	780.62



B-QC-1921

(1) Plug
(2) Female BSPP

B-QC-1921-04-04	25.46
B-QC-1921-06-06	35.77
B-QC-1921-08-08	47.62
B-QC-1921-12-12	64.69
B-QC-1921-16-16	125.01
B-QC-1921-20-20	252.38
B-QC-1921-24-24	334.55
B-QC-1921-32-32	816.69

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

Valved
BRASS

FASTER TNV
SNAP-TITE H SERIES



B-QC-1940

- (1) Socket
(2) Male Pipe

B-QC-1940-04-04	36.88
B-QC-1940-06-06	47.79
B-QC-1940-08-08	69.85
B-QC-1940-12-12	108.60
B-QC-1940-16-16	181.48
B-QC-1940-20-20	425.01
B-QC-1940-24-24	599.34
B-QC-1940-32-32	1,058.31



B-QC-1951

- (1) Plug
(2) Male Pipe

B-QC-1951-04-04	27.06
B-QC-1951-06-06	37.57
B-QC-1951-08-08	50.01
B-QC-1951-12-12	69.41
B-QC-1951-16-16	135.01
B-QC-1951-20-20	325.04
B-QC-1951-24-24	435.44
B-QC-1951-32-32	877.87

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STEEL

FASTER TNV
SNAP-TITE H SERIES



S-QC-1900

(1) Socket
(2) Female Pipe

S-QC-1900-04-04	30.01
S-QC-1900-06-06	39.71
S-QC-1900-08-08	48.29
S-QC-1900-12-12	74.43
S-QC-1900-16-16	116.07
S-QC-1900-20-20	269.94
S-QC-1900-24-24	382.43
S-QC-1900-32-32	744.35



S-QC-1910

(1) Socket
(2) Female O-Ring

S-QC-1910-04-04	34.54
S-QC-1910-06-06	44.92
S-QC-1910-08-08	54.62
S-QC-1910-12-12	84.54
S-QC-1910-16-16	99.08
S-QC-1910-20-20	305.23
S-QC-1910-24-24	430.08



S-QC-1901

(1) Plug
(2) Female Pipe

S-QC-1901-04-04	19.95
S-QC-1901-06-06	25.59
S-QC-1901-08-08	30.60
S-QC-1901-12-12	45.96
S-QC-1901-16-16	72.32
S-QC-1901-20-20	217.87
S-QC-1901-24-24	274.07
S-QC-1901-32-32	530.29



S-QC-1911

(1) Plug
(2) Female O-Ring

S-QC-1911-04-04	22.62
S-QC-1911-06-06	28.15
S-QC-1911-08-08	33.62
S-QC-1911-12-12	50.46
S-QC-1911-16-16	80.62
S-QC-1911-20-20	239.31
S-QC-1911-24-24	305.54

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STEEL

FASTER TNV
SNAP-TITE H SERIES



S-QC-1920

- (1) Socket
(2) Female BSPP

S-QC-1920-04-04	31.38
S-QC-1920-06-06	43.08
S-QC-1920-08-08	52.01
S-QC-1920-12-12	80.54
S-QC-1920-16-16	125.01
S-QC-1920-20-20	290.77
S-QC-1920-24-24	409.54
S-QC-1920-32-32	778.77



S-QC-1940

- (1) Socket
(2) Male Pipe

S-QC-1940-04-04	31.54
S-QC-1940-06-06	42.94
S-QC-1940-08-08	52.21
S-QC-1940-12-12	80.81
S-QC-1940-16-16	125.44
S-QC-1940-20-20	291.76
S-QC-1940-24-24	448.09
S-QC-1940-32-32	868.01



S-QC-1921

- (1) Plug
(2) Female BSPP

S-QC-1921-04-04	21.54
S-QC-1921-06-06	26.77
S-QC-1921-08-08	32.08
S-QC-1921-12-12	48.08
S-QC-1921-16-16	76.77
S-QC-1921-20-20	227.92
S-QC-1921-24-24	291.01
S-QC-1921-32-32	563.01



S-QC-1942

- (1) Socket
(2) Male BSPP

S-QC-1942-04-04	27.55
S-QC-1942-06-06	37.81
S-QC-1942-08-08	45.98
S-QC-1942-12-12	70.49
S-QC-1942-16-16	118.56

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STEEL

FASTER TNV
SNAP-TITE H SERIES



S-QC-1951

(1) Plug

(2) Male Pipe

S-QC-1951-04-04	22.28
S-QC-1951-06-06	27.72
S-QC-1951-08-08	33.16
S-QC-1951-12-12	48.90
S-QC-1951-16-16	88.24
S-QC-1951-20-20	263.68
S-QC-1951-24-24	338.90
S-QC-1951-32-32	623.46



S-QC-1953

(1) Plug

(2) Male BST

S-QC-1953-04-04	18.85
S-QC-1953-06-06	23.08
S-QC-1953-08-08	28.23
S-QC-1953-12-12	41.08
S-QC-1953-16-16	74.08

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STAINLESS STEEL

FASTER TNV
SNAP-TITE H SERIES



SS-QC-1900

(1) Socket
(2) Female Pipe

SS-QC-1900-04-04	117.79
SS-QC-1900-06-06	169.19
SS-QC-1900-08-08	233.09
SS-QC-1900-12-12	333.68
SS-QC-1900-16-16	514.26
SS-QC-1900-20-20	850.01
SS-QC-1900-24-24	1,154.26
SS-QC-1900-32-32	2,069.41



SS-QC-1920

(1) Socket
(2) Female BSPP

SS-QC-1920-04-04	123.21
SS-QC-1920-06-06	177.01
SS-QC-1920-08-08	243.85
SS-QC-1920-12-12	349.08
SS-QC-1920-16-16	538.01
SS-QC-1920-20-20	889.23
SS-QC-1920-24-24	1,207.54
SS-QC-1920-32-32	2,164.92



SS-QC-1901

(1) Plug
(2) Female Pipe

SS-QC-1901-04-04	82.21
SS-QC-1901-06-06	120.74
SS-QC-1901-08-08	166.03
SS-QC-1901-12-12	228.68
SS-QC-1901-16-16	373.01
SS-QC-1901-20-20	619.49
SS-QC-1901-24-24	863.82
SS-QC-1901-32-32	1,601.47



SS-QC-1921

(1) Plug
(2) Female BSPP

SS-QC-1921-04-04	86.01
SS-QC-1921-06-06	126.31
SS-QC-1921-08-08	173.69
SS-QC-1921-12-12	239.23
SS-QC-1921-16-16	390.23
SS-QC-1921-20-20	648.05
SS-QC-1921-24-24	903.69
SS-QC-1921-32-32	1,675.38

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STAINLESS STEEL

FASTER TNV
SNAP-TITE H SERIES



SS-QC-1940

- (1) Socket
(2) Male Pipe

SS-QC-1940-04-04	133.75
SS-QC-1940-06-06	182.35
SS-QC-1940-08-08	271.62
SS-QC-1940-12-12	418.97
SS-QC-1940-16-16	554.56
SS-QC-1940-20-20	850.01
SS-QC-1940-24-24	1,154.26
SS-QC-1940-32-32	2,069.41



SS-QC-1951

- (1) Plug
(2) Male Pipe

SS-QC-1951-04-04	98.09
SS-QC-1951-06-06	133.97
SS-QC-1951-08-08	204.56
SS-QC-1951-12-12	313.97
SS-QC-1951-16-16	413.31
SS-QC-1951-20-20	733.01
SS-QC-1951-24-24	950.22
SS-QC-1951-32-32	1,681.54

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

Non-Valved
BRASS

FASTER TNV
SNAP-TITE H SERIES



B-QC-1960-NV

- (1) Socket
(2) Female Pipe

B-QC-1960-NV-04-04	21.08
B-QC-1960-NV-06-06	34.92
B-QC-1960-NV-08-08	41.69
B-QC-1960-NV-12-12	59.23
B-QC-1960-NV-16-16	97.38
B-QC-1960-NV-20-20	172.55
B-QC-1960-NV-24-24	380.15
B-QC-1960-NV-32-32	881.31



B-QC-1980-NV

- (1) Socket
(2) Female BSPP

B-QC-1980-NV-04-04	21.08
B-QC-1980-NV-06-06	34.92
B-QC-1980-NV-08-08	41.69
B-QC-1980-NV-12-12	59.23
B-QC-1980-NV-16-16	97.38



B-QC-1961-NV

- (1) Plug
(2) Female Pipe

B-QC-1961-NV-04-04	9.49
B-QC-1961-NV-06-06	11.54
B-QC-1961-NV-08-08	14.12
B-QC-1961-NV-12-12	24.56
B-QC-1961-NV-16-16	31.85
B-QC-1961-NV-20-20	58.53
B-QC-1961-NV-24-24	162.20
B-QC-1961-NV-32-32	208.31



B-QC-1981-NV

- (1) Plug
(2) Female BSPP

B-QC-1981-NV-04-04	9.92
B-QC-1981-NV-06-06	12.08
B-QC-1981-NV-08-08	14.77
B-QC-1981-NV-12-12	25.69
B-QC-1981-NV-16-16	33.38

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

Non-Valved
BRASS

FASTER TNV
SNAP-TITE H SERIES



B-QC-1990-NV

(1) Socket
(2) Male Pipe

B-QC-1990-NV-04-04	21.08
B-QC-1990-NV-06-06	34.92
B-QC-1990-NV-08-08	41.69
B-QC-1990-NV-12-12	59.23
B-QC-1990-NV-16-16	97.38



B-QC-1992-NV

(1) Socket
(2) Male BST

B-QC-1992-NV-04-04	33.62
B-QC-1992-NV-06-06	43.54
B-QC-1992-NV-08-08	65.08
B-QC-1992-NV-12-12	100.08
B-QC-1992-NV-16-16	167.15



B-QC-1991-NV

(1) Plug
(2) Male Pipe

B-QC-1991-NV-04-04	9.49
B-QC-1991-NV-06-06	11.76
B-QC-1991-NV-08-08	14.12
B-QC-1991-NV-12-12	28.31
B-QC-1991-NV-16-16	43.01



B-QC-1993-NV

(1) Plug
(2) Male BST

B-QC-1993-NV-04-04	7.85
B-QC-1993-NV-06-06	8.77
B-QC-1993-NV-08-08	11.77
B-QC-1993-NV-12-12	21.31
B-QC-1993-NV-16-16	28.01

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non-Valved
STEEL

FASTER TNV
SNAP-TITE H SERIES



S-QC-1960-NV

(1) Socket
(2) Female Pipe


S-QC-1960-NV-04-04	18.31
S-QC-1960-NV-06-06	26.69
S-QC-1960-NV-08-08	33.53
S-QC-1960-NV-12-12	51.40
S-QC-1960-NV-16-16	66.25
S-QC-1960-NV-20-20	134.78
S-QC-1960-NV-24-24	204.78
S-QC-1960-NV-32-32	317.28



S-QC-1970-NV

(1) Socket
(2) Female O-Ring

S-QC-1970-NV-04-04	23.24
S-QC-1970-NV-06-06	31.17
S-QC-1970-NV-08-08	38.44
S-QC-1970-NV-12-12	65.17
S-QC-1970-NV-16-16	116.22



S-QC-1961-NV

(1) Plug
(2) Female Pipe

S-QC-1961-NV-04-04	9.04
S-QC-1961-NV-06-06	10.07
S-QC-1961-NV-08-08	12.57
S-QC-1961-NV-12-12	17.87
S-QC-1961-NV-16-16	31.91
S-QC-1961-NV-20-20	62.28
S-QC-1961-NV-24-24	106.32
S-QC-1961-NV-32-32	136.03



S-QC-1971-NV

(1) Plug
(2) Female O-Ring

S-QC-1971-NV-04-04	8.78
S-QC-1971-NV-06-06	9.83
S-QC-1971-NV-08-08	13.42
S-QC-1971-NV-12-12	22.83
S-QC-1971-NV-16-16	39.58

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non-Valved
STEEL

FASTER TNV
SNAP-TITE H SERIES



S-QC-1980-NV

(1) Socket
(2) Female BSPP

S-QC-1980-NV-04-04	19.15
S-QC-1980-NV-06-06	27.92
S-QC-1980-NV-08-08	35.08
S-QC-1980-NV-12-12	53.77
S-QC-1980-NV-16-16	69.31
S-QC-1980-NV-20-20	141.01
S-QC-1980-NV-24-24	214.23
S-QC-1980-NV-32-32	331.92



S-QC-1990-NV

(1) Socket
(2) Male Pipe

S-QC-1990-NV-04-04	19.15
S-QC-1990-NV-06-06	26.69
S-QC-1990-NV-08-08	33.53
S-QC-1990-NV-12-12	51.40
S-QC-1990-NV-16-16	66.25
S-QC-1990-NV-20-20	134.78
S-QC-1990-NV-24-24	204.78
S-QC-1990-NV-32-32	317.28



S-QC-1981-NV

(1) Plug
(2) Female BSPP

S-QC-1981-NV-04-04	9.46
S-QC-1981-NV-06-06	10.54
S-QC-1981-NV-08-08	13.15
S-QC-1981-NV-12-12	18.69
S-QC-1981-NV-16-16	33.38
S-QC-1981-NV-20-20	65.15
S-QC-1981-NV-24-24	111.23
S-QC-1981-NV-32-32	142.31



S-QC-1991-NV

(1) Plug
(2) Male Pipe

S-QC-1991-NV-04-04	9.04
S-QC-1991-NV-06-06	10.07
S-QC-1991-NV-08-08	11.99
S-QC-1991-NV-12-12	17.87
S-QC-1991-NV-16-16	36.69
S-QC-1991-NV-20-20	73.08
S-QC-1991-NV-24-24	114.15
S-QC-1991-NV-32-32	183.08

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non-Valved
STEEL

FASTER TNV
SNAP-TITE H SERIES



S-QC-1992-NV

- (1) Socket
(2) Male BST

S-QC-1992-NV-04-04	18.46
S-QC-1992-NV-06-06	26.54
S-QC-1992-NV-08-08	33.15
S-QC-1992-NV-12-12	50.92
S-QC-1992-NV-16-16	65.54



S-QC-1993-NV

- (1) Plug
(2) Male BST

S-QC-1993-NV-04-04	7.62
S-QC-1993-NV-06-06	8.54
S-QC-1993-NV-08-08	10.15
S-QC-1993-NV-12-12	15.15
S-QC-1993-NV-16-16	30.77

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non Valved
STAINLESS STEEL

FASTER TNV
SNAP TITE H SERIES



SS-QC-1960-NV

(1) Socket
(2) Female Pipe

SS-QC-1960-NV-04-04	75.29
SS-QC-1960-NV-06-06	96.40
SS-QC-1960-NV-08-08	121.99
SS-QC-1960-NV-12-12	194.34
SS-QC-1960-NV-16-16	265.96
SS-QC-1960-NV-20-20	409.12
SS-QC-1960-NV-24-24	736.40
SS-QC-1960-NV-32-32	892.57



SS-QC-1980-NV

(1) Socket
(2) Female BSPP

SS-QC-1980-NV-04-04	75.29
SS-QC-1980-NV-06-06	96.40
SS-QC-1980-NV-08-08	121.99
SS-QC-1980-NV-12-12	194.34
SS-QC-1980-NV-16-16	265.96
SS-QC-1980-NV-20-20	409.12
SS-QC-1980-NV-24-24	736.40
SS-QC-1980-NV-32-32	892.57



SS-QC-1961-NV

(1) Plug
(2) Female Pipe

SS-QC-1961-NV-04-04	26.84
SS-QC-1961-NV-06-06	39.04
SS-QC-1961-NV-08-08	48.68
SS-QC-1961-NV-12-12	68.75
SS-QC-1961-NV-16-16	131.47
SS-QC-1961-NV-20-20	231.62
SS-QC-1961-NV-24-24	333.90
SS-QC-1961-NV-32-32	461.32



SS-QC-1981-NV

(1) Plug
(2) Female BSPP

SS-QC-1981-NV-04-04	26.84
SS-QC-1981-NV-06-06	39.04
SS-QC-1981-NV-08-08	48.68
SS-QC-1981-NV-12-12	68.75
SS-QC-1981-NV-16-16	131.47
SS-QC-1981-NV-20-20	231.62
SS-QC-1981-NV-24-24	333.90
SS-QC-1981-NV-32-32	461.32

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non Valved
STAINLESS STEEL

FASTER TNV
SNAP TITE H SERIES



SS-QC-1990-NV

(1) Socket
(2) Male Pipe

SS-QC-1990-NV-04-04	78.77
SS-QC-1990-NV-06-06	100.85
SS-QC-1990-NV-08-08	127.62
SS-QC-1990-NV-12-12	203.31
SS-QC-1990-NV-16-16	278.23
SS-QC-1990-NV-20-20	428.01
SS-QC-1990-NV-24-24	770.38
SS-QC-1990-NV-32-32	933.77



SS-QC-1992-NV

(1) Socket
(2) Male BST

SS-QC-1992-NV-04-04	73.60
SS-QC-1992-NV-06-06	94.26
SS-QC-1992-NV-08-08	120.74
SS-QC-1992-NV-12-12	191.03
SS-QC-1992-NV-16-16	261.62



SS-QC-1991-NV

(1) Plug
(2) Male Pipe

SS-QC-1991-NV-04-04	26.82
SS-QC-1991-NV-06-06	39.04
SS-QC-1991-NV-08-08	48.68
SS-QC-1991-NV-12-12	91.62
SS-QC-1991-NV-16-16	145.29
SS-QC-1991-NV-20-20	231.62
SS-QC-1991-NV-24-24	333.90
SS-QC-1991-NV-32-32	461.32



SS-QC-1993-NV

(1) Plug
(2) Male BST

SS-QC-1993-NV-04-04	20.15
SS-QC-1993-NV-06-06	31.32
SS-QC-1993-NV-08-08	39.04
SS-QC-1993-NV-12-12	61.32
SS-QC-1993-NV-16-16	120.88

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-A STEEL

AQ	5601
FASTER	ANV
PARKER	6600
SAFEGWAY	S56



S-QC-2000

- (1) Socket
(2) Female Pipe

S-QC-2000-04-02	56.15
S-QC-2000-04-04	33.45
S-QC-2000-06-06	44.76
S-QC-2000-08-08	40.75
S-QC-2000-08-12	68.37
S-QC-2000-12-12	81.26
S-QC-2000-16-16	115.08
S-QC-2000-20-20	408.83
S-QC-2000-24-24	511.50
S-QC-2000-32-32	1,021.67



S-QC-2010

- (1) Socket
(2) SAE O-Ring

S-QC-2010-04-04	57.23
S-QC-2010-06-06	51.25
S-QC-2010-08-08	51.84
S-QC-2010-08-10	52.71
S-QC-2010-08-12	94.46
S-QC-2010-12-12	98.21
S-QC-2010-16-16	146.32



S-QC-2001

- (1) Plug
(2) Female Pipe

S-QC-2001-04-02	20.50
S-QC-2001-04-04	13.08
S-QC-2001-06-06	20.47
S-QC-2001-08-08	16.28
S-QC-2001-08-12	37.78
S-QC-2001-12-12	38.42
S-QC-2001-16-16	48.60
S-QC-2001-20-20	204.42
S-QC-2001-24-24	266.17
S-QC-2001-32-32	614.99



S-QC-2011

- (1) Plug
(2) Female O-Ring

S-QC-2011-04-04	25.50
S-QC-2011-06-06	24.04
S-QC-2011-08-08	26.47
S-QC-2011-08-10	33.01
S-QC-2011-08-12	56.01
S-QC-2011-12-12	51.91
S-QC-2011-16-16	63.53

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-A STEEL

AQ	5601
FASTER	ANV
PARKER	6600
SAFEWAY	S56



S-QC-2020

- (1) Socket
(2) Female BSPP

S-QC-2020-04-04	38.67
S-QC-2020-06-06	55.95
S-QC-2020-08-08	55.95
S-QC-2020-12-12	93.77
S-QC-2020-16-16	132.78



S-QC-2021

- (1) Plug
(2) Female BSPP

S-QC-2021-04-04	15.15
S-QC-2021-06-06	23.69
S-QC-2021-08-08	21.75
S-QC-2021-12-12	44.15
S-QC-2021-16-16	56.08

Styles may vary from picture

AGRICULTURAL INTERCHANGE

Ball Valve STEEL

FASTER	NS
PARKER	4000
SNAP-TITE	21, 61



S-QC-2300

- (1) Socket
(2) Female Pipe

S-QC-2300-04-04	36.44
S-QC-2300-06-06	39.41
S-QC-2300-08-08	38.81
S-QC-2300-08-12	61.62
S-QC-2300-12-12	118.96
S-QC-2300-16-16	138.96



S-QC-2301

- (1) Plug
(2) Female Pipe

S-QC-2301-04-04	16.62
S-QC-2301-06-06	20.43
S-QC-2301-08-08	15.57
S-QC-2301-08-12	36.69
S-QC-2301-12-12	51.29
S-QC-2301-16-16	69.85



S-QC-2310

- (1) Socket
(2) Female O-Ring

S-QC-2310-08-08	66.54
S-QC-2310-08-10	65.83



S-QC-2311

- (1) Plug
(2) Female O-Ring

S-QC-2311-08-08	30.37
S-QC-2311-08-10	25.15



S-QC-3301 (JOHN DEERE)

- (1) Plug
(2) Female Pipe

S-QC-3301-08-08	20.74
-----------------	-------



S-QC-3311 (JOHN DEERE)

- (1) Plug
(2) Female O-Ring (Ball Valve)

S-QC-3311-08-08	22.22
-----------------	-------

Styles may vary from picture

AGRICULTURAL INTERCHANGE

Poppet Valve STEEL

AQ	FD42
FASTER	NV
PARKER	4000



S-QC-2400

- (1) Socket
(2) Female Pipe

S-QC-2400-04-04	31.56
S-QC-2400-06-06	38.09
S-QC-2400-08-08	37.43
S-QC-2400-08-12	50.62
S-QC-2400-12-12	123.08
S-QC-2400-16-16	154.41
S-QC-2400-20-20	435.38
S-QC-2400-24-24	589.75
S-QC-2400-32-32	1,179.50



S-QC-2401

- (1) Plug
(2) Female Pipe

S-QC-2401-04-04	13.99
S-QC-2401-06-06	17.65
S-QC-2401-08-08	15.44
S-QC-2401-08-12	23.25
S-QC-2401-12-12	58.09
S-QC-2401-16-16	69.85
S-QC-2401-20-20	235.83
S-QC-2401-24-24	369.01
S-QC-2401-32-32	653.23



S-QC-2410

- (1) Socket
(2) Female O-Ring

S-QC-2410-08-08	48.17
S-QC-2410-08-10	59.77
S-QC-2410-12-12	65.67



S-QC-2411

- (1) Plug
(2) Female O-Ring

S-QC-2411-08-08	27.59
S-QC-2411-08-10	29.63
S-QC-2411-12-12	29.99



S-QC-2420

- (1) Socket
(2) Female BSPP

S-QC-2420-04-04	45.38
S-QC-2420-06-06	49.08
S-QC-2420-08-08	56.62
S-QC-2420-12-12	135.69
S-QC-2420-16-16	168.38

Styles may vary from picture

AGRICULTURAL INTERCHANGE

Poppet Valve
STEEL



S-QC-2421

(1) Plug

(2) Female BSPP

S-QC-2421-04-04	19.38
S-QC-2421-06-06	21.99
S-QC-2421-08-08	26.47
S-QC-2421-12-12	61.92
S-QC-2421-16-16	81.99



S-QC-2700-PUSH PULL

(1) Socket

(2) Female Pipe

S-QC-2700-08-08-POP	46.52
---------------------	-------

Styles may vary from picture

AGRICULTURAL INTERCHANGE

- CONNECT UNDER PRESSURE -

STEEL

AQ 72
FAS 3 CPV



S-QC-2800

- (1) Socket
- (2) Female O-Ring

S-QC-2800-08-08 128.69



S-QC-3200 (PUSH PULL)

- (1) Socket
- (2) Female O-Ring

S-QC-3200-08-08 206.22



S-QC-2810

- (1) Socket
- (2) Female Pipe

S-QC-2810-08-08 128.69



S-QC-2901

- (1) Plug
- (2) Female Pipe

S-QC-2901-08-08-BAL 19.01

S-QC-2901-08-08-POP 19.01



S-QC-2911

- (1) Plug
- (2) Female O-Ring

S-QC-2911-08-08-BAL 34.55

S-QC-2911-08-08-POP 26.69

Styles may vary from picture

MOBILE, WING NUT INTERCHANGE

BRASS and STEEL

AQ	5100
FASTER	FB
PARKER	6100
SNAP-TITE	78



B-QC-2500

- (1) Socket
(2) Female Pipe

B-QC-2500-08-08	123.97
B-QC-2500-12-08	115.37
B-QC-2500-12-12	108.38
B-QC-2500-16-16	133.90
B-QC-2500-20-20	231.29
B-QC-2500-24-24	311.99



B-QC-2504

- (1) Socket - No Wing Nut
(2) Female Pipe

B-QC-2504-08-08	189.08
B-QC-2504-12-08	122.65
B-QC-2504-12-12	109.95
B-QC-2504-16-16	132.45
B-QC-2504-20-20	238.09
B-QC-2504-24-24	311.99



B-QC-2501

- (1) Plug
(2) Female Pipe

B-QC-2501-08-08	89.68
B-QC-2501-12-08	90.92
B-QC-2501-12-12	73.38
B-QC-2501-16-16	88.46
B-QC-2501-20-20	187.57
B-QC-2501-24-24	291.43



S-QC-2503

Bulkhead Mounting Flanges

S-QC-2503-12	5.92
S-QC-2503-16	7.15
S-QC-2503-20	9.56
S-QC-2503-24	12.77

Styles may vary from picture

MOBILE, WING NUT INTERCHANGE

STAINLESS STEEL

AQ	5100
FASTER	FB
PARKER	6100
SNAP-TITE	78



SS-QC-2500-303

- (1) Socket
(2) Female Pipe

SS-QC-2500-12-08-303	424.83
SS-QC-2500-12-12-303	368.46
SS-QC-2500-16-16-303	455.31
SS-QC-2500-20-20-303	796.92
SS-QC-2500-24-24-303	979.08



SS-QC-2504-303

- (1) Socket - No Wing Nut
(2) Female Pipe

SS-QC-2504-12-12-303	417.92
SS-QC-2504-16-16-303	486.01
SS-QC-2504-20-20-303	841.23
SS-QC-2504-24-24-303	1,034.31



SS-QC-2501-303

- (1) Plug
(2) Female Pipe

SS-QC-2501-12-08-303	295.38
SS-QC-2501-12-12-303	249.46
SS-QC-2501-16-16-303	300.77
SS-QC-2501-20-20-303	627.92
SS-QC-2501-24-24-303	941.46

Styles may vary from picture

SNAP- TITE 23 SERIES INTERCHANGEABLE COUPLINGS

FULLY INTERCHANGEABLE WITH SNAP-TITE 23 SERIES COUPLINGS
STEEL



S-QC-ST23-2600

- (1) Socket
- (2) Female Pipe

S-QC-ST23-2600-06-06 83.77



S-QC-ST23-2601

- (1) Plug
- (2) Female Pipe

S-QC-ST23-2601-06-06 28.85

SNAP-TITE 71 SERIES INTERCHANGEABLE COUPLINGS

FULLY INTERCHANGEABLE WITH SNAP-TITE 71 SERIES GENERATION 3 COUPLINGS
STEEL



S-QC-ST71-2600

- (1) Socket
(2) Female Pipe

S-QC-ST71-2600-12-12	162.21
S-QC-ST71-2600-16-16	287.21
S-QC-ST71-2600-16-20	334.20
S-QC-ST71-2600-32-24	1,586.25
S-QC-ST71-2600-32-32	1,586.25



S-QC-ST71-2611

- (1) Plug
(2) Female O-ring

S-QC-ST71-2611-12-12	93.31
S-QC-ST71-2611-16-16	138.31
S-QC-ST71-2611-16-20	185.01
S-QC-ST71-2611-32-24	928.53
S-QC-ST71-2611-32-32	928.53



S-QC-ST71-2601

- (1) Plug
(2) Female Pipe

S-QC-ST71-2601-12-12	86.03
S-QC-ST71-2601-16-16	128.46
S-QC-ST71-2601-16-20	174.78
S-QC-ST71-2601-32-24	851.76
S-QC-ST71-2601-32-32	851.76



S-QC-ST71-2620

- (1) Socket
(2) Female BSPP

S-QC-ST71-2620-12-12	162.21
S-QC-ST71-2620-16-16	287.28
S-QC-ST71-2620-16-20	357.06
S-QC-ST71-2620-32-24	1,586.25
S-QC-ST71-2620-32-32	1,586.25



S-QC-ST71-2610

- (1) Socket
(2) Female O-ring

S-QC-ST71-2610-12-12	172.79
S-QC-ST71-2610-16-16	306.47
S-QC-ST71-2610-16-20	334.26
S-QC-ST71-2610-32-24	1,698.16
S-QC-ST71-2610-32-32	1,698.16



S-QC-ST71-2621

- (1) Plug
(2) Female BSPP

S-QC-ST71-2621-12-12	86.10
S-QC-ST71-2621-16-16	128.46
S-QC-ST71-2621-16-20	174.78
S-QC-ST71-2621-32-24	851.76
S-QC-ST71-2621-32-32	851.76

Styles may vary from picture

SNAP-TITE 71 SERIES

INTERCHANGEABLE COUPLINGS

FULLY INTERCHANGEABLE WITH SNAP-TITE SERIES GENERATION 3 COUPLINGS
STAINLESS STEEL



SS-QC-ST71-2600

- (1) Socket
(2) Female Pipe

SS-QC-ST71-2600-12-12	743.92
SS-QC-ST71-2600-16-16	1,166.62
SS-QC-ST71-2600-16-20	1,399.85



SS-QC-ST71-2611

- (1) Plug
(2) Female O-Ring

SS-QC-ST71-2611-12-12	342.01
SS-QC-ST71-2611-16-16	407.08
SS-QC-ST71-2611-16-20	488.77



SS-QC-ST71-2601

- (1) Plug
(2) Female Pipe

SS-QC-ST71-2601-12-12	319.85
SS-QC-ST71-2601-16-16	380.77
SS-QC-ST71-2601-16-20	457.01



SS-QC-ST71-2610

- (1) Socket
(2) Female O-Ring

SS-QC-ST71-2610-12-12	795.85
SS-QC-ST71-2610-16-16	1,248.31
SS-QC-ST71-2610-16-20	1,498.23

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS FLUSH FACE - NO SPILL

3/8 HTMA

STEEL

AQ	FD49
PARKER	FF
SAFEGWAY	FF490
SNAP-TITE	74



S-QC-2600

- (1) Socket
(2) Female Pipe

S-QC-2600-04-04	103.38
S-QC-2600-06-06	103.57
S-QC-2600-06-08	112.14
S-QC-2600-08-08	124.31
S-QC-2600-08-12	128.01
S-QC-2600-12-12	216.18
S-QC-2600-16-16	366.76



S-QC-2610

- (1) Socket
(2) Female O-Ring

S-QC-2610-04-06	158.33
S-QC-2610-06-06	102.46
S-QC-2610-06-08	125.17
S-QC-2610-06-12	164.58
S-QC-2610-08-08	136.25
S-QC-2610-08-10	136.25
S-QC-2610-08-12	136.25
S-QC-2610-12-12	225.30
S-QC-2610-16-16	426.69



S-QC-2601

- (1) Plug
(2) Female Pipe

S-QC-2601-04-04	55.99
S-QC-2601-06-06	37.06
S-QC-2601-06-08	41.65
S-QC-2601-08-08	73.08
S-QC-2601-08-12	76.85
S-QC-2601-12-12	115.81
S-QC-2601-16-16	175.05



S-QC-2611

- (1) Plug
(2) Female O-Ring

S-QC-2611-04-06	65.01
S-QC-2611-06-06	40.38
S-QC-2611-06-08	39.92
S-QC-2611-08-08	76.85
S-QC-2611-08-10	76.85
S-QC-2611-08-12	76.85
S-QC-2611-12-12	137.55
S-QC-2611-16-16	208.33

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS FLUSH FACE - NO SPILL

3/8 HTMA

STEEL and STAINLESS STEEL

AQ	FD49
PARKER	FF
SAFEWAY	FF490
SNAP-TITE	74



S-QC-2620

(1) Socket
(2) Female BSPP

S-QC-2620-06-06	111.01
S-QC-2620-06-08	111.01
S-QC-2620-08-08	134.67
S-QC-2620-12-12	268.25
S-QC-2620-16-16	448.75



S-QC-2621

(1) Plug
(2) Female BSPP


S-QC-2621-06-06	40.38
S-QC-2621-06-08	43.75
S-QC-2621-08-08	79.25
S-QC-2621-12-12	171.83
S-QC-2621-16-16	245.33



SS-QC-2600 (316)

(1) Socket
(2) Female Pipe

SS-QC-2600-06-06	296.01
SS-QC-2600-06-08	318.54
SS-QC-2600-08-08	345.85
SS-QC-2600-08-12	378.92
SS-QC-2600-10-12	494.69
SS-QC-2600-12-12	713.10
SS-QC-2600-12-16	755.92
SS-QC-2600-16-16	1,180.54
SS-QC-2600-16-20	1,216.01



SS-QC-2601 (316)

(1) Plug
(2) Female Pipe

SS-QC-2601-06-06	123.85
SS-QC-2601-06-08	123.85
SS-QC-2601-08-08	210.62
SS-QC-2601-08-12	221.15
SS-QC-2601-10-12	282.85
SS-QC-2601-12-12	456.62
SS-QC-2601-12-16	479.46
SS-QC-2601-16-16	577.46
SS-QC-2601-16-20	636.31

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

FLUSH FACE - NO SPILL

SCREW TOGETHER

STEEL



S-QC-2650

(1) Socket

(2) Female Pipe

S-QC-2650-06-06	214.52
S-QC-2650-08-08	249.85
S-QC-2650-12-12	510.59
S-QC-2650-16-16	711.93
S-QC-2650-24-20	1,670.37



S-QC-2651

(1) Plug

(2) Female Pipe

S-QC-2651-06-06	142.59
S-QC-2651-08-08	174.07
S-QC-2651-12-12	303.70
S-QC-2651-16-16	525.93
S-QC-2651-24-20	1,278.52

Styles may vary from picture

DIAGNOSTIC QUICK CONNECTS

FOR GAUGES

SAE J1502

STEEL

AQ	FD90
PARKER	PD
FASTER	DF



S-QC-3000

- (1) Socket
(2) Female Pipe

S-QC-3000-04-02	73.08
S-QC-3000-04-04	73.08



S-QC-3001

- (1) Plug
(2) Female Pipe

S-QC-3001-04-02	25.23
S-QC-3001-04-04	25.23



S-QC-3010

- (1) Socket
(2) Female O-Ring

S-QC-3010-04-04	121.75
-----------------	--------



S-QC-3040

- (1) Socket
(2) Male Pipe

S-QC-3040-04-04	80.38
-----------------	-------



S-QC-3041

- (1) Plug
(2) Male Pipe


S-QC-3041-04-02	32.85
S-QC-3041-04-04	20.92



S-QC-3051

- (1) Plug
(2) Male O-Ring

S-QC-3051-04-03	31.54
S-QC-3051-04-04	33.01
S-QC-3051-04-05	33.46
S-QC-3051-04-06	22.77



S-QC-3061

- (1) Plug
(2) Metric Male O-Ring

S-QC-3061-04-14x1.5	24.85
---------------------	-------

Styles may vary from picture

REFRIGERANT and FLUID TRANSFER

BRASS and STEEL

AQ 5400
FASTER RF



B-QC-3400

(1) (2) Female Connector

B-QC-3400-04	30.77
B-QC-3400-08	43.85
B-QC-3400-12	78.23



S-QC-3400

(1) (2) Female Connector

S-QC-3400-04-04	30.77
S-QC-3400-08-08	43.85
S-QC-3400-12-12	78.23
S-QC-3400-16-16	275.01



B-QC-3401

(1) Male Connector
(2) Female Connector

B-QC-3401-04	28.15
B-QC-3401-08	39.15
B-QC-3401-12	78.01



S-QC-3401

(1) Male Connector
(2) Female Connector

S-QC-3401-04-04	27.11
S-QC-3401-08-08	37.70
S-QC-3401-12-12	75.11
S-QC-3401-16-16	189.17



S-QC-3433

(1) Male Connector
(2) Male JIC

S-QC-3433-04-04	46.50
S-QC-3433-04-06	35.15
S-QC-3433-08-06	111.92
S-QC-3433-08-08	50.01
S-QC-3433-12-08	145.42
S-QC-3433-12-12	151.75
S-QC-3433-16-16	178.75

Styles may vary from picture

DOUBLE SHUT-OFF SCREW TOGETHER STEEL

HIGH PRESSURE



S-QC-3600

- (1) Socket
(2) Female Pipe

S-QC-3600-04-04	65.54
S-QC-3600-06-06	81.31
S-QC-3600-08-08	88.69
S-QC-3600-12-12	234.31
S-QC-3600-16-16	312.92



S-QC-3700

- (1) Socket
(2) Female Pipe


S-QC-3700-08-08	92.08
S-QC-3700-12-12	222.31
S-QC-3700-16-16	361.38
S-QC-3700-20-20	724.31
S-QC-3700-24-24	905.77
S-QC-3700-32-32	1,589.54



S-QC-3601

- (1) Plug
(2) Female Pipe

S-QC-3601-04-04	43.46
S-QC-3601-06-06	55.85
S-QC-3601-08-08	60.85
S-QC-3601-12-12	125.01
S-QC-3601-16-16	169.08



S-QC-3701

- (1) Plug
(2) Female Pipe

S-QC-3701-08-08	64.54
S-QC-3701-12-12	113.15
S-QC-3701-16-16	184.54
S-QC-3701-20-20	379.01
S-QC-3701-24-24	513.85
S-QC-3701-32-32	950.15

Styles may vary from picture

INDUSTRIAL, MOLD INTERCHANGE

Non Valved
BRASS

PARKER PC200



B-QC-7000

- (1) Socket
(2) Hose Barb


B-QC-7000-04-04	11.18
B-QC-7000-04-05	11.75
B-QC-7000-04-06	11.45
B-QC-7000-06-06	16.20
B-QC-7000-06-08	15.81
B-QC-7000-08-08	33.60
B-QC-7000-08-12	33.90



B-QC-7001

- (1) Socket
(2) Push Loc

B-QC-7001-04-04	11.69
B-QC-7001-04-06	11.99
B-QC-7001-06-06	16.10
B-QC-7001-06-08	16.69
B-QC-7001-08-08	36.76
B-QC-7001-08-12	42.25



B-QC-7450

- (1) Socket
(2) Hose Barb

B-QC-7450-04-04	11.94
B-QC-7450-04-05	14.69
B-QC-7450-04-06	14.69
B-QC-7450-06-06	19.26
B-QC-7450-06-08	21.25
B-QC-7450-08-08	60.23
B-QC-7450-08-12	62.23



B-QC-7451

- (1) Socket
(2) Push Loc

B-QC-7451-04-04	14.71
B-QC-7451-04-06	16.40
B-QC-7451-06-06	21.75
B-QC-7451-06-08	23.25
B-QC-7451-08-08	61.86
B-QC-7451-08-12	68.01



B-QC-7900

- (1) Socket
(2) Hose Barb

B-QC-7900-04-04	14.69
B-QC-7900-04-05	15.75
B-QC-7900-04-06	15.35
B-QC-7900-06-06	18.60
B-QC-7900-06-08	19.49
B-QC-7900-08-08	54.38
B-QC-7900-08-12	56.15



B-QC-7901

- (1) Socket
(2) Push Loc

B-QC-7901-04-04	15.62
B-QC-7901-04-06	16.69
B-QC-7901-06-06	23.83
B-QC-7901-06-08	23.83
B-QC-7901-08-08	56.08
B-QC-7901-08-12	57.02

Styles may vary from picture

INDUSTRIAL, MOLD INTERCHANGE

Valved
BRASS

PARKER PC200V



B-QC-7000-V

- (1) Socket
(2) Hose Barb

B-QC-7000-V-04-04	17.43
B-QC-7000-V-04-05	17.43
B-QC-7000-V-04-06	17.43
B-QC-7000-V-06-06	24.26
B-QC-7000-V-06-08	24.26



B-QC-7001-V

- (1) Socket
(2) Push Loc

B-QC-7001-V-04-04	18.09
B-QC-7001-V-04-06	18.31
B-QC-7001-V-06-06	16.40
B-QC-7001-V-06-08	16.69



B-QC-7450-V

- (1) Socket
(2) Hose Barb

B-QC-7450-V-04-04	20.51
B-QC-7450-V-04-05	21.10
B-QC-7450-V-04-06	20.51
B-QC-7450-V-06-06	29.85
B-QC-7450-V-06-08	29.85



B-QC-7451-V

- (1) Socket
(2) Push Loc


B-QC-7451-V-04-04	21.62
B-QC-7451-V-04-06	21.91
B-QC-7451-V-06-06	31.18
B-QC-7451-V-06-08	31.08



B-QC-7900-V

- (1) Socket
(2) Hose Barb

B-QC-7900-V-04-04	21.31
B-QC-7900-V-04-05	21.31
B-QC-7900-V-04-06	20.92
B-QC-7900-V-06-06	30.92
B-QC-7900-V-06-08	30.92



B-QC-7901-V

- (1) Socket
(2) Push Loc

B-QC-7901-V-04-04	23.54
B-QC-7901-V-04-06	23.54
B-QC-7901-V-06-06	32.01
B-QC-7901-V-06-08	32.31

Styles may vary from picture

INDUSTRIAL, MOLD INTERCHANGE PLUGS BRASS and STEEL

PARKER BPN200F
BPN300F



B-QC-7991

- (1) Plug
(2) Female Pipe

B-QC-7991-04-02	4.08
B-QC-7991-04-04	4.31
B-QC-7991-04-06	5.08
B-QC-7991-06-04	4.68
B-QC-7991-06-06	4.85
B-QC-7991-06-08	8.46
B-QC-7991-08-08	14.15
B-QC-7991-08-12	22.23

PARKER PN250
PN350
PN500



B-QC-7992

- (1) Plug
(2) Male Pipe

B-QC-7992-04-02	1.95
B-QC-7992-04-02X2.5	15.90
B-QC-7992-04-02X4.0	18.80
B-QC-7992-04-02X7.0	29.60
B-QC-7992-04-04	2.20
B-QC-7992-04-04X2.5	17.30
B-QC-7992-04-06	2.73
B-QC-7992-06-02	3.80
B-QC-7992-06-04	2.55
B-QC-7992-06-06	2.73
B-QC-7992-06-08	4.71
B-QC-7992-08-06	10.25
B-QC-7992-08-08	5.59
B-QC-7992-08-12	11.08

PARKER PN200F
PN300F



S-QC-7991

- (1) Plug
(2) Female Pipe

S-QC-7991-04-02	2.48
S-QC-7991-04-04	2.61
S-QC-7991-04-06	3.65
S-QC-7991-06-04	3.27
S-QC-7991-06-06	4.12
S-QC-7991-06-08	8.58
S-QC-7991-08-08	10.98
S-QC-7991-08-12	18.88

Styles may vary from picture

INDUSTRIAL, MOLD INTERCHANGE

BRASS

Parker P208



B-QC-7999

(1) Socket

(2) Female Pipe

B-QC-7999-04-02	14.77
B-QC-7999-06-04	21.42
B-QC-7999-08-08	39.69

Parker P201



B-QC-7999-V (VALVED)

(1) Socket

(2) Female Pipe

B-QC-7999-V-04-02	17.19
B-QC-7999-V-06-04	24.77