



TABLE OF CONTENTS

Identifying Metric Connections	2-3
Digital Caliper, BSPP and Metric Thread ID Kit	4
Stainless Steel British Parallel Pipe	5-7
Stainless Steel British Standard Taper	8
Stainless Steel Metric	9
Stainless Steel Metric Flareless	10-20
Parts Index	21

Identifying Metric Connections

German DIN Compression



Series	Oper. Press. (bar)	Tube O.D.	Thread Size
LL	100	4	M 8x1
LL	100	6	M 10x1
LL	100	8	M 12x1
L	250	6	M 12x1.5
L	250	8	M 14x1.5
L	250	10	M 16x1.5
L	250	12	M 18x1.5
L	250	15	M 22x1.5
L	160	18	M 26x1.5
L	160	22	M 30x2
L	100	28	M 36x2
L	100	35	M 45x2
L	100	42	M 52x2
S	630	6	M 14x1.5
S	630	8	M 16x1.5
S	630	10	M 18x1.5
S	630	12	M 20x1.5
S	630	14	M 22x1.5
S	400	16	M 24x1.5
S	400	20	M 30x2
S	400	25	M 36x2
S	250	30	M 42x2
S	250	38	M 52x2

Tube O.D. Light MM	Tube O.D. Heavy MM	Metric Thread Size	Male Thread O.D.		Female Thread I.D.	
			MM	Frac. (in.)	MM	Frac. (in.)
6		M12x1.5	12	15/32	10.5	13/32
8	6	M14x1.5	14	9/16	12.5	1/2
10	8	M16x1.5	16	5/8	14.5	9/16
12	10	M18x1.5	18	23/32	16.5	21/32
	12	M20x1.5	20	25/32	18.5	23/32
15	14	M22x1.5	22	78/8	20.5	13/16
	16	M24x1.5	24	15/16	22.5	7/8
18		M26x1.5	26	1-1/32	24.5	31/32
22	20	M30x2.0	30	1-3/16	28	1-1/8
28	25	M36x2.0	36	1-13/32	34	1-11/32
	30	M42x2.0	42	1-21/32	40	1-9/16
35		M45x2.0	45	1-25/32	43	1-23/32
42	38	M52x2.0	52	2-1/32	50	1-31/32


This connection style consists of a common male and three different female styles.

The male has a straight metric thread, a 24° included angle and a recessed counterbore that matches the tube O.D. used with it. The female may be a tube, nut and sleeve, a globeseal or a globeseal with an O-Ring in the nose.


Common Port Sealing Designs



DIN 3852 Form B: Sealing by means of a sealing "shoulder." Female thread is parallel.



DIN 3852 Form C: Sealing by means of tapered thread. Female thread must be tapered to achieve rated operating pressure.



Form PEFLEX: Sealing by means of a profiled elastomer ring recessed into the fitting body. Female thread is parallel.




DIN 3852 Form A (formerly Form D): Sealing by means of a washer or bonded seal. Female thread is parallel.



Form SAE J514: Sealing by means of an O-Ring in the thread undercut. Female thread is parallel.


Metric Thread Size	Male Thread O.D. (A) (mm)	Female Thread I.D. (B) (mm)
M 10x1	10	8.5
M 12x1.5	12	10.5
M 14x1.5	14	12.5
M 16x1.5	16	14.5
M 18x1.5	18	16.5
M 20x1.5	20	18.5
M 22x1.5	22	20.5
M 26x1.5	26	24.5
M 27x2	27	25.5
M 30x2	30	28.5
M 33x2	33	31.5
M 42x2	42	39.9
M 48x2	48	46.5
M 52x2	52	50.5
M 65x2	65	62.9
M 78x2	78	75.9
M 90x2	90	87.9

British Standard Pipe




The BSPT (tapered) connection is similar to the NPT except that the thread pitches are different in most sizes. To achieve full pressure rating, a tapered male must be threaded into a tapered female.

Dash Size	Inch Size	Thread	Male Thread O.D.		Female Thread I.D.	
			mm	In	mm	In
-2	1/8	1/8 - 28	9.4	.37	8.1	.32
-4	1/4	1/4 - 19	13.7	.53	12.4	.49
-6	3/8	3/8 - 19	17.2	.68	16.0	.62
-8	1/2	1/2 - 14	21.5	.84	19.8	.77
-10	5/8	5/8 - 14	23.1	.91	20.6	.81
-12	3/4	3/4 - 14	26.9	1.06	25.4	1.00
-16	1	1 - 11	34.0	1.34	31.8	1.25
-20	1 1/4	1 1/4 - 11	42.6	1.68	40.4	1.59
-24	1 1/2	1 1/2 - 11	48.5	1.90	46.2	1.81
-32	2	2	60.4	2.37	58.2	2.29



The BSPP (parallel) male is similar to the NPSM male except the thread pitches are different in most sizes. The mating female swivel is a BSP globe seal, which seals on the cone of the male.

JAPANESE Metric and British JIS 30° Flare



METRIC

Dash No.	Metric Size Equiv.	Metric Thread	Male Thread O.D.		Female Thread I.D.	
			mm	In	mm	In
-4		M14x1.5	14	.55	12.5	
-6	9	M18x1.5	18	.71	16.5	.65
-8	12	M22x1.5	22	.87	20.5	.82
-10	16	M24x1.5	24	.94	22.5	.88
-12	19	M30x1.5	30	1.18	28.5	1.12
-16	25	M33x1.5	33	1.30	31.5	1.24
-20	32	M36x1.5	36	1.42	34.5	1.36
-24	38	M42x1.5	42	1.65	40.5	1.59

METRIC

Used extensively on Komatsu equipment this 30° flare connector has parallel metric threads and is sometimes confused with JIS 30° flare which has BSPP threads.

BSPP


This Japanese connector is similar to the American 37° JIC flare except for the 30° seat angle. The straight (parallel) threads are the same as BSPP.

BSPP

Dash Size	Inch Size	Thread	Male Thread O.D.		Female Thread I.D.	
			mm	In	mm	In
-2	1/8	1/8 - 28	9.4	.37	8.1	.32
-4	1/4	1/4 - 19	13.7	.53	12.4	.49
-6	3/8	3/8 - 19	17.2	.68	16.0	.62
-8	1/2	1/2 - 14	21.5	.84	19.8	.77
-10	5/8	5/8 - 14	23.1	.91	20.6	.81
-12	3/4	3/4 - 14	26.9	1.06	25.4	1.00
-16	1	1 - 11	34.0	1.34	31.8	1.25
-20	1 1/4	1 1/4 - 11	42.6	1.68	40.4	1.59
-24	1 1/2	1 1/2 - 11	48.5	1.90	46.2	1.81
-32	2	2	60.4	2.37	58.2	2.29

STAINLESS STEEL BRITISH PARALLEL PIPE

Styles may vary from picture




SS-BPP-0304-C
Fem. BPP Swivel Cap

SS-BPP-0304-C-02	62.50
SS-BPP-0304-C-04	71.85
SS-BPP-0304-C-06	75.15
SS-BPP-0304-C-08	80.65
SS-BPP-0304-C-12	126.00
SS-BPP-0304-C-16	220.50
SS-BPP-0304-C-20	391.15
SS-BPP-0304-C-24	635.15
SS-BPP-0304-C-32	1072.65




SS-BPP-0306
Bulkhead Lock Nut

SS-BPP-0306-04	29.00
SS-BPP-0306-06	39.50
SS-BPP-0306-08	43.35
SS-BPP-0306-12	66.00
SS-BPP-0306-16	84.65




SS-BPP-1404-Str.
(1) Male BPP
(2) Fem. BPP Swivel

SS-BPP-1404-02-04	103.85
SS-BPP-1404-04-04	88.15
SS-BPP-1404-04-06	122.90
SS-BPP-1404-06-06	107.00
SS-BPP-1404-06-08	148.15
SS-BPP-1404-08-06	164.00
SS-BPP-1404-08-08	154.30
SS-BPP-1404-12-12	188.70
SS-BPP-1404-16-16	319.90
SS-BPP-1404-16-20	653.85
SS-BPP-1404-20-20	626.20
SS-BPP-1404-20-24	418.15
SS-BPP-1404-24-24	775.90
SS-BPP-1404-32-32	610.10




SS-BPP-1406-Str.
(1) (2) Fem. BPP Swivel

SS-BPP-1406-04-04	135.05
SS-BPP-1406-06-06	156.15
SS-BPP-1406-08-08	165.85
SS-BPP-1406-12-12	240.15
SS-BPP-1406-16-16	395.35




SS-BPP-5000 - Str.
(1) (2) Fem. BPP

SS-BPP-5000-02-02	48.95
SS-BPP-5000-04-04	39.65
SS-BPP-5000-06-06	68.28
SS-BPP-5000-08-08	63.20
SS-BPP-5000-12-12	116.45
SS-BPP-5000-16-16	137.50
SS-BPP-5000-20-20	346.50
SS-BPP-5000-24-24	340.75
SS-BPP-5000-32-32	770.80




SS-BPP-5404 - Str.
(1) (2) Male BPP

SS-BPP-5404-02-02	28.10
SS-BPP-5404-04-02	80.10
SS-BPP-5404-04-04	34.40
SS-BPP-5404-06-04	68.85
SS-BPP-5404-06-06	38.35
SS-BPP-5404-08-04	111.40
SS-BPP-5404-08-06	96.15
SS-BPP-5404-08-08	61.15
SS-BPP-5404-10-08	179.70
SS-BPP-5404-10-10	182.00
SS-BPP-5404-12-08	158.50
SS-BPP-5404-12-12	102.15
SS-BPP-5404-16-12	254.15
SS-BPP-5404-16-16	184.65
SS-BPP-5404-20-16	419.50
SS-BPP-5404-20-20	261.55
SS-BPP-5404-24-24	331.65
SS-BPP-5404-32-24	375.15
SS-BPP-5404-32-32	597.25




SS-BPP-5404-BH - Str.
(1) Male BPP
(2) Male BPP Bulkhead w/ locknut

SS-BPP-5404-BH-04-04	114.50
SS-BPP-5404-BH-06-06	127.65
SS-BPP-5404-BH-08-08	183.50
SS-BPP-5404-BH-12-12	222.35
SS-BPP-5404-BH-16-16	432.00



***SS-BPP-5405 - Str.**
(1) Male BPP
(2) Fem. BPP

SS-BPP-5405-02-02	114.65
SS-BPP-5405-02-04	114.00
SS-BPP-5405-04-04	96.35
SS-BPP-5405-04-06	98.85
SS-BPP-5405-04-08	109.65
SS-BPP-5405-06-06	99.15
SS-BPP-5405-06-08	132.85
SS-BPP-5405-08-02	171.50
SS-BPP-5405-08-06	115.50
SS-BPP-5405-08-08	137.55
SS-BPP-5405-08-12	210.85
SS-BPP-5405-12-04	154.45
SS-BPP-5405-12-06	158.15
SS-BPP-5405-12-12	182.15
SS-BPP-5405-12-16	279.70
SS-BPP-5405-16-12	249.40
SS-BPP-5405-16-16	248.00
SS-BPP-5405-16-20	689.30
SS-BPP-5405-24-24	322.90
SS-BPP-5405-32-32	512.05



***SS-BPP-5406 - Str.**
Bushing
(1) Male BPP
(2) Fem. BPP

SS-BPP-5406-04-02	83.65
SS-BPP-5406-06-02	80.90
SS-BPP-5406-06-04	82.75
SS-BPP-5406-08-04	108.75
SS-BPP-5406-08-06	118.15
SS-BPP-5406-12-08	122.65
SS-BPP-5406-16-12	162.25
SS-BPP-5406-20-12	317.70
SS-BPP-5406-20-16	370.65

* Some BPP may not be Chamfer

STAINLESS STEEL BRITISH PARALLEL PIPE

Styles may vary from picture




SS-BPP-6001
BPP Bonded Seal

SS-BPP-6001-02	11.75
SS-BPP-6001-04	11.75
SS-BPP-6001-06	13.15
SS-BPP-6001-08	14.45
SS-BPP-6001-10	55.45
SS-BPP-6001-12	14.75
SS-BPP-6001-16	51.05
SS-BPP-6001-20	61.30
SS-BPP-6001-24	83.85
SS-BPP-6001-32	115.90




SS-BPP-6001-V
BPP Viton Bonded Seal

SS-BPP-6001-V-02	14.10
SS-BPP-6001-V-04	14.10
SS-BPP-6001-V-06	16.85
SS-BPP-6001-V-08	18.95
SS-BPP-6001-V-10	8.60
SS-BPP-6001-V-12	23.90
SS-BPP-6001-V-16	34.75
SS-BPP-6001-V-20	66.80
SS-BPP-6001-V-24	88.85
SS-BPP-6001-V-32	123.05




SS-BPP-6408
(1) Male BPP Plug

SS-BPP-6408-02	36.75
SS-BPP-6408-04	37.65
SS-BPP-6408-06	44.25
SS-BPP-6408-08	62.15
SS-BPP-6408-12	77.55
SS-BPP-6408-16	157.10
SS-BPP-6408-20	225.90
SS-BPP-6408-24	281.25
SS-BPP-6408-32	426.00




SS-BPP-6408-HHP-EO - Str.
(1) Male BPP Hollow Hex Plug w/
Peflex Seal

SS-BPP-6408-HHP-02-EO	58.25
SS-BPP-6408-HHP-04-EO	65.10
SS-BPP-6408-HHP-06-EO	74.65
SS-BPP-6408-HHP-08-EO	96.55
SS-BPP-6408-HHP-12-EO	132.80
SS-BPP-6408-HHP-16-EO	203.45
SS-BPP-6408-HHP-20-EO	251.45
SS-BPP-6408-HHP-24-EO	268.45




SS-BPP-BST-5404 - Str.
(1) Male BPP
(2) Male BSPT

SS-BPP-BST-5404-02-02	31.20
SS-BPP-BST-5404-02-04	45.95
SS-BPP-BST-5404-04-02	70.65
SS-BPP-BST-5404-04-04	69.35
SS-BPP-BST-5404-04-06	42.10
SS-BPP-BST-5404-04-08	51.10
SS-BPP-BST-5404-04-12	99.75
SS-BPP-BST-5404-06-06	68.15
SS-BPP-BST-5404-06-08	50.50
SS-BPP-BST-5404-06-12	93.95
SS-BPP-BST-5404-08-04	91.45
SS-BPP-BST-5404-08-06	68.65
SS-BPP-BST-5404-08-08	99.15
SS-BPP-BST-5404-08-12	91.45
SS-BPP-BST-5404-12-04	117.70
SS-BPP-BST-5404-12-12	128.45
SS-BPP-BST-5404-12-16	127.50
SS-BPP-BST-5404-16-12	130.50
SS-BPP-BST-5404-16-16	114.44
SS-BPP-BST-5404-16-20	240.25
SS-BPP-BST-5404-20-16	269.15
SS-BPP-BST-5404-20-20	182.95
SS-BPP-BST-5404-20-24	301.50
SS-BPP-BST-5404-24-24	209.85
SS-BPP-BST-5404-24-32	407.00
SS-BPP-BST-5404-32-32	403.45



SS-BPP-FJX-6505 - Str.
(1) 37° Fem. Swivel
(2) Male BPP

SS-BPP-FJX-6505-04-02	90.70
SS-BPP-FJX-6505-05-04	108.30
SS-BPP-FJX-6505-06-04	100.75
SS-BPP-FJX-6505-06-06	119.45
SS-BPP-FJX-6505-06-08	115.00
SS-BPP-FJX-6505-08-06	117.30
SS-BPP-FJX-6505-10-08	156.00
SS-BPP-FJX-6505-12-12	192.85
SS-BPP-FJX-6505-16-16	356.15
SS-BPP-FJX-6505-20-20	653.75
SS-BPP-FJX-6505-24-24	915.45




SS-BPP-FP-5405 - Str.
(1) Male BPP
(2) Fem. Pipe

SS-BPP-FP-5405-02-02	54.50
SS-BPP-FP-5405-04-04	50.47
SS-BPP-FP-5405-06-04	57.50
SS-BPP-FP-5405-06-06	74.19
SS-BPP-FP-5405-08-06	89.25
SS-BPP-FP-5405-08-08	91.60
SS-BPP-FP-5405-12-12	101.65
SS-BPP-FP-5405-16-16	163.50
SS-BPP-FP-5405-20-20	245.45
SS-BPP-FP-5405-24-24	893.44
SS-BPP-FP-5405-32-32	615.40


STAINLESS STEEL BRITISH PARALLEL PIPE

Styles may vary from picture




SS-BPP-MJ-2404 - Str.
 (1) Male 37°
 (2) Male BPP 30° Seat

SS-BPP-MJ-2404-04-02	26.00
SS-BPP-MJ-2404-04-04	26.00
SS-BPP-MJ-2404-06-04	48.75
SS-BPP-MJ-2404-06-06	62.30
SS-BPP-MJ-2404-06-08	129.07
SS-BPP-MJ-2404-08-06	66.05
SS-BPP-MJ-2404-08-08	67.70
SS-BPP-MJ-2404-10-08	133.13
SS-BPP-MJ-2404-12-08	179.50
SS-BPP-MJ-2404-12-12	96.00
SS-BPP-MJ-2404-16-16	170.70
SS-BPP-MJ-2404-20-20	327.85
SS-BPP-MJ-2404-24-24	1020.03




SS-BPP-MJ-6400-WO - Str.
 (1) Male 37°
 (2) Male BPP w/ Washer O Ring

SS-BPP-MJ-6400-04-02-WO	32.10
SS-BPP-MJ-6400-04-04-WO	37.60
SS-BPP-MJ-6400-04-06-WO	76.95
SS-BPP-MJ-6400-05-04-WO	82.15
SS-BPP-MJ-6400-06-02-WO	105.90
SS-BPP-MJ-6400-06-04-WO	48.00
SS-BPP-MJ-6400-06-06-WO	48.10
SS-BPP-MJ-6400-06-08-WO	80.75
SS-BPP-MJ-6400-08-04-WO	64.56
SS-BPP-MJ-6400-08-06-WO	67.50
SS-BPP-MJ-6400-08-08-WO	68.75
SS-BPP-MJ-6400-08-12-WO	190.44
SS-BPP-MJ-6400-10-06-WO	101.25
SS-BPP-MJ-6400-10-08-WO	113.60
SS-BPP-MJ-6400-12-08-WO	115.25
SS-BPP-MJ-6400-12-12-WO	218.50
SS-BPP-MJ-6400-12-16-WO	201.15
SS-BPP-MJ-6400-16-12-WO	154.50
SS-BPP-MJ-6400-16-16-WO	191.25
SS-BPP-MJ-6400-16-20-WO	456.75
SS-BPP-MJ-6400-20-16-WO	453.95
SS-BPP-MJ-6400-20-20-WO	321.25
SS-BPP-MJ-6400-24-20-WO	632.55
SS-BPP-MJ-6400-24-24-WO	457.40
SS-BPP-MJ-6400-32-32-WO	1280.50




SS-BPP-MJ-6801-NWO - 90°
 (1) Male 37°
 (2) Male BPP Adj. O Ring
 w/ Retainer Washer

SS-BPP-MJ-6801-04-02-NWO	78.95
SS-BPP-MJ-6801-04-04-NWO	87.55
SS-BPP-MJ-6801-04-06-NWO	165.93
SS-BPP-MJ-6801-06-04-NWO	88.30
SS-BPP-MJ-6801-06-06-NWO	124.50
SS-BPP-MJ-6801-06-08-NWO	236.60
SS-BPP-MJ-6801-08-06-NWO	236.60
SS-BPP-MJ-6801-08-08-NWO	222.65
SS-BPP-MJ-6801-08-12-NWO	380.35
SS-BPP-MJ-6801-10-08-NWO	241.73
SS-BPP-MJ-6801-12-08-NWO	359.70
SS-BPP-MJ-6801-12-12-NWO	381.02
SS-BPP-MJ-6801-16-16-NWO	634.93
SS-BPP-MJ-6801-20-20-NWO	1095.35
SS-BPP-MJ-6801-24-24-NWO	1285.25



SS-BPP-MP-5404 - Str.
 (1) Male BPP 30°
 (2) Male NPT Pipe

SS-BPP-MP-5404-02-02	43.35
SS-BPP-MP-5404-02-04	66.55
SS-BPP-MP-5404-04-02	59.15
SS-BPP-MP-5404-04-04	34.85
SS-BPP-MP-5404-04-06	55.80
SS-BPP-MP-5404-04-08	82.45
SS-BPP-MP-5404-06-04	63.00
SS-BPP-MP-5404-06-06	46.35
SS-BPP-MP-5404-06-08	71.75
SS-BPP-MP-5404-08-06	68.75
SS-BPP-MP-5404-08-08	74.35
SS-BPP-MP-5404-08-12	113.50
SS-BPP-MP-5404-10-12	155.55
SS-BPP-MP-5404-12-08	114.85
SS-BPP-MP-5404-12-12	92.00
SS-BPP-MP-5404-16-16	136.20
SS-BPP-MP-5404-20-20	195.40
SS-BPP-MP-5404-24-24	356.05
SS-BPP-MP-5404-24-32	630.10




SS-BPP-MP-5405 - Str.
 (1) Male NPT Pipe
 (2) Fem. BPP (Rigid)

SS-BPP-MP-5405-02-02	34.95
SS-BPP-MP-5405-04-04	44.25
SS-BPP-MP-5405-06-06	48.45
SS-BPP-MP-5405-08-08	134.63
SS-BPP-MP-5405-12-12	83.90
SS-BPP-MP-5405-16-16	164.15
SS-BPP-MP-5405-20-20	262.30
SS-BPP-MP-5405-24-24	437.75


STAINLESS STEEL BRITISH STANDARD TAPER PIPE

Styles may vary from picture




SS-BST-5404 - Str.
(1) (2) Male BSPT

SS-BST-5404-04-04	33.00
SS-BST-5404-06-06	37.00
SS-BST-5404-12-12	117.80
SS-BST-5404-16-16	189.90




SS-BST-FP-5405 - Str.
(1) Male BSPT
(2) Fem. NPT Pipe

SS-BST-FP-5405-02-02	35.75
SS-BST-FP-5405-04-04	49.25
SS-BST-FP-5405-04-06	88.35
SS-BST-FP-5405-06-06	83.34
SS-BST-FP-5405-08-08	96.80
SS-BST-FP-5405-12-12	143.65
SS-BST-FP-5405-16-16	332.05
SS-BST-FP-5405-20-20	538.50
SS-BST-FP-5405-24-24	914.75



SS-BST-MJ-2404 - Str.
(1) Male 37°
(2) Male BSPT

SS-BST-MJ-2404-04-02	20.10
SS-BST-MJ-2404-04-04	25.85
SS-BST-MJ-2404-06-04	36.85
SS-BST-MJ-2404-06-06	60.50
SS-BST-MJ-2404-08-04	67.65
SS-BST-MJ-2404-08-06	49.25
SS-BST-MJ-2404-08-08	63.45
SS-BST-MJ-2404-10-08	64.50
SS-BST-MJ-2404-12-08	103.35
SS-BST-MJ-2404-12-12	139.45
SS-BST-MJ-2404-16-16	184.35
SS-BST-MJ-2404-20-20	256.85
SS-BST-MJ-2404-24-24	481.54




SS-BST-MJ-2501 - 90°
(1) Male 37°
(2) Male BSPT

SS-BST-MJ-2501-04-02	94.75
SS-BST-MJ-2501-04-04	64.09
SS-BST-MJ-2501-06-04	81.95
SS-BST-MJ-2501-06-06	293.28
SS-BST-MJ-2501-08-06	115.55
SS-BST-MJ-2501-08-08	121.25
SS-BST-MJ-2501-12-12	184.25
SS-BST-MJ-2501-16-16	460.80


STAINLESS STEEL METRIC

Styles may vary from picture




SS-M-6408-HHP-EO - Str.
(1) Metric Countersunk Hollow Hex Plug w/ Reflex Seal

SS-M-6408-HHP-10X1.0-EO	50.05
SS-M-6408-HHP-12X1.5-EO	48.70
SS-M-6408-HHP-14X1.5-EO	52.00
SS-M-6408-HHP-16X1.5-EO	56.30
SS-M-6408-HHP-18X1.5-EO	60.15
SS-M-6408-HHP-20X1.5-EO	70.55
SS-M-6408-HHP-22X1.5-EO	78.00
SS-M-6408-HHP-26X1.5-EO	101.70
SS-M-6408-HHP-27X2.0-EO	272.85
SS-M-6408-HHP-33X2.0-EO	384.55
SS-M-6408-HHP-42X2.0-EO	199.00
SS-M-6408-HHP-48X2.0-EO	437.55



SS-M-FP-6405-WO - Str.
(1) Male Metric w/ Washer & O Ring
(2) Fem. NPT Pipe

SS-M-FP-6405-10X1.0-02-WO	27.00
SS-M-FP-6405-12X1.5-02-WO	35.50
SS-M-FP-6405-12X1.5-04-WO	46.75
SS-M-FP-6405-14X1.5-02-WO	40.50
SS-M-FP-6405-14X1.5-04-WO	46.75
SS-M-FP-6405-14X1.5-06-WO	63.80
SS-M-FP-6405-16X1.5-04-WO	60.55
SS-M-FP-6405-16X1.5-06-WO	66.00
SS-M-FP-6405-16X1.5-08-WO	134.72
SS-M-FP-6405-18X1.5-06-WO	69.00
SS-M-FP-6405-18X1.5-08-WO	111.65
SS-M-FP-6405-20X1.5-06-WO	91.25
SS-M-FP-6405-22X1.5-06-WO	115.13
SS-M-FP-6405-22X1.5-08-WO	120.50
SS-M-FP-6405-26X1.5-12-WO	214.25
SS-M-FP-6405-27X2.0-12-WO	214.25
SS-M-FP-6405-33X2.0-16-WO	302.10
SS-M-FP-6405-42X2.0-20-WO	472.25



SS-M-MJ-6400-WO - Str.
(1) Male 37°
(2) Male Metric w/ Washer & O Ring

SS-M-MJ-6400-04-10X1.0-WO	27.25
SS-M-MJ-6400-04-12X1.5-WO	26.35
SS-M-MJ-6400-04-14X1.5-WO	38.00
SS-M-MJ-6400-06-12X1.5-WO	31.60
SS-M-MJ-6400-06-14X1.5-WO	39.90
SS-M-MJ-6400-06-16X1.5-WO	82.05
SS-M-MJ-6400-08-12X1.5-WO	53.40
SS-M-MJ-6400-08-16X1.5-WO	56.40
SS-M-MJ-6400-08-18X1.5-WO	68.60
SS-M-MJ-6400-08-20X1.5-WO	84.65
SS-M-MJ-6400-08-22X1.5-WO	89.00
SS-M-MJ-6400-10-18X1.5-WO	80.85
SS-M-MJ-6400-10-20X1.5-WO	88.80
SS-M-MJ-6400-10-22X1.5-WO	86.00
SS-M-MJ-6400-12-22X1.5-WO	114.80
SS-M-MJ-6400-12-26X1.5-WO	139.20
SS-M-MJ-6400-12-27X2.0-WO	149.00
SS-M-MJ-6400-16-27X2.0-WO	376.75
SS-M-MJ-6400-16-33X2.0-WO	379.19
SS-M-MJ-6400-20-42X2.0-WO	397.60
SS-M-MJ-6400-24-48X2.0-WO	659.20

STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture



SS-MFL-0318-LL
Flareless Nut
Extra Light

SS-MFL-0318-LL-04	8.60
SS-MFL-0318-LL-06	9.45
SS-MFL-0318-LL-08	10.30




SS-MFL-0318
Flareless Nut
Light

SS-MFL-0318-06	5.10
SS-MFL-0318-08	6.75
SS-MFL-0318-10	8.45
SS-MFL-0318-12	10.15
SS-MFL-0318-15	14.55
SS-MFL-0318-18	22.35
SS-MFL-0318-22	28.75
SS-MFL-0318-28	61.95
SS-MFL-0318-35	97.80
SS-MFL-0318-42	137.75



SS-MFL-0318-H
Flareless Nut
Heavy

SS-MFL-0318-H-06	8.45
SS-MFL-0318-H-08	9.50
SS-MFL-0318-H-10	11.15
SS-MFL-0318-H-12	11.90
SS-MFL-0318-H-14	18.95
SS-MFL-0318-H-16	24.05
SS-MFL-0318-H-20	35.20
SS-MFL-0318-H-25	89.35
SS-MFL-0318-H-30	114.75
SS-MFL-0318-H-38	175.70



SS-MFL-0319-LL
Flareless Sleeve
Extra Light

SS-MFL-0319-LL-04	5.30
SS-MFL-0319-LL-06	5.15
SS-MFL-0319-LL-08	5.90



SS-MFL-0319
Flareless Sleeve
Light

SS-MFL-0319-06	4.95
SS-MFL-0319-08	5.30
SS-MFL-0319-10	6.05
SS-MFL-0319-12	6.10
SS-MFL-0319-15	6.65
SS-MFL-0319-18	8.15
SS-MFL-0319-22	9.65
SS-MFL-0319-28	12.40
SS-MFL-0319-35	18.80
SS-MFL-0319-42	25.15




SS-MFL-0319-H
Flareless Sleeve
Heavy

SS-MFL-0319-H-06	4.95
SS-MFL-0319-H-08	5.30
SS-MFL-0319-H-10	6.05
SS-MFL-0319-H-12	4.89
SS-MFL-0319-H-14	8.20
SS-MFL-0319-H-16	7.70
SS-MFL-0319-H-20	10.65
SS-MFL-0319-H-25	14.15
SS-MFL-0319-H-30	17.15
SS-MFL-0319-H-38	23.15




SS-MFL-0320
Blanking Plug w/ O Ring
Light

SS-MFL-0320-06	24.40
SS-MFL-0320-08	24.80
SS-MFL-0320-10	25.65
SS-MFL-0320-12	30.95
SS-MFL-0320-15	32.30
SS-MFL-0320-18	41.85
SS-MFL-0320-22	57.25
SS-MFL-0320-25	258.55
SS-MFL-0320-28	85.30
SS-MFL-0320-30	419.95
SS-MFL-0320-35	145.80
SS-MFL-0320-42	181.95



SS-MFL-0320-H
Blanking Plug w/ O Ring
Heavy

SS-MFL-0320-H-06	24.40
SS-MFL-0320-H-08	24.80
SS-MFL-0320-H-10	25.65
SS-MFL-0320-H-12	30.95
SS-MFL-0320-H-14	35.75
SS-MFL-0320-H-16	41.05
SS-MFL-0320-H-20	55.25
SS-MFL-0320-H-25	72.70
SS-MFL-0320-H-30	117.40
SS-MFL-0320-H-38	174.65




SS-MFL-2403-LL - Str.
(1) (2) Male Flareless Union
Extra Light

SS-MFL-2403-LL-04-04	58.75
SS-MFL-2403-LL-06-06	59.15
SS-MFL-2403-LL-08-08	60.30


STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




SS-MFL-2403 - Str.
(1) (2) Male Flareless Union
Light

SS-MFL-2403-06-06	32.15
SS-MFL-2403-08-06	57.25
SS-MFL-2403-08-08	42.30
SS-MFL-2403-10-06	68.65
SS-MFL-2403-10-08	66.60
SS-MFL-2403-10-10	45.70
SS-MFL-2403-12-06	70.70
SS-MFL-2403-12-08	72.70
SS-MFL-2403-12-10	73.50
SS-MFL-2403-12-12	60.95
SS-MFL-2403-15-06	110.50
SS-MFL-2403-15-10	100.35
SS-MFL-2403-15-12	95.05
SS-MFL-2403-15-15	74.45
SS-MFL-2403-18-10	133.65
SS-MFL-2403-18-12	135.65
SS-MFL-2403-18-15	142.55
SS-MFL-2403-18-18	104.95
SS-MFL-2403-22-12	181.15
SS-MFL-2403-22-15	180.75
SS-MFL-2403-22-18	188.90
SS-MFL-2403-22-22	133.70
SS-MFL-2403-28-15	295.70
SS-MFL-2403-28-22	313.60
SS-MFL-2403-28-28	243.70
SS-MFL-2403-35-28	408.65
SS-MFL-2403-35-35	362.20
SS-MFL-2403-42-28	508.55
SS-MFL-2403-42-35	529.65
SS-MFL-2403-42-42	524.65



SS-MFL-2403-H - Str.
(1) (2) Male Flareless Union
Heavy

SS-MFL-2403-H-06-06	47.40
SS-MFL-2403-H-08-06	72.45
SS-MFL-2403-H-08-08	54.95
SS-MFL-2403-H-10-06	82.85
SS-MFL-2403-H-10-08	89.55
SS-MFL-2403-H-10-10	68.25
SS-MFL-2403-H-12-08	97.35
SS-MFL-2403-H-12-10	101.30
SS-MFL-2403-H-12-12	73.95
SS-MFL-2403-H-14-10	129.15
SS-MFL-2403-H-14-12	124.70
SS-MFL-2403-H-14-14	102.35
SS-MFL-2403-H-16-12	136.50
SS-MFL-2403-H-16-14	151.10
SS-MFL-2403-H-16-16	111.70
SS-MFL-2403-H-20-10	181.95
SS-MFL-2403-H-20-12	190.50
SS-MFL-2403-H-20-16	216.30
SS-MFL-2403-H-20-20	162.50
SS-MFL-2403-H-25-16	333.90
SS-MFL-2403-H-25-20	351.35
SS-MFL-2403-H-25-25	331.70
SS-MFL-2403-H-30-20	467.10
SS-MFL-2403-H-30-25	484.20
SS-MFL-2403-H-30-30	419.75
SS-MFL-2403-H-38-30	709.20
SS-MFL-2403-H-38-38	629.60




SS-MFL-2406 - Str.
Reducer
(1) Metric Standpipe
(2) Male Flareless
Light

SS-MFL-2406-08-06	90.60
SS-MFL-2406-10-06	95.45
SS-MFL-2406-12-06	100.35
SS-MFL-2406-12-08	102.75
SS-MFL-2406-12-10	105.20
SS-MFL-2406-15-06	124.30
SS-MFL-2406-15-08	131.60
SS-MFL-2406-15-10	129.55
SS-MFL-2406-15-12	134.85
SS-MFL-2406-18-06	184.00
SS-MFL-2406-18-08	190.50
SS-MFL-2406-18-10	159.25
SS-MFL-2406-18-12	179.95
SS-MFL-2406-18-15	197.00
SS-MFL-2406-22-06	169.80
SS-MFL-2406-22-08	172.20
SS-MFL-2406-22-10	175.05
SS-MFL-2406-22-12	179.95
SS-MFL-2406-22-15	194.15
SS-MFL-2406-22-18	205.95
SS-MFL-2406-28-06	244.55
SS-MFL-2406-28-08	261.20
SS-MFL-2406-28-10	246.95
SS-MFL-2406-28-12	251.00
SS-MFL-2406-28-15	285.15
SS-MFL-2406-28-18	266.05
SS-MFL-2406-28-22	277.00
SS-MFL-2406-35-06	391.30
SS-MFL-2406-35-08	362.30
SS-MFL-2406-35-10	373.30
SS-MFL-2406-35-12	361.10
SS-MFL-2406-35-15	402.15
SS-MFL-2406-35-18	440.70
SS-MFL-2406-35-22	422.45
SS-MFL-2406-35-28	435.85
SS-MFL-2406-42-10	593.80
SS-MFL-2406-42-12	563.00
SS-MFL-2406-42-15	546.05
SS-MFL-2406-42-18	528.45
SS-MFL-2406-42-22	454.95
SS-MFL-2406-42-28	491.90
SS-MFL-2406-42-35	524.00


STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




SS-MFL-2406-H - Str.
Reducer
(1) Metric Standpipe
(2) Male Flareless Heavy

SS-MFL-2406-H-08-06	99.90
SS-MFL-2406-H-10-06	112.10
SS-MFL-2406-H-10-08	103.15
SS-MFL-2406-H-12-06	110.50
SS-MFL-2406-H-12-08	112.90
SS-MFL-2406-H-12-10	120.25
SS-MFL-2406-H-14-06	134.75
SS-MFL-2406-H-14-08	127.15
SS-MFL-2406-H-14-10	121.85
SS-MFL-2406-H-14-12	124.30
SS-MFL-2406-H-16-06	153.55
SS-MFL-2406-H-16-08	150.70
SS-MFL-2406-H-16-10	161.25
SS-MFL-2406-H-16-12	163.70
SS-MFL-2406-H-16-14	176.30
SS-MFL-2406-H-20-06	200.25
SS-MFL-2406-H-20-08	188.45
SS-MFL-2406-H-20-10	192.95
SS-MFL-2406-H-20-12	194.55
SS-MFL-2406-H-20-14	197.40
SS-MFL-2406-H-20-16	211.20
SS-MFL-2406-H-25-06	280.70
SS-MFL-2406-H-25-08	270.15
SS-MFL-2406-H-25-10	256.70
SS-MFL-2406-H-25-12	233.95
SS-MFL-2406-H-25-14	270.95
SS-MFL-2406-H-25-16	275.00
SS-MFL-2406-H-25-20	292.45
SS-MFL-2406-H-30-06	370.30
SS-MFL-2406-H-30-08	357.80
SS-MFL-2406-H-30-10	340.80
SS-MFL-2406-H-30-12	343.65
SS-MFL-2406-H-30-14	357.05
SS-MFL-2406-H-30-16	381.00
SS-MFL-2406-H-30-20	396.45
SS-MFL-2406-H-30-25	444.80
SS-MFL-2406-H-38-06	544.65
SS-MFL-2406-H-38-08	529.65
SS-MFL-2406-H-38-10	544.30
SS-MFL-2406-H-38-12	535.75
SS-MFL-2406-H-38-14	544.30
SS-MFL-2406-H-38-16	541.05
SS-MFL-2406-H-38-20	507.75
SS-MFL-2406-H-38-25	578.00
SS-MFL-2406-H-38-30	596.70




SS-MFL-2500-LL - 90°
(1) (2) Male Flareless Extra Light

SS-MFL-2500-LL-04-04	97.35
SS-MFL-2500-LL-06-06	128.50
SS-MFL-2500-LL-08-08	144.65




SS-MFL-2500 - 90°
(1) (2) Male Flareless Light

SS-MFL-2500-06-06	68.60
SS-MFL-2500-08-08	68.05
SS-MFL-2500-10-10	81.60
SS-MFL-2500-12-12	91.40
SS-MFL-2500-15-15	134.40
SS-MFL-2500-18-18	202.10
SS-MFL-2500-22-22	268.40
SS-MFL-2500-28-28	422.10
SS-MFL-2500-35-35	792.35
SS-MFL-2500-42-42	1180.80




SS-MFL-2500-H - 90°
(1) (2) Male Flareless Heavy

SS-MFL-2500-H-06-06	92.20
SS-MFL-2500-H-08-08	108.05
SS-MFL-2500-H-10-10	116.35
SS-MFL-2500-H-12-12	132.30
SS-MFL-2500-H-14-14	199.40
SS-MFL-2500-H-16-16	199.35
SS-MFL-2500-H-20-20	278.25
SS-MFL-2500-H-25-25	480.30
SS-MFL-2500-H-30-30	687.80
SS-MFL-2500-H-38-38	1162.35




SS-MFL-2603-LL - Tee
(1) (2) (3) Male Flareless Extra Light

SS-MFL-2603-LL-04-04-04	149.65
SS-MFL-2603-LL-06-06-06	163.35
SS-MFL-2603-LL-08-08-08	173.70



SS-MFL-2603 - Tee
(1) (2) (3) Male Flareless Light

SS-MFL-2603-06-06-06	94.40
SS-MFL-2603-08-08-08	100.85
SS-MFL-2603-10-10-10	120.15
SS-MFL-2603-12-12-12	127.25
SS-MFL-2603-15-15-15	180.40
SS-MFL-2603-18-18-18	258.60
SS-MFL-2603-22-22-22	332.75
SS-MFL-2603-28-28-28	532.80
SS-MFL-2603-35-35-35	989.85
SS-MFL-2603-42-42-42	1450.10




SS-MFL-2603-H - Tee
(1) (2) (3) Male Flareless Heavy

SS-MFL-2603-H-06-06-06	120.55
SS-MFL-2603-H-08-08-08	141.75
SS-MFL-2603-H-10-10-10	153.15
SS-MFL-2603-H-12-12-12	190.70
SS-MFL-2603-H-14-14-14	234.30
SS-MFL-2603-H-16-16-16	245.05
SS-MFL-2603-H-20-20-20	359.15
SS-MFL-2603-H-25-25-25	633.30
SS-MFL-2603-H-30-30-30	907.85
SS-MFL-2603-H-38-38-38	1654.55


STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




SS-MFL-2650 - Cross
(1) (2) (3) (4) Male Flareless
Light

SS-MFL-2650-06-06-06-06	366.80
SS-MFL-2650-08-08-08-08	366.80
SS-MFL-2650-10-10-10-10	388.10
SS-MFL-2650-12-12-12-12	417.95
SS-MFL-2650-15-15-15-15	622.70
SS-MFL-2650-18-18-18-18	686.65
SS-MFL-2650-22-22-22-22	887.10
SS-MFL-2650-28-28-28-28	1155.80
SS-MFL-2650-35-35-35-35	1607.90
SS-MFL-2650-42-42-42-42	2158.10




SS-MFL-2650-H - Cross
(1) (2) (3) (4) Male Flareless
Heavy

SS-MFL-2650-H-06-06-06-06	371.05
SS-MFL-2650-H-08-08-08-08	396.65
SS-MFL-2650-H-10-10-10-10	481.95
SS-MFL-2650-H-12-12-12-12	571.50
SS-MFL-2650-H-14-14-14-14	669.60
SS-MFL-2650-H-16-16-16-16	686.65
SS-MFL-2650-H-20-20-20-20	972.40
SS-MFL-2650-H-25-25-25-25	1475.70
SS-MFL-2650-H-30-30-30-30	1949.10
SS-MFL-2650-H-38-38-38-38	2593.10



SS-MFL-2700-LN - Str.
(1) Male Flareless
(2) Male Flareless Bulkhead w/ Lock Nut
Light

SS-MFL-2700-LN-06-06	67.65
SS-MFL-2700-LN-08-08	78.10
SS-MFL-2700-LN-10-10	93.25
SS-MFL-2700-LN-12-12	102.35
SS-MFL-2700-LN-15-15	144.80
SS-MFL-2700-LN-18-18	202.80
SS-MFL-2700-LN-22-22	274.10
SS-MFL-2700-LN-28-28	365.85
SS-MFL-2700-LN-35-35	526.60
SS-MFL-2700-LN-42-42	729.05




SS-MFL-2700-H-LN - Str.
(1) Male Flareless
(2) Male Flareless Bulkhead w/ Lock Nut
Heavy

SS-MFL-2700-H-LN-06-06	94.40
SS-MFL-2700-H-LN-08-08	100.95
SS-MFL-2700-H-LN-10-10	120.35
SS-MFL-2700-H-LN-12-12	131.95
SS-MFL-2700-H-LN-14-14	182.70
SS-MFL-2700-H-LN-16-16	199.05
SS-MFL-2700-H-LN-20-20	300.05
SS-MFL-2700-H-LN-25-25	451.15
SS-MFL-2700-H-LN-30-30	585.70
SS-MFL-2700-H-LN-38-38	893.20




SS-MFL-2701-LN - Str.
(1) Male Flareless
(2) Male Flareless Bulkhead w/ Lock Nut
Light

SS-MFL-2701-LN-06-06	172.65
SS-MFL-2701-LN-08-08	175.05
SS-MFL-2701-LN-10-10	161.65
SS-MFL-2701-LN-12-12	172.65
SS-MFL-2701-LN-15-15	290.85
SS-MFL-2701-LN-18-18	331.85
SS-MFL-2701-LN-22-22	483.75
SS-MFL-2701-LN-28-28	861.00
SS-MFL-2701-LN-35-35	2394.70
SS-MFL-2701-LN-42-42	2329.15




SS-MFL-2701-H-LN - 90°
(1) Male Flareless
(2) Male Flareless Bulkhead w/ Lock Nut
Heavy

SS-MFL-2701-H-LN-06-06	190.10
SS-MFL-2701-H-LN-08-08	175.45
SS-MFL-2701-H-LN-10-10	176.30
SS-MFL-2701-H-LN-12-12	222.60
SS-MFL-2701-H-LN-14-14	263.20
SS-MFL-2701-H-LN-16-16	305.45
SS-MFL-2701-H-LN-20-20	498.40
SS-MFL-2701-H-LN-25-25	932.05
SS-MFL-2701-H-LN-30-30	1508.00
SS-MFL-2701-H-LN-38-38	2391.30



SS-MFL-6500 - 90°
(1) Male Flareless
(2) Fem. Flareless Swivel
Light

SS-MFL-6500-06-06	95.15
SS-MFL-6500-08-08	98.20
SS-MFL-6500-10-10	121.30
SS-MFL-6500-12-12	140.25
SS-MFL-6500-15-15	185.00
SS-MFL-6500-18-18	265.75
SS-MFL-6500-22-22	315.40
SS-MFL-6500-28-28	515.95
SS-MFL-6500-35-35	860.60
SS-MFL-6500-42-42	1283.65




SS-MFL-6500-H - 90°
(1) Male Flareless
(2) Fem. Flareless Swivel
Heavy

SS-MFL-6500-H-06-06	124.75
SS-MFL-6500-H-08-08	122.05
SS-MFL-6500-H-10-10	147.85
SS-MFL-6500-H-12-12	169.85
SS-MFL-6500-H-14-14	214.95
SS-MFL-6500-H-16-16	251.75
SS-MFL-6500-H-20-20	322.60
SS-MFL-6500-H-25-25	550.45
SS-MFL-6500-H-30-30	815.10
SS-MFL-6500-H-38-38	1169.90

STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




SS-MFL-6565 - Str.
(1) (2) Fem. Flareless Swivel
Light

SS-MFL-6565-06-06	95.05
SS-MFL-6565-08-08	98.30
SS-MFL-6565-10-10	96.85
SS-MFL-6565-12-12	119.85
SS-MFL-6565-15-15	165.95
SS-MFL-6565-18-18	215.95
SS-MFL-6565-22-22	231.10
SS-MFL-6565-28-28	355.20
SS-MFL-6565-35-35	480.95
SS-MFL-6565-42-42	642.60




SS-MFL-6565-H - Str.
(1) (2) Fem. Flareless Swivel
Heavy

SS-MFL-6565-H-06-06	114.15
SS-MFL-6565-H-08-08	114.55
SS-MFL-6565-H-10-10	117.40
SS-MFL-6565-H-12-12	152.30
SS-MFL-6565-H-14-14	165.30
SS-MFL-6565-H-16-16	188.90
SS-MFL-6565-H-20-20	237.20
SS-MFL-6565-H-25-25	346.90
SS-MFL-6565-H-30-30	499.35
SS-MFL-6565-H-38-38	641.80




SS-MFL-6600 - Tee
(1) (2) Male Flareless
(3) Fem. Flareless Swivel
Light

SS-MFL-6600-06-06-06	150.10
SS-MFL-6600-08-08-08	152.40
SS-MFL-6600-10-10-10	167.95
SS-MFL-6600-12-12-12	190.70
SS-MFL-6600-15-15-15	281.30
SS-MFL-6600-18-18-18	377.60
SS-MFL-6600-22-22-22	473.15
SS-MFL-6600-28-28-28	724.10
SS-MFL-6600-35-35-35	1357.95
SS-MFL-6600-42-42-42	1658.60




SS-MFL-6600-H - Tee
(1) (2) Male Flareless
(3) Fem. Flareless Swivel
Heavy

SS-MFL-6600-H-06-06-06	189.20
SS-MFL-6600-H-08-08-08	184.25
SS-MFL-6600-H-10-10-10	212.30
SS-MFL-6600-H-12-12-12	247.55
SS-MFL-6600-H-14-14-14	300.65
SS-MFL-6600-H-16-16-16	352.20
SS-MFL-6600-H-20-20-20	458.70
SS-MFL-6600-H-25-25-25	806.00
SS-MFL-6600-H-30-30-30	1246.55
SS-MFL-6600-H-38-38-38	1840.95




SS-MFL-6602 - Tee
(1) (3) Male Flareless
(2) Fem. Flareless Swivel
Light

SS-MFL-6602-06-06-06	133.45
SS-MFL-6602-08-08-08	146.50
SS-MFL-6602-10-10-10	186.70
SS-MFL-6602-12-12-12	188.80
SS-MFL-6602-15-15-15	262.75
SS-MFL-6602-18-18-18	359.80
SS-MFL-6602-22-22-22	505.75
SS-MFL-6602-28-28-28	729.80
SS-MFL-6602-35-35-35	1108.90
SS-MFL-6602-42-42-42	1538.70



SS-MFL-6602-H - Tee
(1) (3) Male Flareless
(2) Fem. Flareless Swivel
Heavy

SS-MFL-6602-H-06-06-06	162.40
SS-MFL-6602-H-08-08-08	162.65
SS-MFL-6602-H-10-10-10	202.10
SS-MFL-6602-H-12-12-12	213.05
SS-MFL-6602-H-14-14-14	296.45
SS-MFL-6602-H-16-16-16	337.05
SS-MFL-6602-H-20-20-20	455.30
SS-MFL-6602-H-25-25-25	767.70
SS-MFL-6602-H-30-30-30	1150.40
SS-MFL-6602-H-38-38-38	1583.95




SS-MFL-BPP-2404 - Str.
(1) Male Flareless
(2) Male BPP w/ Cutting Face Seal
Light

SS-MFL-BPP-2404-06-02	24.70
SS-MFL-BPP-2404-06-04	35.20
SS-MFL-BPP-2404-06-06	50.05
SS-MFL-BPP-2404-08-02	33.50
SS-MFL-BPP-2404-08-04	33.85
SS-MFL-BPP-2404-08-06	43.65
SS-MFL-BPP-2404-08-08	62.55
SS-MFL-BPP-2404-10-02	43.85
SS-MFL-BPP-2404-10-04	38.25
SS-MFL-BPP-2404-10-06	45.70
SS-MFL-BPP-2404-10-08	64.10
SS-MFL-BPP-2404-12-04	43.35
SS-MFL-BPP-2404-12-06	47.05
SS-MFL-BPP-2404-12-08	56.85
SS-MFL-BPP-2404-15-06	61.25
SS-MFL-BPP-2404-15-08	62.95
SS-MFL-BPP-2404-15-12	106.00
SS-MFL-BPP-2404-18-08	79.90
SS-MFL-BPP-2404-18-12	106.85
SS-MFL-BPP-2404-22-06	115.75
SS-MFL-BPP-2404-22-08	101.90
SS-MFL-BPP-2404-22-12	107.65
SS-MFL-BPP-2404-22-16	177.90
SS-MFL-BPP-2404-28-12	188.40
SS-MFL-BPP-2404-28-16	191.90
SS-MFL-BPP-2404-35-16	287.40
SS-MFL-BPP-2404-35-20	369.65
SS-MFL-BPP-2404-42-20	462.25
SS-MFL-BPP-2404-42-24	412.60

STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




SS-MFL-BPP-2404-H - Str.
 (1) Male Flareless
 (2) Male BPP w/ Cutting Face Seal
Heavy

SS-MFL-BPP-2404-H-06-04	40.30
SS-MFL-BPP-2404-H-08-04	41.70
SS-MFL-BPP-2404-H-08-06	64.10
SS-MFL-BPP-2404-H-08-08	94.05
SS-MFL-BPP-2404-H-10-04	49.30
SS-MFL-BPP-2404-H-10-06	56.85
SS-MFL-BPP-2404-H-10-08	94.20
SS-MFL-BPP-2404-H-12-04	57.25
SS-MFL-BPP-2404-H-12-06	52.45
SS-MFL-BPP-2404-H-12-08	79.60
SS-MFL-BPP-2404-H-14-06	83.40
SS-MFL-BPP-2404-H-14-08	80.20
SS-MFL-BPP-2404-H-16-06	90.60
SS-MFL-BPP-2404-H-16-08	79.90
SS-MFL-BPP-2404-H-16-12	123.20
SS-MFL-BPP-2404-H-20-08	139.90
SS-MFL-BPP-2404-H-20-12	116.80
SS-MFL-BPP-2404-H-25-12	216.30
SS-MFL-BPP-2404-H-25-16	207.15
SS-MFL-BPP-2404-H-30-16	335.10
SS-MFL-BPP-2404-H-30-20	356.35
SS-MFL-BPP-2404-H-30-24	377.20
SS-MFL-BPP-2404-H-38-20	540.25
SS-MFL-BPP-2404-H-38-24	369.65



SS-MFL-BPP-2405 - Str.
 (1) Male Flareless
 (2) Fem. BPP Rigid
Light

SS-MFL-BPP-2405-06-02	51.60
SS-MFL-BPP-2405-06-04	56.45
SS-MFL-BPP-2405-08-04	64.20
SS-MFL-BPP-2405-10-04	64.20
SS-MFL-BPP-2405-12-06	79.60
SS-MFL-BPP-2405-12-08	86.50
SS-MFL-BPP-2405-15-08	97.10
SS-MFL-BPP-2405-18-08	119.00
SS-MFL-BPP-2405-22-12	155.55
SS-MFL-BPP-2405-28-16	228.70
SS-MFL-BPP-2405-35-20	466.30
SS-MFL-BPP-2405-42-24	497.60




SS-MFL-BPP-2405-H - Str.
 (1) Male Flareless
 (2) Fem. BPP Rigid
Heavy

SS-MFL-BPP-2405-H-06-04	59.30
SS-MFL-BPP-2405-H-08-04	64.20
SS-MFL-BPP-2405-H-10-06	93.00
SS-MFL-BPP-2405-H-12-06	91.40
SS-MFL-BPP-2405-H-14-06	126.60
SS-MFL-BPP-2405-H-14-08	123.90
SS-MFL-BPP-2405-H-16-08	113.35
SS-MFL-BPP-2405-H-20-12	185.65
SS-MFL-BPP-2405-H-25-16	290.00
SS-MFL-BPP-2405-H-30-20	427.30
SS-MFL-BPP-2405-H-38-24	560.95




SS-MFL-BPP-6400-EO - Str.
 (1) Male Flareless
 (2) Male BPP w/ Peflex Seal
Light

SS-MFL-BPP-6400-06-02-EO	29.80
SS-MFL-BPP-6400-06-04-EO	38.95
SS-MFL-BPP-6400-06-06-EO	50.45
SS-MFL-BPP-6400-08-02-EO	39.25
SS-MFL-BPP-6400-08-04-EO	38.25
SS-MFL-BPP-6400-08-06-EO	46.70
SS-MFL-BPP-6400-08-08-EO	65.60
SS-MFL-BPP-6400-10-02-EO	54.25
SS-MFL-BPP-6400-10-04-EO	39.95
SS-MFL-BPP-6400-10-06-EO	52.80
SS-MFL-BPP-6400-10-08-EO	77.70
SS-MFL-BPP-6400-12-04-EO	50.45
SS-MFL-BPP-6400-12-06-EO	52.15
SS-MFL-BPP-6400-12-08-EO	65.00
SS-MFL-BPP-6400-15-06-EO	66.35
SS-MFL-BPP-6400-15-08-EO	77.50
SS-MFL-BPP-6400-15-12-EO	109.55
SS-MFL-BPP-6400-18-08-EO	87.65
SS-MFL-BPP-6400-18-12-EO	117.90
SS-MFL-BPP-6400-22-08-EO	125.10
SS-MFL-BPP-6400-22-12-EO	106.30
SS-MFL-BPP-6400-22-16-EO	172.10
SS-MFL-BPP-6400-28-12-EO	199.05
SS-MFL-BPP-6400-28-16-EO	194.65
SS-MFL-BPP-6400-35-20-EO	330.05
SS-MFL-BPP-6400-35-24-EO	413.25
SS-MFL-BPP-6400-42-20-EO	498.15
SS-MFL-BPP-6400-42-24-EO	428.55



SS-MFL-BPP-6400-H-EO - Str.
 (1) Male Flareless
 (2) Male BPP w/ Peflex Seal
Heavy

SS-MFL-BPP-6400-H-06-04-EO	50.10
SS-MFL-BPP-6400-H-08-04-EO	51.55
SS-MFL-BPP-6400-H-08-06-EO	61.80
SS-MFL-BPP-6400-H-08-08-EO	73.95
SS-MFL-BPP-6400-H-10-04-EO	63.70
SS-MFL-BPP-6400-H-10-06-EO	66.35
SS-MFL-BPP-6400-H-10-08-EO	87.95
SS-MFL-BPP-6400-H-12-04-EO	66.70
SS-MFL-BPP-6400-H-12-06-EO	56.55
SS-MFL-BPP-6400-H-12-08-EO	86.45
SS-MFL-BPP-6400-H-14-06-EO	92.15
SS-MFL-BPP-6400-H-14-08-EO	90.70
SS-MFL-BPP-6400-H-16-06-EO	96.30
SS-MFL-BPP-6400-H-16-08-EO	84.30
SS-MFL-BPP-6400-H-16-12-EO	123.20
SS-MFL-BPP-6400-H-20-08-EO	135.75
SS-MFL-BPP-6400-H-20-12-EO	121.50
SS-MFL-BPP-6400-H-25-16-EO	215.60
SS-MFL-BPP-6400-H-30-16-EO	330.05
SS-MFL-BPP-6400-H-30-20-EO	448.50
SS-MFL-BPP-6400-H-30-24-EO	519.00
SS-MFL-BPP-6400-H-38-20-EO	547.05
SS-MFL-BPP-6400-H-38-24-EO	570.95




SS-MFL-BPP-6510 - Str.
 (1) Female Flareless Swivel
 (2) Male BPP w/ Cutting Face Seal
Light

SS-MFL-BPP-6510-06-02	50.35
SS-MFL-BPP-6510-08-04	51.20
SS-MFL-BPP-6510-10-04	52.40
SS-MFL-BPP-6510-12-04	65.40
SS-MFL-BPP-6510-12-06	64.20
SS-MFL-BPP-6510-15-06	93.00
SS-MFL-BPP-6510-15-08	93.85
SS-MFL-BPP-6510-18-08	108.05
SS-MFL-BPP-6510-22-08	185.50
SS-MFL-BPP-6510-22-12	174.25
SS-MFL-BPP-6510-28-16	271.35
SS-MFL-BPP-6510-35-20	466.70
SS-MFL-BPP-6510-42-24	650.70


STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




SS-MFL-BPP-6510-H - Str.
 (1) Fem. Flareless Swivel
 (2) Male BPP Cutting Face Seal
Heavy

SS-MFL-BPP-6510-H-06-04	77.60
SS-MFL-BPP-6510-H-08-04	65.80
SS-MFL-BPP-6510-H-10-06	80.45
SS-MFL-BPP-6510-H-12-06	78.00
SS-MFL-BPP-6510-H-12-08	97.50
SS-MFL-BPP-6510-H-14-08	111.30
SS-MFL-BPP-6510-H-16-08	127.15
SS-MFL-BPP-6510-H-16-12	172.65
SS-MFL-BPP-6510-H-20-12	212.45
SS-MFL-BPP-6510-H-25-16	352.15
SS-MFL-BPP-6510-H-30-16	365.85
SS-MFL-BPP-6510-H-30-20	541.05
SS-MFL-BPP-6510-H-38-24	760.00




SS-MFL-BPP-6510-EO - Str.
 (1) Fem. Flareless Swivel
 (2) Male BPP w/ Peflex Seal
Light

SS-MFL-BPP-6510-06-02-EO	99.25
SS-MFL-BPP-6510-08-04-EO	93.00
SS-MFL-BPP-6510-10-04-EO	95.85
SS-MFL-BPP-6510-12-06-EO	101.15
SS-MFL-BPP-6510-15-08-EO	135.65
SS-MFL-BPP-6510-18-08-EO	175.45
SS-MFL-BPP-6510-22-12-EO	199.45
SS-MFL-BPP-6510-28-16-EO	315.20
SS-MFL-BPP-6510-35-20-EO	429.75
SS-MFL-BPP-6510-42-24-EO	586.95




SS-MFL-BPP-6510-H-EO - Str.
 (1) Fem. Flareless Swivel
 (2) Male BPP w/ Peflex Seal
Heavy

SS-MFL-BPP-6510-H-06-04-EO	96.25
SS-MFL-BPP-6510-H-08-04-EO	87.75
SS-MFL-BPP-6510-H-10-06-EO	109.25
SS-MFL-BPP-6510-H-12-06-EO	113.35
SS-MFL-BPP-6510-H-14-08-EO	153.95
SS-MFL-BPP-6510-H-16-08-EO	168.55
SS-MFL-BPP-6510-H-20-12-EO	191.30
SS-MFL-BPP-6510-H-25-16-EO	397.25
SS-MFL-BPP-6510-H-30-20-EO	539.80
SS-MFL-BPP-6510-H-38-24-EO	560.15




SS-MFL-BST-2404-LL - Str.
 (1) Male Flareless
 (2) Male BSPT
Extra Light

SS-MFL-BST-2404-LL-06-02	133.45
SS-MFL-BST-2404-LL-08-02	146.90




SS-MFL-BST-2404 - Str.
 (1) Male Flareless
 (2) Male BSPT
Light

SS-MFL-BST-2404-06-02	41.45
SS-MFL-BST-2404-06-04	41.45
SS-MFL-BST-2404-08-02	45.50
SS-MFL-BST-2404-08-04	41.85
SS-MFL-BST-2404-08-06	53.20
SS-MFL-BST-2404-10-04	43.60
SS-MFL-BST-2404-10-06	49.15
SS-MFL-BST-2404-12-04	57.25
SS-MFL-BST-2404-12-06	59.30
SS-MFL-BST-2404-12-08	67.45
SS-MFL-BST-2404-15-06	78.00
SS-MFL-BST-2404-15-08	79.20
SS-MFL-BST-2404-18-08	102.35
SS-MFL-BST-2404-22-12	145.00
SS-MFL-BST-2404-28-16	236.00
SS-MFL-BST-2404-35-20	511.80
SS-MFL-BST-2404-42-20	561.20




SS-MFL-BST-2404-H - Str.
 (1) Male Flareless
 (2) Male BSPT
Heavy

SS-MFL-BST-2404-H-06-04	43.50
SS-MFL-BST-2404-H-08-04	48.45
SS-MFL-BST-2404-H-10-06	63.15
SS-MFL-BST-2404-H-14-08	87.15
SS-MFL-BST-2404-H-16-08	76.35
SS-MFL-BST-2404-H-20-12	110.50
SS-MFL-BST-2404-H-25-16	192.10
SS-MFL-BST-2404-H-30-20	442.80



SS-MFL-BST-2501 - 90°
 (1) Male Flareless
 (2) Male BSPT
Light

SS-MFL-BST-2501-06-02	61.60
SS-MFL-BST-2501-06-04	65.35
SS-MFL-BST-2501-08-02	68.70
SS-MFL-BST-2501-08-04	66.70
SS-MFL-BST-2501-08-06	97.80
SS-MFL-BST-2501-10-04	78.20
SS-MFL-BST-2501-10-06	79.55
SS-MFL-BST-2501-12-04	101.20
SS-MFL-BST-2501-12-06	107.65
SS-MFL-BST-2501-12-08	109.35
SS-MFL-BST-2501-15-06	130.70
SS-MFL-BST-2501-15-08	178.70
SS-MFL-BST-2501-18-08	194.95
SS-MFL-BST-2501-22-12	279.25




SS-MFL-BST-2501-H - 90°
 (1) Male Flareless
 (2) Male BSPT
Heavy

SS-MFL-BST-2501-H-06-04	83.80
SS-MFL-BST-2501-H-08-04	121.50
SS-MFL-BST-2501-H-10-04	123.20
SS-MFL-BST-2501-H-10-06	99.70
SS-MFL-BST-2501-H-12-06	125.85
SS-MFL-BST-2501-H-14-08	163.00
SS-MFL-BST-2501-H-16-08	166.90
SS-MFL-BST-2501-H-20-12	279.30
SS-MFL-BST-2501-H-25-16	466.45
SS-MFL-BST-2501-H-30-20	865.85
SS-MFL-BST-2501-H-38-24	1010.75


STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




SS-MFL-BST-2601 - Tee
 (1) (2) Male Flareless
 (3) Male BSPT
 Light

SS-MFL-BST-2601-06-06-02	115.00
SS-MFL-BST-2601-08-08-02	118.95
SS-MFL-BST-2601-08-08-04	115.10
SS-MFL-BST-2601-10-10-04	126.75
SS-MFL-BST-2601-12-12-04	149.80
SS-MFL-BST-2601-12-12-06	150.90
SS-MFL-BST-2601-15-15-08	194.75
SS-MFL-BST-2601-18-18-08	305.00




SS-MFL-BST-2601-H - Tee
 (1) (2) Male Flareless
 (3) Male BSPT
 Heavy

SS-MFL-BST-2601-H-06-06-04	130.05
SS-MFL-BST-2601-H-08-08-04	161.65
SS-MFL-BST-2601-H-10-10-06	170.15
SS-MFL-BST-2601-H-12-12-06	219.05
SS-MFL-BST-2601-H-14-14-08	285.60
SS-MFL-BST-2601-H-16-16-08	354.50



SS-MFL-BST-2605 - Tee
 (1) (3) Male Flareless
 (2) Male BSPT
 Light

SS-MFL-BST-2605-06-02-06	102.70
SS-MFL-BST-2605-08-04-08	130.60
SS-MFL-BST-2605-10-04-10	141.00
SS-MFL-BST-2605-12-06-12	151.70
SS-MFL-BST-2605-15-08-15	227.95
SS-MFL-BST-2605-18-08-18	352.75



SS-MFL-BST-2605-H - Tee
 (1) (3) Male Flareless
 (2) Male BSPT
 Heavy

SS-MFL-BST-2605-H-06-04-06	139.40
SS-MFL-BST-2605-H-08-04-08	143.10
SS-MFL-BST-2605-H-10-06-10	171.00
SS-MFL-BST-2605-H-12-06-12	213.20
SS-MFL-BST-2605-H-14-08-14	257.85
SS-MFL-BST-2605-H-16-08-16	317.30



SS-MFL-M-2404 - Str.
 (1) Male Flareless
 (2) Male Metric Parallel w/ Cutting Face Seal
 Light

SS-MFL-M-2404-06-10X1.0	36.95
SS-MFL-M-2404-08-12X1.5	40.60
SS-MFL-M-2404-10-14X1.5	48.75
SS-MFL-M-2404-12-16X1.5	58.50
SS-MFL-M-2404-15-18X1.5	71.10
SS-MFL-M-2404-18-22X1.5	106.40
SS-MFL-M-2404-22-26X1.5	159.25
SS-MFL-M-2404-28-33X2.0	252.65
SS-MFL-M-2404-35-42X2.0	292.45
SS-MFL-M-2404-42-48X2.0	391.95



SS-MFL-M-2404-H - Str.
 (1) Male Flareless
 (2) Male Metric Parallel w/ Cutting Face Seal
 Heavy

SS-MFL-M-2404-H-06-12X1.5	62.95
SS-MFL-M-2404-H-08-14X1.5	62.15
SS-MFL-M-2404-H-10-16X1.5	73.10
SS-MFL-M-2404-H-12-18X1.5	81.25
SS-MFL-M-2404-H-14-20X1.5	100.75
SS-MFL-M-2404-H-16-22X1.5	106.00
SS-MFL-M-2404-H-20-27X2.0	180.75
SS-MFL-M-2404-H-25-33X2.0	298.95
SS-MFL-M-2404-H-30-42X2.0	450.85
SS-MFL-M-2404-H-38-48X2.0	588.95




SS-MFL-M-2405 - Str.
 (1) Male Flareless
 (2) Fem. Metric Parallel Rigid
 Light

SS-MFL-M-2405-06-10X1.0	56.45
SS-MFL-M-2405-08-12X1.5	70.25
SS-MFL-M-2405-10-14X1.5	78.80
SS-MFL-M-2405-12-16X1.5	98.30
SS-MFL-M-2405-15-18X1.5	134.45
SS-MFL-M-2405-18-22X1.5	158.00
SS-MFL-M-2405-22-26X1.5	195.80
SS-MFL-M-2405-28-33X2.0	282.30
SS-MFL-M-2405-35-42X2.0	479.30
SS-MFL-M-2405-42-48X2.0	636.90



SS-MFL-M-2405-H - Str.
 (1) Male Flareless
 (2) Fem. Metric Parallel Rigid
 Heavy

SS-MFL-M-2405-H-06-12X1.5	79.20
SS-MFL-M-2405-H-08-14X1.5	98.30
SS-MFL-M-2405-H-10-16X1.5	111.30
SS-MFL-M-2405-H-12-18X1.5	118.20
SS-MFL-M-2405-H-14-20X1.5	140.55
SS-MFL-M-2405-H-16-22X1.5	153.95
SS-MFL-M-2405-H-20-27X2.0	221.80
SS-MFL-M-2405-H-25-33X2.0	322.90
SS-MFL-M-2405-H-30-42X2.0	496.75
SS-MFL-M-2405-H-38-48X2.0	731.95




SS-MFL-M-6510-EO - Str.
 (1) Fem. Flareless Swivel
 (2) Male Metric Parallel w/ Peflex Seal
 Light

SS-MFL-M-6510-06-10X1.0-EO	91.40
SS-MFL-M-6510-08-12X1.5-EO	84.30
SS-MFL-M-6510-10-14X1.5-EO	88.95
SS-MFL-M-6510-12-16X1.5-EO	97.10
SS-MFL-M-6510-15-18X1.5-EO	134.05
SS-MFL-M-6510-18-22X1.5-EO	176.30
SS-MFL-M-6510-22-26X1.5-EO	188.25
SS-MFL-M-6510-28-33X2.0-EO	321.10
SS-MFL-M-6510-35-42X2.0-EO	488.05
SS-MFL-M-6510-42-48X2.0-EO	552.40

STAINLESS STEEL METRIC FLARELESS


Styles may vary from picture



SS-MFL-M-6510-H - Str.
 (1) Fem. Flareless Swivel
 (2) Male Metric Parallel w/ Cutting Face Seal

Heavy


SS-MFL-M-6510-H-06-12X1.5-EO	86.25
SS-MFL-M-6510-H-08-14X1.5-EO	92.35
SS-MFL-M-6510-H-10-16X1.5-EO	96.25
SS-MFL-M-6510-H-12-18X1.5-EO	113.35
SS-MFL-M-6510-H-14-20X1.5-EO	136.05
SS-MFL-M-6510-H-16-22X1.5-EO	164.25
SS-MFL-M-6510-H-20-27X2.0-EO	182.65
SS-MFL-M-6510-H-25-33X2.0-EO	278.25
SS-MFL-M-6510-H-30-42X2.0-EO	341.20
SS-MFL-M-6510-H-38-48X2.0-EO	609.75



SS-MFL-MP-2404 - Str.
 (1) Male Flareless
 (2) Male NPT

Light


SS-MFL-MP-2404-06-02	44.25
SS-MFL-MP-2404-06-04	41.35
SS-MFL-MP-2404-06-06	60.10
SS-MFL-MP-2404-08-02	43.05
SS-MFL-MP-2404-08-04	48.35
SS-MFL-MP-2404-08-06	64.20
SS-MFL-MP-2404-08-08	75.55
SS-MFL-MP-2404-10-02	49.55
SS-MFL-MP-2404-10-04	46.65
SS-MFL-MP-2404-10-06	52.80
SS-MFL-MP-2404-10-08	75.15
SS-MFL-MP-2404-12-04	58.90
SS-MFL-MP-2404-12-06	59.15
SS-MFL-MP-2404-12-08	69.05
SS-MFL-MP-2404-15-08	93.65
SS-MFL-MP-2404-18-08	115.35
SS-MFL-MP-2404-18-12	147.85
SS-MFL-MP-2404-22-12	153.55
SS-MFL-MP-2404-28-16	262.40
SS-MFL-MP-2404-35-20	367.60
SS-MFL-MP-2404-42-24	544.30



SS-MFL-MP-2404-H - Str.
 (1) Male Flareless
 (2) Male NPT

Heavy


SS-MFL-MP-2404-H-06-02	58.50
SS-MFL-MP-2404-H-06-04	60.10
SS-MFL-MP-2404-H-06-06	81.65
SS-MFL-MP-2404-H-08-04	68.25
SS-MFL-MP-2404-H-08-06	88.15
SS-MFL-MP-2404-H-08-08	92.60
SS-MFL-MP-2404-H-10-04	77.60
SS-MFL-MP-2404-H-10-06	79.60
SS-MFL-MP-2404-H-10-08	85.30
SS-MFL-MP-2404-H-12-04	84.10
SS-MFL-MP-2404-H-12-06	80.85
SS-MFL-MP-2404-H-12-08	76.75
SS-MFL-MP-2404-H-14-08	112.90
SS-MFL-MP-2404-H-16-08	112.25
SS-MFL-MP-2404-H-16-12	155.55
SS-MFL-MP-2404-H-20-08	176.70
SS-MFL-MP-2404-H-20-12	163.70
SS-MFL-MP-2404-H-20-16	201.45
SS-MFL-MP-2404-H-25-12	306.65
SS-MFL-MP-2404-H-25-16	272.95
SS-MFL-MP-2404-H-30-20	373.70
SS-MFL-MP-2404-H-38-24	519.10



SS-MFL-MP-2501 - 90°
 (1) Male Flareless
 (2) Male NPT

Light


SS-MFL-MP-2501-06-02	73.95
SS-MFL-MP-2501-06-04	75.95
SS-MFL-MP-2501-08-04	86.10
SS-MFL-MP-2501-10-04	104.80
SS-MFL-MP-2501-12-04	116.60
SS-MFL-MP-2501-12-06	111.70
SS-MFL-MP-2501-12-08	114.95
SS-MFL-MP-2501-15-08	156.80
SS-MFL-MP-2501-18-08	225.45
SS-MFL-MP-2501-22-12	305.45
SS-MFL-MP-2501-28-16	477.25
SS-MFL-MP-2501-35-20	798.55
SS-MFL-MP-2501-42-24	1121.90



SS-MFL-MP-2501-H - 90°
 (1) Male Flareless
 (2) Male NPT

Heavy

SS-MFL-MP-2501-H-06-04	88.55
SS-MFL-MP-2501-H-08-04	111.70
SS-MFL-MP-2501-H-10-06	124.70
SS-MFL-MP-2501-H-12-06	137.70
SS-MFL-MP-2501-H-12-08	175.45
SS-MFL-MP-2501-H-14-08	188.90
SS-MFL-MP-2501-H-16-08	211.60
SS-MFL-MP-2501-H-20-12	319.45
SS-MFL-MP-2501-H-25-16	466.70
SS-MFL-MP-2501-H-30-20	861.55
SS-MFL-MP-2501-H-38-24	999.20




SS-MFL-MP-2601 - Tee
 (1) (2) Male Flareless
 (3) Male NPT

Light

SS-MFL-MP-2601-06-06-02	132.00
SS-MFL-MP-2601-06-06-04	158.45
SS-MFL-MP-2601-08-08-04	142.65
SS-MFL-MP-2601-10-10-04	161.75
SS-MFL-MP-2601-12-12-06	195.75
SS-MFL-MP-2601-18-18-08	384.20
SS-MFL-MP-2601-22-22-12	457.35
SS-MFL-MP-2601-28-28-16	664.55
SS-MFL-MP-2601-35-35-20	1255.10
SS-MFL-MP-2601-42-42-24	1291.70

STAINLESS STEEL METRIC FLARELESS

Styles may vary from picture




SS-MFL-MP-2601-H - Tee

(1) (2) Male Flareless
(3) Male NPT

Heavy

SS-MFL-MP-2601-H-06-06-04	145.35
SS-MFL-MP-2601-H-10-10-06	187.50
SS-MFL-MP-2601-H-12-12-06	220.65
SS-MFL-MP-2601-H-14-14-08	301.80
SS-MFL-MP-2601-H-16-16-08	373.85
SS-MFL-MP-2601-H-20-20-12	489.05
SS-MFL-MP-2601-H-25-25-16	793.30
SS-MFL-MP-2601-H-30-30-20	1171.60
SS-MFL-MP-2601-H-38-38-24	1758.80




SS-MFL-MP-6510 - Str.

(1) Fem. Flareless Swivel
(2) Male NPT

Light

SS-MFL-MP-6510-06-02	47.10
SS-MFL-MP-6510-08-04	55.25
SS-MFL-MP-6510-10-04	59.70
SS-MFL-MP-6510-12-06	76.75
SS-MFL-MP-6510-15-08	95.45
SS-MFL-MP-6510-18-08	148.25
SS-MFL-MP-6510-22-12	178.70
SS-MFL-MP-6510-28-16	305.45
SS-MFL-MP-6510-35-20	497.60
SS-MFL-MP-6510-42-24	551.60




SS-MFL-MP-6510-H - Str.

(1) Fem. Flareless Swivel
(2) Male NPT

Heavy

SS-MFL-MP-6510-H-06-04	66.60
SS-MFL-MP-6510-H-08-04	65.80
SS-MFL-MP-6510-H-10-06	90.60
SS-MFL-MP-6510-H-12-06	89.75
SS-MFL-MP-6510-H-14-08	111.90
SS-MFL-MP-6510-H-16-08	158.00
SS-MFL-MP-6510-H-20-12	191.70
SS-MFL-MP-6510-H-25-12	337.15
SS-MFL-MP-6510-H-25-16	320.00
SS-MFL-MP-6510-H-30-16	367.95
SS-MFL-MP-6510-H-30-20	554.85
SS-MFL-MP-6510-H-38-24	588.55




SS-MFL-MT-2404-LL - Str.

(1) Male Flareless
(2) Male Metric Taper

Extra Light

SS-MFL-MT-2404-LL-04-08X1.0	41.85
SS-MFL-MT-2404-LL-06-10X1.0	40.20
SS-MFL-MT-2404-LL-08-10X1.0	44.70




SS-MFL-MT-2404 - Str.

(1) Male Flareless
(2) Male Metric Taper

Light

SS-MFL-MT-2404-06-10X1.0	45.10
SS-MFL-MT-2404-08-12X1.5	58.50
SS-MFL-MT-2404-10-14X1.5	60.95
SS-MFL-MT-2404-12-16X1.5	75.55
SS-MFL-MT-2404-15-18X1.5	101.55
SS-MFL-MT-2404-18-22X1.5	109.65
SS-MFL-MT-2404-22-26X1.5	163.50




SS-MFL-MT-2501 - 90°

(1) Male Flareless
(2) Male Metric Taper

Light

SS-MFL-MT-2501-06-10X1.0	68.45
SS-MFL-MT-2501-08-12X1.5	72.50
SS-MFL-MT-2501-10-14X1.5	73.95
SS-MFL-MT-2501-12-16X1.5	77.70
SS-MFL-MT-2501-15-18X1.5	110.95
SS-MFL-MT-2501-18-22X1.5	154.85




SS-MFL-MT-2501-H - 90°

(1) Male Flareless
(2) Male Metric Taper

Heavy

SS-MFL-MT-2501-H-06-12X1.5	72.50
SS-MFL-MT-2501-H-08-14X1.5	79.70
SS-MFL-MT-2501-H-10-16X1.5	93.10
SS-MFL-MT-2501-H-12-18X1.5	109.45
SS-MFL-MT-2501-H-14-20X1.5	139.70
SS-MFL-MT-2501-H-16-22X1.5	162.60



SS-MFL-MT-2601 - Tee


(1) (2) Male Flareless
(3) Male Metric Taper

Light

SS-MFL-MT-2601-06-06-10X1.0	136.05
SS-MFL-MT-2601-08-08-12X1.5	139.75
SS-MFL-MT-2601-10-10-14X1.5	134.65
SS-MFL-MT-2601-12-12-16X1.5	170.05
SS-MFL-MT-2601-15-15-18X1.5	206.00
SS-MFL-MT-2601-18-18-22X1.5	322.90

STAINLESS STEEL METRIC FLARELESS


Styles may vary from picture



SS-MFL-MT-2601-H - Tee

(1) (2) Male Flareless
(3) Male Metric Taper
Heavy


SS-MFL-MT-2601-H-06-06-12X1.5	120.25
SS-MFL-MT-2601-H-08-08-14X1.5	138.45
SS-MFL-MT-2601-H-10-10-16X1.5	156.40
SS-MFL-MT-2601-H-12-12-18X1.5	177.45
SS-MFL-MT-2601-H-14-14-20X1.5	254.90
SS-MFL-MT-2601-H-16-16-22X1.5	370.05



SS-MFL-MT-2605 - Tee

(1) (3) Male Flareless
(2) Male Metric Taper
Light

SS-MFL-MT-2605-06-10X1.0-06	143.00
SS-MFL-MT-2605-08-12X1.5-08	149.80
SS-MFL-MT-2605-10-14X1.5-10	162.90
SS-MFL-MT-2605-12-16X1.5-12	195.80
SS-MFL-MT-2605-15-18X1.5-15	237.80
SS-MFL-MT-2605-18-22X1.5-18	406.15



SS-MFL-MT-2605-H - Tee

(1) (3) Male Flareless
(2) Male Metric Taper
Heavy

SS-MFL-MT-2605-H-06-12X1.5-06	138.25
SS-MFL-MT-2605-H-08-14X1.5-08	159.25
SS-MFL-MT-2605-H-10-16X1.5-10	179.85
SS-MFL-MT-2605-H-12-18X1.5-12	204.10
SS-MFL-MT-2605-H-14-20X1.5-14	293.15
SS-MFL-MT-2605-H-16-22X1.5-16	425.55

PARTS INDEX

Digital Caliper	4	SS-MFL-6602	14
BSPP and Metric ID Kit	4	SS-MFL-6602-H.....	14
SS-BPP-0304-C.....	5	SS-MFL-BPP-2404	14
SS-BPP-0306	5	SS-MFL-BPP-2404-H	15
SS-BPP-1404	5	SS-MFL-BPP-2405	15
SS-BPP-1406	5	SS-MFL-BPP-2405-H	15
SS-BPP-5000	5	SS-MFL-BPP-6400-EO	15
SS-BPP-5404	5	SS-MFL-BPP-6400-H-EO	15
SS-BPP-5404-BH	5	SS-MFL-BPP-6510	15
SS-BPP-5405	5	SS-MFL-BPP-6510-EO	16
SS-BPP-5406	5	SS-MFL-BPP-6510-H	16
SS-BPP-6001	6	SS-MFL-BPP-6510-H-EO	16
SS-BPP-6001-V.....	6	SS-MFL-BST-2404	16
SS-BPP-6408	6	SS-MFL-BST-2404-H.....	16
SS-BPP-6408-HHP-EO	6	SS-MFL-BST-2404-LL.....	16
SS-BPP-BST-5404	6	SS-MFL-BST-2501	16
SS-BPP-FJX-6505.....	6	SS-MFL-BST-2501-H.....	16
SS-BPP-FP-5405.....	6	SS-MFL-BST-2601	17
SS-BPP-MJ-2404	7	SS-MFL-BST-2601-H.....	17
SS-BPP-MJ-6400-WO.....	7	SS-MFL-BST-2605	17
SS-BPP-MJ-6801-NWO	7	SS-MFL-BST-2605-H.....	17
SS-BPP-MP-5404	7	SS-MFL-M-2404	17
SS-BPP-MP-5405	7	SS-MFL-M-2404-H	17
SS-BST-5404.....	8	SS-MFL-M-2405	17
SS-BST-FP-5405.....	8	SS-MFL-M-2405-H	17
SS-BST-MJ-2404.....	8	SS-MFL-M-6510-EO	17
SS-BST-MJ-2501.....	8	SS-MFL-M-6510-H	18
SS-M-6408-HHP-EO	9	SS-MFL-MP-2404	18
SS-M-FP-6405-WO	9	SS-MFL-MP-2404-H	18
SS-M-MJ-6400-WO	9	SS-MFL-MP-2501	18
SS-MFL-0318	10	SS-MFL-MP-2501-H	18
SS-MFL-0318-H.....	10	SS-MFL-MP-2601	18
SS-MFL-0318-LL.....	10	SS-MFL-MP-2601-H	19
SS-MFL-0319	10	SS-MFL-MP-6510	19
SS-MFL-0319-H.....	10	SS-MFL-MP-6510-H	19
SS-MFL-0319-LL.....	10	SS-MFL-MT-2404	19
SS-MFL-0320	10	SS-MFL-MT-2404-LL.....	19
SS-MFL-0320-H.....	10	SS-MFL-MT-2501	19
SS-MFL-2403.....	11	SS-MFL-MT-2501-H	19
SS-MFL-2403-H.....	11	SS-MFL-MT-2601	19
SS-MFL-2403-LL.....	10	SS-MFL-MT-2601-H	20
SS-MFL-2406.....	11	SS-MFL-MT-2605	20
SS-MFL-2406-H.....	12	SS-MFL-MT-2605-H	20
SS-MFL-2500	12		
SS-MFL-2500-H.....	12		
SS-MFL-2500-LL	12		
SS-MFL-2603	12		
SS-MFL-2603-H.....	12		
SS-MFL-2603-LL.....	12		
SS-MFL-2650	13		
SS-MFL-2650-H.....	13		
SS-MFL-2700-H-LN.....	13		
SS-MFL-2700-LN.....	13		
SS-MFL-2701-H-LN.....	13		
SS-MFL-2701-LN.....	13		
SS-MFL-6500	13		
SS-MFL-6500-H.....	13		
SS-MFL-6565	14		
SS-MFL-6565-H.....	14		
SS-MFL-6600	14		
SS-MFL-6600-H.....	14		