


# STAPLE ADAPTERS



**P-STC-0304-C**  
Plastic Staple Cap

P-STC-0304-C-04	0.67
P-STC-0304-C-06	0.83
P-STC-0304-C-08	1.00
P-STC-0304-C-12	1.33
P-STC-0304-C-16	2.00
P-STC-0304-C-20	2.33
P-STC-0304-C-24	7.83
P-STC-0304-C-32	9.33




**SS-STC-0364**  
Stainless Steel Staple

SS-STC-0364-04	8.00
SS-STC-0364-06	5.90
SS-STC-0364-08	6.40
SS-STC-0364-10	6.45
SS-STC-0364-12	6.80
SS-STC-0364-16	18.61
SS-STC-0364-20	22.78
SS-STC-0364-24	31.15
SS-STC-0364-32	41.09
SS-STC-0364-40	72.47
SS-STC-0364-48	108.06



**STC-0304-C**  
Staple Cap

STC-0304-C-04	16.25
STC-0304-C-06	17.15
STC-0304-C-08	27.40
STC-0304-C-12	33.60
STC-0304-C-16	42.70
STC-0304-C-20	98.45
STC-0304-C-24	204.52
STC-0304-C-32	454.70




**STC-0364**  
Steel Staple Black Plate

STC-0364-04	2.60
STC-0364-06	1.30
STC-0364-08	1.83
STC-0364-12	2.10
STC-0364-16	5.48
STC-0364-20	6.87



**STC-0364-ZN**  
Zinc Staple

STC-0364-ZN-04	2.25
STC-0364-ZN-06	1.15
STC-0364-ZN-08	1.22
STC-0364-ZN-12	2.05
STC-0364-ZN-16	3.83
STC-0364-ZN-20	5.55
STC-0364-ZN-24	13.95
STC-0364-ZN-32	28.75




**STC-2403-Str.**  
(1) (2) Male Staple Union

STC-2403-04-04	14.55
STC-2403-06-04	15.40
STC-2403-06-06	10.09
STC-2403-08-04	20.90
STC-2403-08-06	14.60
STC-2403-08-08	13.48
STC-2403-10-10	56.55
STC-2403-12-06	37.15
STC-2403-12-08	32.60
STC-2403-12-12	17.22
STC-2403-16-08	57.45
STC-2403-16-12	55.75
STC-2403-16-16	33.91
STC-2403-20-12	68.05
STC-2403-20-16	71.02
STC-2403-20-20	56.80
STC-2403-24-12	131.30
STC-2403-24-16	132.30
STC-2403-24-20	169.15
STC-2403-24-24	144.75
STC-2403-32-16	196.50
STC-2403-32-20	183.83
STC-2403-32-24	211.25
STC-2403-32-32	150.55




**STC-2404 - Str.**  
(1) Male Staple  
(2) Male Pipe

STC-2404-04-02	38.26
STC-2404-04-04	21.39
STC-2404-04-06	32.95
STC-2404-06-04	19.95
STC-2404-06-06	20.01
STC-2404-06-08	21.91
STC-2404-08-06	22.25
STC-2404-08-08	22.25
STC-2404-08-12	27.48
STC-2404-12-12	29.82
STC-2404-12-16	60.65
STC-2404-16-12	71.40
STC-2404-16-16	66.25
STC-2404-20-20	75.90
STC-2404-24-24	166.15
STC-2404-32-32	266.19



**STC-2404-L - Str.**  
(1) Male Staple  
(2) Male Pipe Long

STC-2404-L-04-04	39.30
STC-2404-L-06-04	45.03
STC-2404-L-06-06	88.52
STC-2404-L-06-08	51.95
STC-2404-L-08-08	52.40
STC-2404-L-12-12	66.04
STC-2404-L-16-16	105.10



**STC-2404-LL - Str.**  
(1) Male Staple  
(2) Male Pipe Ex. Long


STC-2404-LL-04-04	53.30
STC-2404-LL-06-08	44.60
STC-2404-LL-08-08	88.80

# STAPLE ADAPTERS




**STC-2408**  
(1) Male Staple Plug

STC-2408-04	7.45
STC-2408-06	6.73
STC-2408-08	9.73
STC-2408-12	13.36
STC-2408-16	23.95
STC-2408-20	34.10
STC-2408-24	119.80
STC-2408-32	176.90




**STC-4000**  
O-Ring

STC-4000-04	0.65
STC-4000-06	0.35
STC-4000-08	0.40
STC-4000-10	1.08
STC-4000-12	0.45
STC-4000-16	0.70
STC-4000-20	1.00
STC-4000-24	2.65
STC-4000-32	7.33
STC-4000-40	12.67
STC-4000-48	13.02




**STC-4000-BU**  
Backup Ring

STC-4000-BU-04	0.60
STC-4000-BU-06	0.35
STC-4000-BU-08	0.45
STC-4000-BU-10	2.02
STC-4000-BU-12	0.55
STC-4000-BU-16	1.10
STC-4000-BU-20	1.20
STC-4000-BU-24	5.10
STC-4000-BU-32	6.45




**STC-5000- Str.**  
(1) (2) Fem. Staple

STC-5000-04-04	30.10
STC-5000-06-06	20.18
STC-5000-08-08	27.35
STC-5000-10-10	91.05
STC-5000-12-12	48.78
STC-5000-16-16	71.73
STC-5000-20-20	108.55
STC-5000-24-24	229.71
STC-5000-32-32	222.05
STC-5000-40-40	688.03




**STC-5504 - 90°**  
(1) (2) Fem. Staple

STC-5504-04-04	44.55
STC-5504-06-06	32.75
STC-5504-08-08	53.36
STC-5504-12-12	90.82
STC-5504-16-16	207.64
STC-5504-20-20	299.27
STC-5504-24-24	510.73
STC-5504-32-32	679.55




**STC-5605 - Tee**  
(1) (2) (3) Fem. Staple

STC-5605-04-04-04	82.45
STC-5605-06-06-06	52.91
STC-5605-08-08-06	87.82
STC-5605-08-08-08	87.82
STC-5605-12-12-06	150.73
STC-5605-12-12-08	150.73
STC-5605-12-12-12	104.09
STC-5605-16-16-06	285.82
STC-5605-16-16-08	318.91
STC-5605-16-16-12	160.45
STC-5605-16-16-16	133.22
STC-5605-20-20-06	569.73
STC-5605-20-20-08	585.27
STC-5605-20-20-12	236.64
STC-5605-20-20-16	348.18
STC-5605-20-20-20	320.43
STC-5605-24-24-24	546.61
STC-5605-32-32-32	904.78




**STC-5652 - Cross**  
(1) (2) (3) (4) Fem. Staple

STC-5652-04-04-04-04	175.70
STC-5652-06-06-06-06	82.02
STC-5652-08-08-08-08	239.64
STC-5652-12-12-12-12	293.45
STC-5652-16-16-16-16	600.45
STC-5652-20-20-20-20	750.64



**STC-6400-O - Str.**  
(1) Male Staple  
(2) Male O-Ring

STC-6400-04-04-O	21.09
STC-6400-04-05-O	85.50
STC-6400-04-06-O	30.36
STC-6400-06-04-O	21.64
STC-6400-06-06-O	18.43
STC-6400-06-08-O	37.91
STC-6400-06-10-O	47.67
STC-6400-08-06-O	32.55
STC-6400-08-08-O	22.73
STC-6400-08-10-O	34.02
STC-6400-08-12-O	34.09
STC-6400-12-08-O	61.70
STC-6400-12-10-O	53.81
STC-6400-12-12-O	31.09
STC-6400-12-16-O	79.70
STC-6400-16-16-O	62.91
STC-6400-20-20-O	154.09



**STC-6400-L-O - Str.**  
(1) Male Staple  
(2) Male O-Ring Long


STC-6400-L-04-04-O	85.50
STC-6400-L-06-06-O	91.50
STC-6400-L-08-08-O	97.52
STC-6400-L-12-12-O	69.40



**STC-6400-LL-O - Str.**  
(1) Male Staple  
(2) Male O-Ring Ex. Long


STC-6400-LL-04-04-O	94.50
STC-6400-LL-06-06-O	105.05
STC-6400-LL-08-08-O	112.51
STC-6400-LL-12-12-O	126.05

# STAPLE ADAPTERS




**STC-6402-O - Str.**  
 (1) Fem. Staple Swivel  
 (2) Male O-Ring

STC-6402-04-04-O	28.91
STC-6402-04-06-O	33.70
STC-6402-06-06-O	22.95
STC-6402-06-08-O	39.95
STC-6402-08-06-O	44.82
STC-6402-08-08-O	31.45
STC-6402-08-10-O	43.09
STC-6402-08-12-O	48.45
STC-6402-12-08-O	72.40
STC-6402-12-10-O	97.50
STC-6402-12-12-O	50.73
STC-6402-12-16-O	143.18
STC-6402-16-12-O	97.90
STC-6402-16-16-O	88.73
STC-6402-20-16-O	129.30
STC-6402-20-20-O	103.91




**STC-6500 - 90°**  
 (1) Male Staple  
 (2) Fem. Staple Swivel

STC-6500-06-06	37.57
STC-6500-06-08	56.02
STC-6500-08-06	51.27
STC-6500-08-08	50.73
STC-6500-12-12	95.30
STC-6500-16-12	297.33
STC-6500-16-16	141.22
STC-6500-20-20	166.43
STC-6500-24-24	599.50
STC-6500-32-32	1,391.50




**STC-6500-FD - 90°**  
 (1) Male Staple  
 (2) Fem. Staple Fixed

STC-6500-FD-06-06	41.55
STC-6500-FD-24-24	838.18
STC-6500-FD-32-32	516.45



**STC-6501 - 90°**  
 (1) Fem. Staple Swivel  
 (2) Male Pipe

STC-6501-04-02	44.60
STC-6501-04-04	48.35
STC-6501-04-06	81.06
STC-6501-06-04	45.45
STC-6501-06-06	38.09
STC-6501-06-08	39.82
STC-6501-08-06	52.82
STC-6501-08-08	49.45
STC-6501-08-12	56.27
STC-6501-12-08	69.36
STC-6501-12-12	67.30
STC-6501-12-16	95.81
STC-6501-16-12	172.30
STC-6501-16-16	110.36
STC-6501-20-20	145.03




**STC-6501-FD - 90°**  
 (1) Fem. Staple Fixed  
 (2) Male Pipe

STC-6501-FD-24-24	1,501.27
STC-6501-FD-32-32	1,507.55




**STC-6502 - 45°**  
 (1) Male Staple  
 (2) Fem. Staple Swivel

STC-6502-04-04	51.36
STC-6502-06-06	44.05
STC-6502-06-08	64.64
STC-6502-08-08	65.09
STC-6502-12-12	105.55
STC-6502-16-16	159.45
STC-6502-20-20	231.82




**STC-6504 - Str.**  
 (1) Male Staple  
 (2) Fem. Staple Swivel

STC-6504-04-04	40.91
STC-6504-04-06	39.30
STC-6504-06-04	47.85
STC-6504-06-06	26.25
STC-6504-06-08	53.95
STC-6504-08-04	78.02
STC-6504-08-06	59.75
STC-6504-08-08	42.36
STC-6504-08-12	89.90
STC-6504-08-16	114.80
STC-6504-12-06	61.50
STC-6504-12-08	59.45
STC-6504-12-12	76.15
STC-6504-12-16	93.45
STC-6504-16-08	77.73
STC-6504-16-12	81.09
STC-6504-16-16	107.64
STC-6504-16-20	131.20
STC-6504-20-08	93.80
STC-6504-20-12	464.08
STC-6504-20-16	105.09
STC-6504-32-20	277.51



**STC-6504-FD - Str.**  
 (1) Male Staple  
 (2) Fem. Staple Fixed


STC-6504-FD-40-32	1,140.01
-------------------	----------



**STC-6505 - Str.**  
 (1) Fem. Staple Swivel  
 (2) Male Pipe


STC-6505-04-02	28.15
STC-6505-04-04	27.25
STC-6505-04-06	36.25
STC-6505-06-04	36.36
STC-6505-06-06	27.50
STC-6505-06-08	33.27
STC-6505-08-06	33.09
STC-6505-08-08	31.82
STC-6505-08-12	45.40
STC-6505-12-08	57.55
STC-6505-12-12	52.55
STC-6505-12-16	62.25
STC-6505-16-12	120.75
STC-6505-16-16	80.73
STC-6505-20-16	229.40
STC-6505-20-20	95.55

# STAPLE ADAPTERS




**STC-6505-FD - Str.**  
(1) Fem. Staple Fixed  
(2) Male Pipe

STC-6505-FD-24-24	259.09
STC-6505-FD-32-32	345.70




**STC-6508 - 45°**  
(1) Fem. Staple Swivel  
(2) Male Pipe

STC-6508-04-04	37.27
STC-6508-06-06	39.35
STC-6508-06-08	92.76
STC-6508-08-06	100.92
STC-6508-08-08	53.55
STC-6508-08-12	107.02
STC-6508-12-12	70.55
STC-6508-16-16	114.45
STC-6508-20-20	340.91




**STC-6565 - Str.**  
(1) (2) Fem. Staple Swivel

STC-6565-04-04	37.82
STC-6565-06-04	68.70
STC-6565-06-06	39.36
STC-6565-08-04	117.02
STC-6565-08-06	44.82
STC-6565-08-08	49.09
STC-6565-12-08	65.82
STC-6565-12-12	79.18
STC-6565-16-06	138.60
STC-6565-16-08	112.60
STC-6565-16-12	114.75
STC-6565-16-16	137.10
STC-6565-20-08	189.03
STC-6565-20-12	189.03
STC-6565-20-16	146.46
STC-6565-20-20	193.05




**STC-6566 - 90°**  
(1) (2) Fem. Staple Swivel

STC-6566-04-04	40.75
STC-6566-06-06	48.56
STC-6566-08-06	144.42
STC-6566-08-08	62.55
STC-6566-12-12	109.27
STC-6566-16-16	168.91
STC-6566-20-20	189.73




**STC-6567 - 45°**  
(1) (2) Fem. Staple Swivel

STC-6567-04-04	38.91
STC-6567-06-06	48.82
STC-6567-08-08	64.18
STC-6567-12-12	98.27
STC-6567-16-16	156.01
STC-6567-20-20	171.05




**STC-6600 - Tee**  
(1) (2) Fem. Staple Swivel  
(3) Male Staple

STC-6600-04-04-04	195.02
STC-6600-06-06-06	121.27
STC-6600-08-08-08	259.55




**STC-6602 - Tee**  
(1) Male Staple  
(2) (3) Fem. Staple Swivel

STC-6602-04-04-04	248.40
STC-6602-06-06-06	119.64
STC-6602-08-08-08	272.91
STC-6602-12-12-12	644.09
STC-6602-16-16-16	802.90




**STC-6602-FD - Tee**  
(1) Male Staple  
(2) (3) Fem. Staple Fixed

STC-6602-FD-06-06-06	38.82
----------------------	-------



**STC-6606 - Tee**  
(1) (2) (3) Fem. Staple Swivel


STC-6606-04-04-04	74.45
STC-6606-06-06-06	71.01
STC-6606-08-08-06	86.03
STC-6606-08-08-08	91.25
STC-6606-08-08-12	171.82
STC-6606-12-12-06	148.45
STC-6606-12-12-08	151.36
STC-6606-12-12-12	157.73
STC-6606-16-16-06	220.91
STC-6606-16-16-08	225.82
STC-6606-16-16-12	256.18
STC-6606-16-16-16	239.27
STC-6606-20-20-10	339.58
STC-6606-20-20-12	412.36
STC-6606-20-20-16	412.36
STC-6606-20-20-20	269.64



**STC-6809-NWO - 90°**  
(1) Fem. Staple Swivel  
(2) Adj. O-Ring


STC-6809-04-04-NWO	48.64
STC-6809-04-06-NWO	45.95
STC-6809-06-04-NWO	65.50
STC-6809-06-06-NWO	53.64
STC-6809-06-08-NWO	49.25
STC-6809-08-08-NWO	55.73
STC-6809-08-10-NWO	62.73
STC-6809-08-12-NWO	57.64
STC-6809-12-12-NWO	76.02
STC-6809-16-16-NWO	125.45
STC-6809-20-20-NWO	192.03

# STAPLE ADAPTERS




**STC-6810-NWO - 45°**  
 (1) Fem. Staple Swivel  
 (2) Adj. O-Ring

STC-6810-04-04-NWO	58.73
STC-6810-04-06-NWO	102.08
STC-6810-06-06-NWO	69.55
STC-6810-06-08-NWO	101.25
STC-6810-08-06-NWO	78.92
STC-6810-08-08-NWO	76.73
STC-6810-08-10-NWO	80.75
STC-6810-12-12-NWO	90.47
STC-6810-16-16-NWO	182.20
STC-6810-20-20-NWO	302.40



**STC-7000 - Y**  
 (1) (2) (3) Fem.  
 Staple Swivel

STC-7000-06-06-06	123.09
-------------------	--------




**STC-8700 - K**  
 (1) (2) (3) (4) Fem.  
 Staple Swivel

STC-8700-06-06-06-06	156.83
----------------------	--------



**STC-BJO-BPP-6001**  
 BPP Banjo Washer

STC-BJO-BPP-6001-04	3.70
STC-BJO-BPP-6001-06	3.75
STC-BJO-BPP-6001-08	3.80
STC-BJO-BPP-6001-12	4.71
STC-BJO-BPP-6001-16	8.14
STC-BJO-BPP-6001-20	19.29
STC-BJO-BPP-6001-24	19.29
STC-BJO-BPP-6001-32	54.27




**STC-BJO-BPP-8000-BO**  
 (1) Fem. BPP Swivel  
 (2) Banjo Body Hole

STC-BJO-BPP-8000-BO-04-04	114.73
STC-BJO-BPP-8000-BO-06-06	86.83
STC-BJO-BPP-8000-BO-08-06	231.42
STC-BJO-BPP-8000-BO-08-08	162.83



**STC-BJO-BPP-8100**  
 BPP Banjo Bolt

STC-BJO-BPP-8100-04	13.58
STC-BJO-BPP-8100-06	13.18
STC-BJO-BPP-8100-08	28.25



**STC-BJO-BPP-8500**  
 (1) Fem. BPP Swivel  
 (2) Banjo Assembly

STC-BJO-BPP-8500-04-04	319.45
STC-BJO-BPP-8500-06-06	202.91
STC-BJO-BPP-8500-08-08	332.18
STC-BJO-BPP-8500-16-16	1,436.09




**STC-BV-6504 - Ball Valve**  
 (1) Male Staple  
 (2) Fem. Staple Swivel

STC-BV-6504-06-06	199.73
STC-BV-6504-08-08	228.27
STC-BV-6504-12-12	305.25
STC-BV-6504-16-16	518.64
STC-BV-6504-20-20	899.85
STC-BV-6504-24-24	1,634.73
STC-BV-6504-32-32	2,544.36




**STC-BV-6565 - Ball Valve**  
 (1) (2) Fem. Staple Swivel

STC-BV-6565-04-04	378.08
STC-BV-6565-06-06	213.39
STC-BV-6565-08-08	239.02
STC-BV-6565-12-12	355.15
STC-BV-6565-16-16	532.45
STC-BV-6565-20-20	988.55
STC-BV-6565-24-24	1,815.91
STC-BV-6565-32-32	2,330.09




**STC-FBPP-2405 - Str.**  
 (1) Male Staple  
 (2) Fem. BPP

STC-FBPP-2405-04-04	44.20
STC-FBPP-2405-06-06	65.21
STC-FBPP-2405-08-08	67.82



**STC-FBPP-6566 - 90°**  
 (1) Fem. Staple Swivel  
 (2) Fem. BPP Swivel

STC-FBPP-6566-04-04	143.05
STC-FBPP-6566-06-06	90.73
STC-FBPP-6566-08-08	138.42
STC-FBPP-6566-12-12	193.07



**STC-FBPP-6567 - 45°**  
 (1) Fem. Staple Swivel  
 (2) Fem. BPP Swivel


STC-FBPP-6567-04-04	139.64
STC-FBPP-6567-06-06	111.83
STC-FBPP-6567-08-08	144.18

# STAPLE ADAPTERS




**STC-MBPP-2404 - Str.**  
 (1) Male Staple  
 (2) Male BPP

STC-MBPP-2404-04-04	29.18
STC-MBPP-2404-04-06	30.90
STC-MBPP-2404-06-06	26.09
STC-MBPP-2404-08-06	34.73
STC-MBPP-2404-08-08	26.74
STC-MBPP-2404-12-12	41.90
STC-MBPP-2404-16-16	80.55
STC-MBPP-2404-20-20	125.60
STC-MBPP-2404-24-24	384.82
STC-MBPP-2404-32-32	445.38



**STC-MBPP-6505 - Str.**  
 (1) Fem. Staple Swivel  
 (2) Male BPP

STC-MBPP-6505-04-04	37.95
STC-MBPP-6505-04-06	48.83
STC-MBPP-6505-06-06	23.82
STC-MBPP-6505-06-08	31.51
STC-MBPP-6505-08-06	31.44
STC-MBPP-6505-08-08	31.73
STC-MBPP-6505-08-12	58.55
STC-MBPP-6505-08-16	90.84
STC-MBPP-6505-12-08	63.60
STC-MBPP-6505-12-12	73.51
STC-MBPP-6505-12-16	85.45
STC-MBPP-6505-16-12	87.66
STC-MBPP-6505-16-16	94.73
STC-MBPP-6505-20-16	131.36
STC-MBPP-6505-20-20	102.09



**STC-MBPP-6505-FD - Str.**  
 (1) Fem. Staple Fixed  
 (2) Male BPP


STC-MBPP-6505-FD-24-24	618.60
STC-MBPP-6505-FD-32-32	726.05

# STAPLE ADAPTERS



**STC-HP-0304-C**  
High PSI Staple Cap

STC-HP-0304-C-12	209.85
STC-HP-0304-C-16	238.75
STC-HP-0304-C-20	245.45
STC-HP-0304-C-24	260.87
STC-HP-0304-C-32	298.75



**STC-HP-0364**  
High PSI Steel Staple

STC-HP-0364-12	41.55
STC-HP-0364-16	54.49
STC-HP-0364-20	54.06
STC-HP-0364-24	59.33
STC-HP-0364-32	63.10




**STC-HP-2403 - Str.**  
(1) (2) High PSI Male Staple

STC-HP-2403-12-12	90.30
STC-HP-2403-16-12	146.40
STC-HP-2403-16-16	139.80
STC-HP-2403-20-12	205.43
STC-HP-2403-20-16	198.82
STC-HP-2403-20-20	172.87
STC-HP-2403-24-20	232.20
STC-HP-2403-24-24	204.73
STC-HP-2403-32-20	257.53
STC-HP-2403-32-24	264.71
STC-HP-2403-32-32	256.50




**STC-HP-2404 - Str.**  
(1) High PSI Male Staple  
(2) Male Pipe

STC-HP-2404-20-20	256.05
STC-HP-2404-24-24	549.22
STC-HP-2404-32-32	635.33




**STC-HP-2408 - Str.**  
(1) High PSI Staple Plug

STC-HP-2408-12	98.60
STC-HP-2408-16	100.22
STC-HP-2408-20	103.31
STC-HP-2408-24	106.55
STC-HP-2408-32	128.05




**STC-HP-4000**  
High PSI O-Ring

STC-HP-4000-12	2.14
STC-HP-4000-16	1.02
STC-HP-4000-20	2.01
STC-HP-4000-24	2.02
STC-HP-4000-32	2.35




**STC-HP-4000-BU - Str.**  
High PSI Backup Ring

STC-HP-4000-BU-12	9.02
STC-HP-4000-BU-16	1.57
STC-HP-4000-BU-20	1.30
STC-HP-4000-BU-24	6.27
STC-HP-4000-BU-32	6.85




**STC-HP-5000 - Str.**  
(1) (2) High PSI Fem. Staple

STC-HP-5000-20-20	235.64
STC-HP-5000-24-24	315.65
STC-HP-5000-32-32	306.75




**STC-HP-5504 - 90°**  
(1) (2) High PSI Fem. Staple

STC-HP-5504-20-20	676.33
STC-HP-5504-24-24	996.42
STC-HP-5504-32-32	1,232.17



**STC-HP-5605 - Tee**  
(1) (2) (3) High PSI Fem. Staple


STC-HP-5605-20-20-20	769.27
STC-HP-5605-24-24-20	1,796.40
STC-HP-5605-24-24-24	1,135.09
STC-HP-5605-32-32-20	3,732.30
STC-HP-5605-32-32-32	1,090.70



**STC-HP-6500 - 90°**  
(1) High PSI Male Staple  
(2) High PSI Fem. Staple Swivel

STC-HP-6500-12-12	260.90
STC-HP-6500-16-16	562.50
STC-HP-6500-20-20	858.33
STC-HP-6500-24-24	1,059.80
STC-HP-6500-32-32	1,128.37


# HIGH PRESSURE STAPLE ADAPTERS



**STC-HP-6500-FD - 90°**

- (1) High PSI Male Staple
- (2) High PSI Fem. Staple Fixed


STC-HP-6500-FD-20-20	976.91
STC-HP-6500-FD-24-24	2,387.45
STC-HP-6500-FD-32-32	2,720.47



**STC-HP-6504 - Str.**

- (1) High PSI Male Staple
- (2) High PSI Fem. Staple Swivel


STC-HP-6504-20-16	208.45
STC-HP-6504-24-20	401.36
STC-HP-6504-32-20	417.06



**STC-HP-6504-FD - Str.**

- (1) High PSI Male Staple
- (2) High PSI Fem. Staple Fixed


STC-HP-6504-FD-32-24	559.64
----------------------	--------



**STC-HP-6505 - Str.**

- (1) High PSI Fem. Staple Swivel
- (2) Male Pipe


STC-HP-6505-12-12	64.90
STC-HP-6505-16-16	107.42
STC-HP-6505-20-20	314.14
STC-HP-6505-24-24	522.65
STC-HP-6505-32-32	560.18



**STC-HP-6505-FD - Str.**

- (1) High PSI Fem. Staple Fixed
- (2) Male Pipe


STC-HP-6505-FD-20-20	431.82
STC-HP-6505-FD-24-24	429.01
STC-HP-6505-FD-32-32	551.05



**STC-HP-6565 - Str.**

- (1) (2) High PSI Fem. Staple Swivel


STC-HP-6565-12-12	116.80
STC-HP-6565-16-16	195.30



**STC-HP-6566 - 90°**

- (1) (2) High PSI Fem. Staple Swivel

STC-HP-6566-12-12	135.33
STC-HP-6566-16-16	225.30
STC-HP-6566-20-20	553.52



**STC-HP-6606 - Tee**

- (1) (2) (3) High PSI Fem. Staple Swivel

STC-HP-6606-12-12-12	214.04
STC-HP-6606-16-16-16	355.02




**STC-HP-BV-6504**

- Ball Valve

- (1) High PSI Male Staple
- (2) High PSI Fem. Staple Swivel

STC-HP-BV-6504-12-12	588.90
STC-HP-BV-6504-16-16	1,133.53
STC-HP-BV-6504-20-20	1,318.22
STC-HP-BV-6504-24-24	2,536.60
STC-HP-BV-6504-32-32	3,618.55




**STC-HP-BV-6565**

- Ball Valve

- (1) (2) High PSI Fem. Staple Swivel


STC-HP-BV-6565-12-12	714.52
STC-HP-BV-6565-16-16	1,288.61
STC-HP-BV-6565-20-20	1,427.71
STC-HP-BV-6565-24-24	2,417.65
STC-HP-BV-6565-32-32	3,451.48



**STC-HP-MBPP-2404 - Str.**

- (1) High PSI Male Staple
- (2) Male BPP

STC-HP-MBPP-2404-12-12	193.60
STC-HP-MBPP-2404-16-16	196.83
STC-HP-MBPP-2404-20-20	194.18
STC-HP-MBPP-2404-24-24	221.27
STC-HP-MBPP-2404-32-32	262.73




**STC-HP-MBPP-6505 - Str.**

- (1) High PSI Fem. Staple Swivel
- (2) Male BPP

STC-HP-MBPP-6505-12-12	71.55
STC-HP-MBPP-6505-16-16	119.20
STC-HP-MBPP-6505-FD-20-20	324.33
STC-HP-MBPP-6505-FD-24-24	468.50
STC-HP-MBPP-6505-FD-32-32	534.37




# HIGH PRESSURE STAPLE ADAPTERS




**STC-HP-STD-2403 - Str.**  
 (1) High PSI Male Staple  
 (2) Standard PSI Male Staple

STC-HP-STD-2403-12-12	165.06
STC-HP-STD-2403-16-16	216.80
STC-HP-STD-2403-20-06	227.03
STC-HP-STD-2403-20-12	227.22
STC-HP-STD-2403-20-20	228.30
STC-HP-STD-2403-24-20	245.38
STC-HP-STD-2403-32-20	259.29




**STC-HP-STD-6504 - Str.**  
 (1) High PSI Male Staple  
 (2) Standard PSI Fem. Staple Swivel

STC-HP-STD-6504-16-12	184.92
STC-HP-STD-6504-16-16	201.03
STC-HP-STD-6504-20-12	201.30
STC-HP-STD-6504-20-20	208.02



**STC-HP-STD-6504-FD - Str.**  
 (1) High PSI Male Staple  
 (2) Standard PSI Fem. Staple Fixed

STC-HP-STD-6504-FD-24-20	450.42
STC-HP-STD-6504-FD-32-20	509.67



**STC-HP-STD-6606 - Tee**  
 (1) (2) High PSI Fem. Staple  
 (3) Standard Fem. Staple Swivel

STC-HP-STD-6606-12-12-08	199.53
--------------------------	--------